DAILY RAINFALL HUNTINGDONSHIRE 1911 - 1920

BRAMPTON	1911-13, 1915-1916
BRAMPTON GRANGE	1912, 1914, 1917.
CATWORTH	1911 - 1920
FEN STANTON	1912 - 1915
GT GIDDING RECTORY	1911 - 1913
GT. PAXTON.	1911 - 1916, 1918.
HEMINGFORD GREY	1915 - 1920
HINCHINGBROOKE	1911 - 1920
HOUGHTON GRANGE	1911 - 1913
HUNTINGDON BOSWORTH HOUSE	1911 - 1917
HUNTINGDON MELBOURN VICARAGE	1911.
HUNTINGDON PUDDOCK BRIDGE P/S.	1915.
ST IVES SLEEPE HSE	1911 - 1920
SOMERSHAM VICARAGE	1911
STIRTLOE HSE	1911.
WHITTLESEA MERE	1911 - 1920

FORM A2.
BRITISH RAINFALL.
23 JAN 1917

REG[illegible] 11

HUNTS.
BRAMPTON
1911-1913; 1915-1916

Kept at Brampton

in the County of Huntin

by M. Budge[illegible]

[illegible] in.

[illegible]ove Ground [illegible] ft. [illegible] in.

[illegible]„ Sea Level [illegible] ft.

{ Name [illegible]
{ Distance [illegible] Direction [illegible]

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.06				.02				.01	1
2	.11			.02	.10	.03					.10	.11	2
3		.02			.13			.01		.02		.17	3
4	.05	.04	.03	.17					.09	.13	.21	.26	4
5		.01	.09					.13		.04		.10	5
6	.40										.01	.25	6
7	.02									.02	.27	.34	7
8	.21		.13							.03	.13	.05	8
9	.11			.05						.01	.05		9
10		.05	.17					.04			.08	.17	10
11	.29										.52		11
12	.13		.45								.20		12
13			.07						.29			.29	13
14			.03		.50					.05		.42	14
15		.03	.12								.11		15
16						.07				.02	.37	.08	16
17						.02					.03	.16	17
18		.17				.05			.24		.26	.03	18
19		.02				.33				.08	.24		19
20		.02	.03			.02		.11	.30	.02		.56	20
21	.04	.10						.99	.08	.23		.18	21
22	.04		.13	.01				.11		.35		.39	22
23		.07	.10			1.08	.19		.34			.18	23
24		.06	.08			.23		.01		.48		.14	24
25		.08	.01	.06	.01	.11		.01					25
26				.25				.05		.26	.12	.28	26
27		.20	.12	.02					.12			.04	27
28		.12		.24				.23			.07		28
29			.02	.03		.37	.08		.22	.29			29
30				.02		.02				.09			30
31					.18					.08			31
Total	1.42	.99	1.58	.93	.92	2.33	.27	1.71	1.68	2.20	2.77	4.21	TOTAL for year 21.01
No. of Rain Days	11	14	15	11	5	11	2	11	8	17	16	21	142

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 23 JAN 1912

Kept at Brampton

in the County of Huntingdonshire

by M. Budge

RAIN GAUGE { Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. „ „ „ Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.06				.02				.01	1
2	.11			.02	.10	.03					.10	.11	2
3		.02			.13			.01		.02		.17	3
4	.05	.04	.03	.17					.09	.13	.21	.26	4
5		.01	.09					.13		.04		.10	5
6	.40										.01	.25	6
7	.02									.02	.27	.34	7
8	.21		.13							.03	.13	.05	8
9	.11			.05						.01	.05		9
10		.05	.17					.04			.08	.17	10
11	.29										.52		11
12	.13		.45								.20		12
13			.07						.29			.29	13
14			.03		.50					.05		.42	14
15		.03	.12								.11		15
16						.07				.02	.37	.08	16
17						.02					.03	.16	17
18		.17				.05			.24		.26	.03	18
19		.02				.33				.08	.24		19
20		.02	.03			.02		.11	.30	.02		.56	20
21	.04	.10						.99	.08	.23		.18	21
22	.04		.13	.01				.11		.35		.39	22
23		.07	.10			1.08	.19		.34			.18	23
24		.06	.08			.23		.01		.48		.14	24
25		.08	.01	.06	.01	.11		.01					25
26				.25				.05		.26	.12	.28	26
27		.20	.12	.02					.12			.04	27
28		.12		.24				.23			.07		28
29			.02	.03		.37	.08		.22	.29			29
30				.02		.02				.09			30
31					.18					.08			31
Total	1.42	.99	1.58	.93	.92	2.33	.27	1.71	1.68	2.20	2.77	4.21	TOTAL for year 21.01
No. of Rain Days	11	14	15	11	5	11	2	11	8	17	16	21	142

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Form A2.
British Rainfall.

24 JAN 1913

Kept at Brampton Rectory

in the County of Huntingdonshire

by Miss M. Budge

Rain Gauge { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name ; Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.39	.02		.09			.09	1
2					.01	.28	.36						2
3	.19	.01	.03		.01	.47		.23	.05				3
4	.04		.67		.07	.51		.06			.35		4
5	.05	.10	.18			.04		.07			.07		5
6	.42	.16			.01	.11	.26	.75					6
7					.03	1.26	.05	.05					7
8	.32	.21	.11			.04		.13	.14				8
9		.03	.02	.10		.47		.01					9
10								.01	.09		.10		10
11	.25	.09							.03				11
12	.15	.20	.07								.07		12
13		.07						.01			.22		13
14	.04				.08	.18		.02		.06			14
15			.13		.33	.21		.05					15
16	.40		.05		.09			.08		.07			16
17	.48		.22			.19		.07					17
18	.13		.09					.18					18
19	.22	.09	.03				.13	.26					19
20	.05		.11					.53		.27			20
21			.38		.48			1.00		.40			21
22	.48	.09			.01		.66	.23		.02			22
23	.26	.50	.32				.53	.65					23
24	.37	.02				.07	.07	.32					24
25						.07		.52					25
26							.31	1.67		.52	.20		26
27						.08		.02		.32			27
28		.03						.26	.09	.26	.23		28
29						.06	.22	.04	.72	.35	.07		29
30					.63	.01	.03	.01	.31	.08			30
31			.03		.07		.24	.21					31
Total	3.85	1.60	2.44	.10	1.82	4.44	2.88	6.44	1.52	2.35	1.75	2.40	TOTAL for year
			2.44					7.44					
No. of Rain Days.	16	13	15	1	12	17	12	27	8	10		16	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

county min. stats 26.11.14

FORM A. BRITISH RAINFALL. 201

27 JAN 1914

Kept at Brampton Grange

in the County of Huntingdonshire

by A. J. Thompson

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.09	.09	.05					.99		.04		1
2		.16			.04				.15				2
3	.01		.15		.70		.10			.26		.03	3
4	.21		.02				.11			.16			4
5	.01					.02	.02		.02	.65	.02		5
6		.04			.60	.15	.07			.14			6
7		.03			.22	.04				.42	.04		7
8					.21	.06				.03			8
9		.22	.05	.04	.01	.11		.10	.01		.09		9
10							.17	.02			.31		10
11	.95			.38	.02	.05		.17			.15		11
12					.10			.01					12
13			.02					.02			.42		13
14	.06			.02			.08						14
15	.16	.02	.17	.19			.01		.18				15
16	.06		.80	.13					.04	.16			16
17	.12			.17		2.23							17
18				.07			.01		.18			.14	18
19	.09		.23				(.06)		.17				19
20	.07		.10	.04					.02	.40			20
21			.09		.09		.01			.02	.17		21
22	.32		.15				.01	.12	.15				22
23			.02	.03		.07	.07	.02	.04				23
24	.02					.02		.04					24
25				.15		.04	.01						25
26		.06	.26	.05						.59	.04	.23	26
27				.03	.02								27
28	.30		.15	.07						.06			28
29			.16	.52	.19			.04				.04	29
30	.26			.02				.10		.20	.18	.11	30
31								.55					31
Total	2.69	.62	2.46	1.96	2.20	2.79	.73	1.19	1.95	3.09	1.46	.55	YEAR'S TOTAL 21.69
Rain Days.	15	7	17	16	11	10	13	11	11	12	11	6	140

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

Kept at Brampton

in the County of Huntingdonshire

by A. T. Thompson

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.11	.25		.08				.05			.14	1
2	.12	.16	.04	.12				.58			.07	.12	2
3	.22	—		.21			.10	.60	.16		—		3
4	.18							.06				.70	4
5	.03	.12						.02				.20	5
6	.22	.03		.10			.71	.08		.05	.09	.02	6
7	.02	.30	.22		.17		.14	.12				.16	7
8		.22											8
9	.01	.02			.09							.55	9
10	.27					.05		.22					10
11			.06		.07								11
12	.08			.28	.38			.27			2.00	.12	12
13	.04	.35			1.04			.06					13
14							.12		.03	.02		.40	14
15	.17				.04			.04			.31	.11	15
16		.21					.66	.10			.03	.09	16
17		.18			.01		.05	.04					17
18		.03	.26								.01		18
19		.02	.01				.34						19
20	.21			.04				.01				.33	20
21		.04			.08		.06						21
22	.51		.24				.62		.02			.21	22
23	.02	.17	.06	.04		.10	.18		.13	.20		.31	23
24			.10				.22		.42			.05	24
25			.01			.49	.10			.03		.16	25
26		.11					.18					.20	26
27						.28	.13			.42			27
28		.08				.18				.10	.08	.22	28
29					.01	.04		.15		.01			29
30	.11	X											30
31	.05	X		X		X		.09	X	.03	X	.10	31
Total	2.47	2.15	1.25	.79	1.97	1.14	3.61	2.44	.81	.86	2.59	4.19	YEAR'S TOTAL 24.27
Rain Days.	17	17	10	7	10	6	14	15	6	8	9	20	139

W. 8,000. X. 14.

1229

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Brampton Grange

in the County of Huntingdon

by Rev. Arnold T. Thompson

Lat. 52° 19′ 20″ Long. 0° 13′ W.

Time of Observation 9 a.m.

Nearest Railway Station Huntingdon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05				·02		·06				·46		1
2	·34				·57		·03			·24			2
3		·16							·31	·15	·12		3
4	·34	·14	·06	·06	·03	·44				·01	·25		4
5					·01		·29			·11	·41	·04	5
6		·10	·16	·22	·01	·02				·03			6
7	·11				·12	·04	·33				·43	·07	7
8					·11								8
9	·02		·08		·26	·10					·02		9
10		·08	·13	·03		·12	·30	·28	·05				10
11	·03	·19	·08	·10		·11			·01				11
12	·02	·04	·03		·40	·25	·02	·01					12
13		·29		·03	·36	·09		·22		·15			13
14		·69	·32		·07			·01					14
15		·28		·05	·05		·15	·07	·02			·07	15
16			·09	·20			·08			·02			16
17	·06	·05		·42			·07	·41	·21	·31			17
18		·10						·32	·08	·01			18
19	·08	·03	·19	·10					·02		1·35	·13	19
20	·11			·04				·09				·55	20
21			·72	·02			·47				·08		21
22		·20			·19	·13	·01			·01	·01	1·38	22
23	·05	·54						·05			·03		23
24						·09		·05			·01	·33	24
25		·47	·12		·05			·26			·06	·02	25
26		·04	·03			·07					·02		26
27	·04	·30	1·20					·21	·04	·10		·7	27
28		·33	·91						·03	·33		·14	28
29		·05				·08		1·27					29
30		X						·22				·02	30
31		X		X		X		·01	X		X		31
Total	1·25	4·08	4·12	1·27	2·25	1·54	1·81	3·48	·77	1·47	3·25	2·78	YEAR'S TOTAL 28·07
Rain Days.	12	(20)	(18)	11	14	(15)	(12)	16	9	(14)	(14)	(12)	(165)

W. 8,000, VIII. 16

FORM A. BRITISH RAINFALL. 27 FEB 1913

REGIST

Jan. 1st (18.11.13 and previously).

Kept at Brampton Gre... a.m.

in the County of Hunt... Huntingdon

by (Rev). Arnold T. Th... 5 in.

...ve Ground 1 ft. 6 in.

Sea Level 46 ft. 6

HUNTS.
BRAMPTON GRANGE
1912; 1914, 1917.

IMPORTANT NOTE.— ... the result entered to the previous day. If an Observe... versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.01	—	.03		.38	—	.03	.09	—	—	.09	1
2		—	.03	—	.01	.25	.34	—	—	—	—	—	2
3		.01	—	—	.01	.42	.01	.22	.01	—	—	.16	3
4		—	.66	—	.05	.52	—	.07	—	—	.30	—	4
5		.11	.17	—	—	.12	—	.09	—	—	.05	—	5
6		.08	—	—	.02	.05	.25	.68	.01	—	—	—	6
7		.01	—	—	.02	1.22	—	.05	—	—	—	.05	7
8		.19	.10	—	—	.03	—	.16	.15	—	—	.13	8
9		.02	—	.08	—	.41	—	—	—	—	—	—	9
10		—	.01	—	—	—	—	.01	.09	—	.10	—	10
11		.08	—	—	—	.02	—	—	.03	—	—	~~.02~~	.18 11
12		.19	.05	—	.02	—	—	—	—	—	.05	~~.17~~	— 12
13		.08	—	—	—	—	—	.01	—	—	.20	—	13
14		.02	.01	—	.05	.17	—	.01	—	—	—	—	.02 14
15		—	.12	—	.31	.20	—	.06	—	—	—	~~.07~~	.17 15
16		—	.04	—	.08	—	—	.08	—	.09	—	—	16
17		—	.19	—	—	.19	—	.09	—	—	.02	—	17
18		—	.08	—	—	—	—	.09	—	—	—	—	.07 18
19		.07	.02	—	—	—	.13	.27	—	—	—	~~.02~~	19
20		—	.01	—	—	—	.14	.55	—	.24	—	~~.20~~	20
21		—	.46	—	.42	—	—	.94	—	.34	—	~~.18~~	21
22		.07	—	—	—	—	.48	.25	—	—	—		.02 22
23		.48	.27	—	—	—	.54	.59	—	—	.18	~~.10~~	.20 23
24		.02	—	—	—	.08	—	.30	—	—	—	.48	24
25		—	—	—	—	.07	.05	.46	—	—	.24		25
26		—	—	—	—	.03	.30	1.67	—	.47	.20	.06	26
27		—	—	—	—	.08	—	.01	—	.23	—	.22	27
28		.03	—	—	—	—	—	.24	.30	.24	.23	.55	28
29		.01	—	—	—	.08	.23	.04	.64	.37	.07	—	29
30		—	—	—	.57		.03	.01	.28	.07	—	—	30
31		—	—		.10		.23	.20	—	—	—	—	31
Total	(3.85)	1.48	2.22	.11	1.66	4.62	3.06	7.18	1.60	2.05	1.64	2.40	YEAR'S TOTAL (31.87)
Rain Days.	(16)	17	15	2	12	18	12	27	9	8	11	15	(162)

W. 7,500, XI. 12

Jan. end 2nd page. 18.11.13

REGIST[illegible]

FORM A. BRITISH RAINFALL. 17 FEB 1913

Regist Brampton Grange (Brampton).

in the County of Huntingdon

by (Rev). Arnold T. Thompson

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Huntingdon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 46 ft. 6

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.01	—	.03		.38	—	.03	.09	—	—	.09	1
2		—	.03	—	.01	.25	.34	—	—	—	—	—	2
3		.01	—	—	.01	.42	.01	.22	.01	—	—	.16	3
4		—	.66	—	.05	.52	—	.07	—	—	.30	—	4
5		.11	.17	—	—	.12	—	.09	—	—	.05	—	5
6		.08	—	—	.02	.05	.25	.68	.01	—	—	—	6
7		.01	—	—	.02	1.22	—	.05	—	—	—	.05	7
8		.19	.10	—	—	.03	—	.16	.15	—	—	.13	8
9		.02	—	.08	—	.41	—	—	—	—	—	—	9
10		—	.01	—	—	—	—	.01	.09	—	.10	—	10
11		.08	—	—	—	.02	—	—	.03	—	—	~~.02~~	.18 11
12		.19	.05	—	.02	—	—	—	—	—	.05	~~.17~~	— 12
13		.08	—	—	—	—	—	.01	—	—	.20	—	13
14		.02	.01	—	.05	.17	—	.01	—	—	—	—	.02 14
15		—	.12	—	.31	.20	—	.06	—	—	—	~~.07~~	.17 15
16		—	.04	—	.08	—	—	.08	—	.09	—	—	16
17		—	.19	—	—	.19	—	.09	—	—	.02	—	17
18		—	.08	—	—	—	—	.09	—	—	—	~~.04~~	.07 18
19		.07	.02	—	—	—	.13	.27	—	—	—	~~.02~~	19
20		—	.01	—	—	—	.14	.55	—	.24	—	~~.20~~	20
21		—	.46	—	.42	—	—	.94	—	.34	—	~~.48~~	21
22		.07	—	—	—	—	.78	.25	—	—	—		.02 22
23		.48	.27	—	—	—	.54	.59	—	—	.18	~~.0~~	.20 23
24		.02	—	—	—	.08	—	.30	—	—	—	.48	24
25		—	—	—	—	.07	.05	.46	—	—	.24		25
26		—	—	—	—	.03	.30	1.67	—	.47	.20	.06	26
27		—	—	—	—	.08	—	.01	—	.23	—	.22	27
28		.03	—	—	—	—	—	.24	.30	.24	.23	.55	28
29		.01	—	—	—	.08	.23	.04	.64	.37	.07	—	29
30		—	—	—	.57		.03	.01	.28	.07	—	—	30
31		—	—		.10		.23	.20	—	—	—	—	31
Total	(3.85)	1.48	2.22	.11	1.66	4.62	3.06	7.18	1.60	2.05	1.64	2.40	YEAR'S TOTAL (31.87)
Rain Days.	(16)	14	15	2	12	18	12	27	9	8	11	15	(162)

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

Kept at Brampton Grange

in the County of Huntingdonshire

by Rev A. T. Thompson

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02						.02	.28			.09	.02	1
2							.04				.06	.09	2
3			.07	.02	.14		.43	.01			.05		3
4	.12			.27				.38			.47	.19	4
5			.05	.09	.05	.03	.19	.05					5
6		.05		.07	.05	.02	.10	.01			.21		6
7		.07	.31	.05	.02	.07	.09					.11	7
8	.05	.03	.23	.02	.05	.96	.22	.15					8
9	.53		.31	.04		.79						.20	9
10	.15	.11		.06				.03	.12				10
11		.07	.34	.03	.07	.37					.23	.31	11
12			.10			.01			.45		.03	.23	12
13		.15	.18						.03	.32	.16	.21	13
14			.30				.01			1.51	.08	.36	14
15	.05	.07	.21				.05	.04	.07			.12	15
16			.04				.10		.14		.12		16
17		.29	.03						.07	.07	.01	.10	17
18			.05				.05					.49	18
19		.02	.15			.16	.22				.16		19
20			.49									.12	20
21		.37	.08			.15				.07	.05	.23	21
22		.03	.05		.12		.06	.09		.21		.01	22
23		.03	.08		.07					.07		.03	23
24			.05	.05			.12	.01		.24	.14	.05	24
25								.07		.39		.44	25
26	.05		.03				.01	.12		.05	.13		26
27	.04		.01				.01				.01	.14	27
28		.05			.02					.21	.16	1.74	28
29			.13							.22	.05		29
30	.01									.05	.18	.20	30
31					.09		.06					.05	31
Total	1.02	1.34	3.29	.70	.68	2.56	1.78	1.24	.88	3.41	2.39	5.44	YEAR'S TOTAL 24.73
Rain Days.	9	14	22	10	10	9	17	12	6	12	20	24	165

W.7/100, XI. 13

1183

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Brampton Grange

in the County of Huntingdon

by Rev. Arnold T. Thompson

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.12		.10				1.46	.27				1
2	.01							.12		.04	.14		2
3				.16				.34					3
4		.13	.03					.19		.66			4
5				.09					.06	.01	.08		5
6						.09			.01				6
7	.39					.66		.32		.40	.18		7
8	.42		.13	.39			.65						8
9							.02	.11				.05	9
10	.43		.22	.15				.03		.37			10
11		.02	.36	.42				.11	.02				11
12				.01	.04			.14		.29			12
13	.24		.11	.08					.04				13
14								.38					14
15								.32					15
16		.05		.19		.40	.06			.84			16
17		.02		.15	.69	.09	.29	.07	.27	.18			17
18				.05	.02	.08	.06	.04	.86				18
19			.22		.07				.22				19
20	.04	.33			.16			.02			.11		20
21													21
22	.03		.09						.11	.22			22
23		.16						.24					23
24						.19		.07		.17			24
25											.48		25
26			.11					.40	.12			.14	26
27						.02		.52					27
28		.05	.16			.93		.03		.42			28
29					.06	1.08	.46	.01					29
30		X					.48	.08					30
31		X	.11	X		X	.32		X		X		31
Total	1.56	.88	1.54	1.79	1.04	2.54 3.54	2.34	5.00	1.98	3.60	.99	.19	YEAR'S TOTAL 23.45
Rain Days.	9	10	13	13	6	9	8	21	11	12	6	2	~~230~~

3.18

W. 8,000, IX. 17.

27 FEB 18

Brampton Grange
Huntingdon.
26 Feb. 1918.

Dear Sir

In reply to your letter of 24 Feb — on looking at my record of rain fall for last June I see that the total is 3.54 in. I regret to have made a mistake in the copy.

Yours faithfully
Arnold T. Thompson

The Assistant Director
British Rainfall.

207

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGIS

CATWORTH
HUNTINGDON
1911 - 1920

Kept at Catworth

in the County of Hunting

by Miss E M Chr

5 in.

Ground ft. 9 in.

Sea Level 210 ft.

Name

Distance Direction

IMPORTANT NOTE.—R the result entered to the previous day. If an Observe versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.01	.04			.01	.01			.01	.03	1
2	.05			.03	.15			.02			.04	.06	2
3		.02			.21			.16		.01	.01	.06	3
4	.04	.01	.08	.12					.05	.52	.26	.30	4
5	.01			.01				.06		.09	.03	.05	5
6	.25		.01								.02	.19	6
7	.01			.02							.18	.24	7
8	.14		.12								.04	.04	8
9	.11			.01							.02	.01	9
10	.01	.07	.13	.01							.10	.23	10
11	.20	.01						.09			.49		11
12	.06		.34						.02		.13		12
13			.07						.27		.01	.34	13
14		.01	.02		.95					.04		.31	14
15		.02	.20						.01	.02	.05	.01	15
16	.01		.07			.06				.01	.33	.08	16
17						.01					.03	.16	17
18		.16				.02					.09	.06	18
19		.02			.02	.03			.20	.05	.28	.04	19
20	.01	.02	.02	.02		.04		.38	.26	.01		.50	20
21		.04	.01					.58		.11		.18	21
22	.01	.01	.10					.03		.16		.36	22
23		.12	.15			.72	.02	.01	.25			.15	23
24	.01	.06	.02			.25		.01		.34		.08	24
25		.08	.05	.05	.48	.09				.02			25
26				.20		.01				.21	.11	.19	26
27		.17	.15	.04			.06		.16	.02	.01	.03	27
28		.10		.14		.01		.24			.04	.01	28
29				.06		.16	.06		.17	.23	.01		29
30			.01	.01	.01	.07				.09		.01	30
31					.01					.01		.01	31
Total	.94	.92	1.56	.76	1.83	1.47	.15	1.59	1.39	1.94	2.29	3.73	TOTAL for year 18.57
No. of Rain Days	15	16	18	14	7	12	4	11	9	17	22	27	172

9,000, IX. '10.

REGIS[redacted]

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Catworth

in the County of Huntingdonshire

by Miss E M Conway

RAIN GAUGE — Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 210 ft.

Time of Observation

Nearest Railway Station — Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.01	.04			.01	.01			.01	.03	1
2	.05			.03	.15			.02			.04	.06	2
3		.02			.21			.16		.01	.01	.06	3
4	.04	.01	.08	.12					.05	.52	.26	.30	4
5	.01			.01				.06		.09	.03	.05	5
6	.25		.01								.02	.19	6
7	.01			.02							.15	.24	7
8	.14		.12								.04	.04	8
9	.11			.01							.02	.01	9
10	.01	.07	.13	.01							.10	.23	10
11	.20	.01						.09			.49		11
12	.06		.34						.02		.13		12
13			.07						.27		.01	.34	13
14		.01	.02		.95					.04		.31	14
15		.02	.20						.01	.02	.05	.01	15
16	.01		.07			.06				.01	.33	.08	16
17						.01					.03	.16	17
18		.16				.02					.09	.06	18
19		.02			.02	.03			.20	.05	.28	.04	19
20	.01	.02	.02	.02		.04		.38	.26	.01		.50	20
21		.04	.01					.58		.11		.18	21
22	.01	.01	.10					.03		.16		.36	22
23		.12	.15			.72	.02	.01	.25			.15	23
24	.01	.06	.02			.25		.01		.34		.08	24
25		.08	.05	.05	.48	.09				.02			25
26				.20		.01				.21	.11	.19	26
27		.17	.15	.04			.06		.16	.02	.01	.03	27
28		.10		.14		.01		.24			.04	.01	28
29				.06		.16	.06		.17	.23	.01		29
30			.01	.01	.01	.07				.09		.01	30
31					.01					.01		.01	31
Total	.94	.92	1.56	.76	1.83	1.47	.15	1.59	1.39	1.94	2.29	3.73	TOTAL for year 18.57
No. of Rain Days	15	16	18	14	7	12	4	11	9	17	22	27	172

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Form A2. British Rainfall. 203

24 JAN 1913

Kept at Catworth

in the County of Huntingdonshire

by Miss E. M. Conway

Rain Gauge { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... ; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.01			.43	.06		.05			.09	1
2			.03			.36	.52		.02			.03	2
3	.16	.01	.03		.01	.17	.02	.21	.04			.10	3
4	.03		.61		.06	.47	.01	.22			.30		4
5	.06	.12	.19			.11		.17	.01		.07		5
6	.31	.09	.01			.01	.20	.32			.01	.01	6
7					.01	.92	.03	.03				.02	7
8	.33	.23	.11			.01	.13	.17	.09	.01		.01	8
9		.09	.01	.07		.30	.01	.01				.08	9
10		.01				.01		.01	.11		.12		10
11	.17	.07				.02		.01	.01		.01	.24	11
12	.09	.12	.05		.02	.10	.01	.02			.05		12
13	.01	.02				.09	.05				.19	.02	13
14	.03		.05		.10	.27		.02		.02	.01		14
15		.03	.08		.39	.18		.02				.17	15
16	.44		.06		.03	.19		.13		.04			16
17	.66		.21			.13		.17			.01	.16	17
18	.06		.07					.01			.03	.05	18
19	.20	.04	.01			.01	.29	.33		.01	.01		19
20	.05		.14		.04		.14	.32		.19			20
21	.01		.24		.42			.97		.31	.07		21
22	.38	.07			.02		1.20	.26		.03		.02	22
23	.15	.37	.27				.95	.37			.07	.22	23
24	.13	.01	.01			.14	.09	.16				.13	24
25	.01					.25		.49			.22	.30	25
26	.01	.01				.01	.27	1.60		.50	.33	.18	26
27						.04	.48	.06		.36		.19	27
28		.03					.07	.37	.04	.22	.16	.83	28
29				.01		.17	.30	.08	.63	.32	.04		29
30	.03				.34	.01	.01		.21	.09			30
31			.17		.33		.52	.15		.01			31
Total	3.32	1.33	2.36	.08	1.77	4.40	5.36	6.68	1.21	2.11	1.70	2.85	TOTAL for year 33.17
No. of Rain Days.	21	17	20	2	12	24	21	27	10	13	17	19	203

W. 8,000, X. '11.

82 ✓ L.K. M.H.

REGISTER OF RAINFALL IN 1913

206

FORM A. BRITISH RAINFALL. 27 JAN 1914

Kept at Catworth

in the County of Huntingdonshire

by Miss E. M. Conway

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.07	.07	.09					.86		.03	.01	1
2	.01	.14			.13		.18		.13	.16	.07		2
3			.18		.60				.01	.36		.01	3
4	.27				.01		.10			.57	.07	.09	4
5	.01					.03	.01			.54	.03	.01	5
6			.02		.29	.19				.07			6
7		.07			.06	.06	.03			.73	.04		7
8					.21	.02					.11		8
9		.23	.02	.01	.02	.11			.01		.07		9
10				.03	.04		.12	.01			.56		10
11	1.18			.42		.02		.01		.05	.04		11
12		.01		.01	.16						.17		12
13	.03		.01	.01					.01		.30		13
14	.05	.01	.14	.01			.12			.09	.04		14
15	.11	.01	.23	.18			.10		.11				15
16	.03		.85	.18					.08				16
17	.12	.02	.07	.29		.10					.01	.06	17
18			.16	.03			.01		.04			.02	18
19	.16		.09	.02			.07		.08			.04	19
20	.15		.12							.48			20
21	.02		.10		.06		.03		.01		.22		21
22	.31		.20				.01	.11	.14		.01		22
23	.01					.03		.02	.04			.02	23
24	.02			.03				.02					24
25		.01		.19		.03	.01						25
26		.02	.27	.07				.02		.39	.04	.19	26
27		.02	.02	.02	.20					.01			27
28	.30		.06	.11						.03		.02	28
29	.01		.14	.68	.33			.05		.06		.11	29
30	.11			.01				.08		.07	.17	.03	30
31					.02			.44					31
Total	2.93	.61	2.75	2.39	2.13	.59	.79	.76	1.52	3.61	1.98	.61	YEAR'S TOTAL 20.67
Rain Days.	19	11	18	19	13	9	12	9	12	14	17	12	165

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

Kept at Catworth

in the County of Huntingdonshire

by Miss E. M. Conway

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.02			.72	.28				.10	1
2							.02	.23			.10	.03	2
3			.05		.14		.36	.02			.08	.15	3
4	.15	.01		.18				.22		.01	.04		4
5			.05	.08	.06	.08	.18	.11			.50	.14	5
6		.03		.04	.05		.04	.01					6
7		.07	.29	.01	.01	.08	.05				.21	.03	7
8	.04	.02	.16	.02	.09	.86	.10	.16				.04	8
9	.41		.25	.23		.69		.01				.05	9
10	.14	.04	.01	.05	.05			.01	*			.17	10
11		.06	.27	.05	.12	.31				.02			11
12		.02	.08			.01			*		.20	.30	12
13	.02	.11	.16						*		.01	.31	13
14			.21				.02		.70	.51	.18	.22	14
15	.02	.08	.15				.05	.03	*	.60	.09	.32	15
16			.05				.17		*		.08	.14	16
17		.23	.02				.01		*				17
18			.04				.05					.09	18
19		.02	.28			.08	.14					.39	19
20		.07	.25						.03		.09		20
21		.19	.09			.04		.10	.06			.11	21
22			.11		.08	.05	.12	.10		.06	.02	.17	22
23		.04	.04		.09					.11		.01	23
24			.02	.02	.01		.10	.01		.06		.02	24
25	.02						.01	.10		.20	.10		25
26			.04				.03	.06		.39		.06	26
27	.02									.07	.14	.37	27
28		.04			.04					.03	.04	.14	28
29	.01		.11		.09					.30	.23	1.22	29
30			.02			.01				.27	.08		30
31					.10		.05			.05	.10	.15	31
Total	.85	1.03	2.75	.70	.93	2.21	2.22	1.45	.79	2.68	2.29	4.76	22.66
Rain Days.	10	15	23	10	13	10	18	15	(.8.)	14	18	24	(178.)

W.7,000, XI. 13

82

Corr. for ft. W.O. and forwarded 29.2.16

1253
1915

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Catworth

in the County of Huntingdonshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.01	.07		.11				.02		.04	.11	1
2	.27	.11	.19	.12		.02		.35		.03		.06	2
3	.03	.17	.05	.20			.21	.09	.10			.17	3
4	.28						.49	.21			.07	.57	4
5	.12	.16			.16			.02				.19	5
6	.04	.01	.02	.10			.65	.03		.01		.06	6
7	.18	.39	.17			.10	.06	.10				.16	7
8	.03	.18	.03	.05				.02					8
9						.04				.02	.15	.47	9
10	.02		.04					.93			.07	.01	10
11	.26				.06		.08			.01	.58		11
12	.02		.06	.22	.32			.17			1.00	.05	12
13	.04	.37			1.05			.05					13
14	.02	.01						.01	.05			.31	14
15					.07			.13		.02	.26	.12	15
16	.18	.21					.54	.10		.01		.10	16
17		.12			.04		.18						17
18		.04	.21								.07		18
19		.08					.09						19
20				.05						.01		.30	20
21	.04	.02			.08		.05					.04	21
22	.09		.24				.51		.07	.01		.24	22
23	.23	.17	.12	.01		.06	.15		.08	.14	.01	.32	23
24			.12			.01	.16		.70			.04	24
25			.01			.18	.37			.01		.22	25
26		.09		.06			.15				.01	.22	26
27						.08	.14			.38		.02	27
28		.09				.14		.02	.27	.24			28
29						.20		.07			.12	.22	29
30		X				.01					.01	.01	30
31	.10	X		X		X		.06	X	.12	X	.10	31
Total	.01 ~~2.08~~ 1.96	~~2.19~~ 2.27	1.33	.81	1.89	.84	~~3.83~~ 3.83	2.36	1.29	1.01	2.39	4.11 ~~4.21~~	YEAR'S TOTAL ~~24.25~~ 24.04
Rain Days.	18	17	13	8	9	10	15	16	7	13	12	24	161

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

12-33

FORM A. BRITISH RAINFALL.

12 JAN 1917

Kept at Catworth

in the County of Huntingdonshire

by Alice M. Pashler

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Kimbolton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·12			·01	·21				·75		1
2	·34	·04	·07		·47		·10		·03	·27			2
3		·27				·04			·17	·20	·08		3
4	·40	·15			·06	·16			·01	·01	·29		4
5	·01			·08	·02	·14				·10	·46		5
6		·09	·16	·15	·02	·005	·19			·02	·27		6
7	·09		·27		·19		·29				·11	·07	7
8			·0		·08	·16					·03	·29	8
9					·23	·09				·10		·06	9
10		·05	·13	·04		·03	·03		·03			·03	10
11	·05	·19	·13	·10	·05	·12			·005			·05	11
12	·03	·03	·03		·60	·17	·03		·005	·06			12
13		·30	·21	·02	·15	·11	·04	·02		·005			13
14		Snow ·62		·09	·05								14
15		·34	·38				·15	·10					15
16	·01	·05	·18	·18	·05		·18	·01					16
17	·07	·03		·12			·07	·16	·18	·30			17
18		·10	·09	·03				·38	·05		·83		18
19	·13	·03	·23	·08					·02		·46	·11	19
20	·14		·13	·02				·02			·16	·51	20
21	·07		·57				·31					·50	21
22		Snow ·09			·09	·005						·63	22
23	·07	Snow ·30				·21		·05		·07	·04	·15	23
24		Rain ·30	·06			·17		·03				·26	24
25		Snow ·28	·07		·06			·21		·05	·06	·01	25
26		·05	·03			·04		·07		·01	02		26
27	·03	·32	Snow 1·02					·21	·03	·15			27
28		·38	·83	·21		·03	·02		·03				28
29		·06				·16		1·25		·28		·16	29
30		X			·57	·01		·17		·19			30
31		X		X		X		·01	X	·02	X		31
Total	1·43	4·07	4·80	1·12	2·69	1·66	1·62	2·69	·56	1·76	3·56	2·83	YEAR'S TOTAL 28·84
Rain Days.	14	22	20	12	15	18	12	14	10	16	13	13	189

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19 17

FORM A. BRITISH RAINFALL. 6 MAR 1918

Kept at Catworth

in the County of Huntingdon

by Mr J. H. Annet

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Kimbolton. Mid

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 9" in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02				·78			·04		1
2	·03			·10				·13					2
3				·02				·20			·12		3
4		·19						·10		·57			4
5	·10	·10	·05	·10						·03	·18		5
6		·02								·10			6
7	·40	·10	·08							·28			7
8	·35		·02	·16			·30	·56		·28	·09		8
9	·07		·09	·04				·07		·02	·07		9
10			·21	·19				·10		·08			10
11	·36		·24	·28				·06	·05	·21			11
12	·07			·01				·21		·23			12
13	·11			·02			·52	·16	·05				13
14	·15		·04	·04				·17				·03	14
15	·04						·02	·58		·03			15
16	·07			·09		·73	·02			·47		·13	16
17	·05			·14	·70		·20	·02	·30	·17			17
18	·03			·07		·09	·10	·07	·75				18
19			·09		·11	·01			·10				19
20		·17	·12						·15		·11		20
21		·02			·39								21
22			·10					·07		·14			22
23		·09						·15	·11	·03			23
24		·02				·06		·07		·12	·06		24
25											(34)	·25	25
26			·09						·11				26
27						·08		·56				·15	27
28		·06	·19			·51		·10					28
29					·34	·40	·33	·01		·26			29
30		X					·47	·08					30
31		X	·07	X		X	·16	·14	X		X		31
Total	1·83	·77	1·39	1·28	1·54	1·88	2·12	4·39	1·62	3·02	1·01	·56	YEAR'S TOTAL 21·41
Rain Days.	13	9	13	14	4	7	9	22	8	16	9	4	126

2·07

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at Catworth

in the County of Huntingdon

by Mr. J. H. Annet

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Kimbolton (Mid)

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground — ft. 9" in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04									·09	·03	1
2		·13		·13				·09	·04			·13	2
3		·04	·03		·48			·05	·09		·73		3
4			·08				·03	·03	·48		·39	·04	4
5		·05			·19			·15	·56	·12			5
6		·16		·13					·01				6
7		·07		·09		·05			·14	·07			7
8	·09			·01					·06				8
9		·13		·04		·04	·11		·40	·16		·10	9
10	·09			·03			·42		·07	·12		·03	10
11					·10		·11		·09	·50	·11	·08	11
12		·11	·05		·29		·19				·03		12
13		·03		·03	·16				·07				13
14	·22			·02		·04	·40		·27	·23		·07	14
15	1·28			·75		·05	·57		·08			·12	15
16				·45		·02			·56			·08	16
17				·09	·04		1·03	·03				·03	17
18				·02		·13	·05		·12			·43	18
19		·02	·05	·03			·02			·06		·09	19
20		·04		·42		·06			·18	·22			20
21				·11					·36				21
22	·15				·13		·02				·01	·28	22
23	·09				·23		·18		·11		·02		23
24		·14					·02			·02	·10		24
25					·10	·04	·02	·25			·06		25
26							·24				·10	·16	26
27				·01			·05	·15			·07		27
28		·06	·11								·24	·08	28
29									1·20		·05	·05	29
30		X	·30						·02		·23	·03	30
31		X	·03	X		X			X		X		31
Total	1·92	1·02	·65	2·36	1·72	·43	3·46	·74	4·91	1·50	2·13	1·83	YEAR'S TOTAL 22·67
Rain Days.	6	13	7	16	9	8	16	7	20	9	14	17	142

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19 19

FORM A. BRITISH RAINFALL.

Kept at Catworth

in the County of Huntingdon

by Mr Jno. H. Annet.

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Kimbolton

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground —— ft. 9 in.

" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35		·02		·09		·04			·02	·05	·61	1
2	·16	·07	·03		·02		·17				·31	·30	2
3	·66		·11				·25				·20	·05	3
4	·09		·32			·05	·08	·12			·01	·20	4
5	·04	·22	·13				·03					·12	5
6			·02		·85						·04		6
7	·03		·20										7
8	·08		·04	·04	·01					·03	·02		8
9			·04	·03							·03		9
10			·35	·06						·02		·05	10
11	·06		·24	·07	·04		·53						11
12	·01		·08	·06		·09	·05			·07	·08		12
13	·10			·15						·03			13
14	·29			·14									14
15	·11		·07	·09						·05	·17	·33	15
16	·04	·76						·05			·15	·01	16
17		·43									·18		17
18		·20	·03		·02			·16			·02		18
19	·01	·18	·84			·09	·26	·21	·10		·03	·09	19
20	·53	·03	·18			·21	·31	·31			·03	·04	20
21	·37	·43	·03				·46					·14	21
22		·25	·02				·05		·25			·31	22
23							·12			·21		·03	23
24				·25			·01			·09		·05	24
25	·05			·03	·08	·03		·15				·03	25
26	·17		·21	·12				·08	·08			·37	26
27	·83	·14	·02	·68				·11		·03		·04	27
28		·01		·04			·01	·96		·05		·27	28
29	·06			·04			·02	·19		·32	·30	·16	29
30		X	·03	·30		·01				·09	·16	·19	30
31		X		X		X	·03		X	·04	X	·03	31
Total	4·04	2·72	3·01	2·10	1·11	·48	2·42	2·34	·43	1·05	1·78	3·42	YEAR'S TOTAL 24·9
Rain Days.	20	11	21	15	7	6	16	10	3	13	16	21	159

W. 8,000, IX. 17.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192 0.

Kept at Catworth

in the County of Huntingdon

by J. H. Annet

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Kimbolton Mid

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ..... ft. 9 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18	·13		·23			·47		·17	1
2			·01	·10			·02	·16	·06	·03		·05	2
3		·03		·10		·02	·32		·06	·07		·02	3
4			·03	·45			·13	·28	·02	·15		·02	4
5			·04		·16		·56	·03	·02				5
6			·13		·03		·38					·01	6
7			·07				·13					·01	7
8	·11	·04		·33	·05		·02			·01			8
9	·41			·40			·03	·15					9
10	·11	·04	·04	·16			·05				·03		10
11	·19		·04	·14	·11	·04	·04					·09	11
12	·05		·03	·13		·04	·01				·02	·26	12
13			·02	·21		·06			·04				13
14		·02	·06	·20		·05	·09		·15	·02	·12		14
15	·01	·04	·25	·05					·22	·04	·15		15
16				·08	·03				·34	·01		·02	16
17	·01			·14	·12		·07		·24	·03		·08	17
18	·08			·06	·06		·03	·16	·18			·06	18
19	·07	·08		·10		·11		·13				·02	19
20	·06	·33		·16		·34							20
21				·01			·01	·10	·10			·02	21
22				·19					·28				22
23		·02					·26					·35	23
24			·11									·07	24
25	·02	·10	·04	·04			·37						25
26	·11			·04	·06		·08					·02	26
27	·10	·04	·03	·10		·45	·01				·56	·16	27
28	·42		·13		·17		·04					·05	28
29	·06		·17		·29		·05				·07	·41	29
30	·04	X		·07		·04			·13		·11	·21	30
31	·04	X	·06	X	·01	X			X	·27	X	·05	31
Total	1·89	·74	1·26	3·38	1·22	1·15	2·93	1·01	1·84	1·10	1·06	2·15	YEAR'S TOTAL 19·73
Days with ·01 in. or more	3 17	3 10	17 5	1 23	3 12	1 9	7 22	1 7	2 13	10 5	2 7	21 8	168
Days with ·04 in. or more	14	7	12	22	9	8	15	6	11	5	5	13	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

R 1912

HUNTS.
FENSTANTON
1912 – 1915

Kept at Fenstanton

in the County of Hu

by N. Royds

of top in.

op above Ground ft. in.

„ Sea Level ft.

n

tation { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at [illegible] a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.19	.03		.14	.09		.09	1
2				.02	.02		.41					.02	2
3		.07			.04	.56	.09	.28	.02	.04		.06	3
4	.14		.46		.04	.43		.06			.26		4
5	.04	.12	.17			.02		.05			.04		5
6	.05	.05			.01	.03	.60	.41					6
7	.35				.02	.92	.09	.02					7
8	.07	.20	.12	.02		.01	.01	.12	.18				8
9	.26	.03	.01	.09		.41						.12	9
10			.01					.06	.01		.09	.01	10
11		.09							.05			.18	11
12	.19	.08	.03		.02						.04		12
13	.11					.02	.02				.21		13
14					.06	.16		.05					14
15		.01	.16		.41	.22		.03				.12	15
16					.14	.09				.04	.04		16
17	.37		.16			.18		.06				.13	17
18	.30		.12					.16			.02	.09	18
19	.02	.06	.10				.28	.49		.01			19
20	.13	.01	.07		.09		.03	.59		.23			20
21	.04		.21		.63			1.25		.28	.04		21
22		.04	.01		.14		.16	.17		.01		.05	22
23	.53	.64	.23				.23	.55			.17	.13	23
24	.27					.03	.11	.27				.04	24
25	.32					.07		.61			.18	.25	25
26		.02				.03	.23	1.55		.32	.14	.22	26
27						.03				.18		.15	27
28		.01						.09	.08	.23	.20	.37	28
29						.09	.28	.06	.62	.21	.09		29
30					.35	.01		.02	.44	.15			30
31	.03		.13				.21	.18					31
Total	3.22	1.43	1.99	.13	1.97	3.50	2.78	7.13 7.13	1.54	1.79	1.52	2.03	TOTAL for year 29.03
No. of Rain Days.	16	14	15	3	13	19	15	23	8	12	13	16	168

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

Kept at Fenstanton

in the County of Huntingdonshire

by N. Royds

RAIN GAUGE { Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.19	.03		.14	.09		.09	1
2				.02	.02		.41					.02	2
3		.07			.04	.56	.09	.28	.02	.04		.06	3
4	.14		.46		.04	.43		.06			.26		4
5	.04	.12	.17			.02		.05-			.04		5
6	.05-	.05-			.01	.03	.60	.41					6
7	.35-				.02	.92	.09	.02					7
8	.07	.20	.12	.02		.01	.01	.12	.18				8
9	.26	.03	.01	.09		.41						.12	9
10			.01					.06	.01		.09	.01	10
11		.09							.05-			.18	11
12	.19	.08	.03		.02						.04		12
13	.11					.02	.02				.21		13
14					.06	.16		.05-					14
15		.01	.16		.41	.22		.03				.12	15
16					.14	.09				.04	.04		16
17	.37		.16			.18		.06				.13	17
18	.30		.12					.16			.02	.09	18
19	.02	.06	.10				.28	.49		.01			19
20	.13	.01	.07		.09		.03	.59		.23			20
21	.04		.21		.63			1.25-		.28	.04		21
22		.04	.01		.14		.16	.17		.01		.05-	22
23	.53	.64	.23				.23	.55-			.17	.13	23
24	.27					.03	.11	.27				.04	24
25	.32					.07		.61			.18	.25-	25
26		.02				.03	.23	1.55-		.32	.14	.22	26
27						.03				.18		.15-	27
28		.01						.09	.08	.23	.20	.37	28
29						.09	.28	.06	.62	.21	.09		29
30					.35-	.01		.02	.44	.15-			30
31	.03		.13				.21	.18					31
Total	3.22	1.43	1.99	.13	1.97	3.50	2.78	7.13 7.13	1.54	1.79	1.52	2.03	TOTAL for year 29.03
No. of Rain Days.	17 16	14	15-	3	13	19	15-	23	8	12	13	16	168

W. 8,000, X. '11.

82.

Cond for amts 26-11-14

REGISTER OF RAINFALL IN 1913

205

FORM A. BRITISH RAINFALL.

27 JAN 1914

Kept at Fenstanton

in the County of Huntingdonshire

by H. Royds

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.06		.03			.93		.04	.02	1
2		.07	.08		.19		.24		.20		.02	.01	2
3		.17	.16		.72					.13		.05	3
4	.15		.01		.03		.12			.25	.04	.07	4
5							.01			.47	.01		5
6			.01		.25	.25				.11			6
7		.02	.06		.05	.01	.20			.36	.03		7
8					.20	.17	.06				.10		8
9		.19	.05		.02	.12		.01	.02		.05	.01	9
10				.03			.06	.02			.29		10
11	.79			.35	.13			.09		.02	.15		11
12	.08				.05			.01	.02		.12		12
13	.01					.02		.02			.41		13
14	.04		.08	.03			.65		.01	.14	.04		14
15		.01	.07	.11			.01						15
16			.60	.13					.04				16
17	.10	.03	.10	.27		.47	.01					.03	17
18			.04	.03					.44			.02	18
19	.07		.12				.07		.27			.02	19
20	.06		.16	.02						.15			20
21			.09		.23		.05			.06	.17		21
22	.27		.15					.01	.12				22
23						.04		.03	.03			.03	23
24				.01		.02		.06					24
25				.13			.01						25
26		.04	.17	.03				.02		.71	.01	.15	26
27		.01	.02	.02	.06	.02				.02			27
28	.23		.20	.07						.12			28
29	.07		.14	.37	.22			.08		.01		.05	29
30	.17			.09				.08		.10	.17	.02	30
31					.03			.32		.02			31
Total	2.04	.54	2.31	1.75	2.18	1.15	1.49 1.49	.95	2.08	2.67	1.65	.48	YEAR'S TOTAL 19.29
Rain Days.	12	8	19	16	13	10	12	12	10	15	15	12	154

W. 7,500, XI. 12

82

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 28 JAN 1915 194

Kept at Fenstanton

in the County of Huntingdonshire

by Rev. H. Roydes

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.40	.72		.02	.09		1
2							.02	.03			.06	.10	2
3			.10		.13		.27	.09			.27		3
4	.07		.01	.20				.09			.41	.11	4
5			.06	.07	.04	.02	.23	.10					5
6		.03		.10	.05-	.02	.14	.02			.10	.05-	6
7		.05-	.30	.04	.07	.22	.06					.12	7
8	.09	.04	.19		.03	.82	.07	.12					8
9	.53		.36			.70						.42	9
10	.20	.09	.01	.05-	.03				.05-				10
11	.02	.05-	.31	.06	.05-	.25-			.04		.24	.22	11
12			.05-				.13		.46		.05-	.15-	12
13	.01	.12	.12						.03	.16	.16	.16	13
14			.13				.01			1.19	.06	.41	14
15	.03		.21				.02	.04	.11		.06	.15-	15
16	.03		.04				.13		.06		.09		16
17		.18							.09			.05-	17
18		.01	.04								.01	.30	18
19		.03	.13			.49	.23		.01		.17		19
20		.05-	.36			.02						.10	20
21		.20	.15-			.14		.04		.04	.02	.20	21
22		.01	.03		.14		.06	.07		.15-			22
23		.01			.08		.01			.08			23
24				.01			.12			.26	.10		24
25				.09				.08		.36		.14	25
26			.06		.01		.02	.19		.02	.10	.30	26
27	.04		.03				.02					.11	27
28		.02								.13	.29	1.41	28
29			.05-							.20	.01		29
30			.04								.11	.19	30
31					.12		.05-					.09	31
Total	1.02	.89	2.78	.62	.75-	2.68	1.99	1.59	.85-	2.61	2.40	4.78	YEAR'S TOTAL 21.96
Rain Days.	9	14	22	8	11	9	18	12	8	11	19	20	161

W.7,000, XI. 13

Bord. Ly C. 24.2.16

1248
158

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1915

Kept at Fenstanton

in the County of Huntingdonshire

by N. Royds

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.10	.02		.08				.04		.10	.09	1
2	.12	.20	.17	.09		.03		1.25	.01	.04	.06	.05	2
3	.27		.07	.19			.05	.60	.16		.01	.12	3
4	.10	—	—				.56	.01				.49	4
5	.02	.09						.03				.11	5
6	.18	.02	.01	.11			1.57	.08					6
7	.03	.21	.08	.01			.08	.13				.12	7
8		.21	.02				.02						8
9	.03	.01				.01				.01	.22	.44	9
10	.31		.06					.26			.05	.04	10
11	.02		.02		.05		.01				.60		11
12	.08	—		.28	.30						1.18	.08	12
13	.02	.29		.01	1.08	—							13
14				.01			.06	.03	.02			.24	14
15	.15				.04		.01	.01			.27	.08	15
16	—	.15					.53	.30				.06	16
17		.13			.01		.12				.02		17
18	—	.04	.20				.01				.05		18
19	.01	.02	.02				.30			.03			19
20	.28			.06						.01		.31	20
21	.05						.07			.07		.07	21
22	.60		.33				.55		.01			.10	22
23		.09	.05	.02	—	.06	.36		.12	.15		.15	23
24		.04	.18			.01	.01		.25			.05	24
25						.27	.17					.12	25
26		.08				.03	.06					.15	26
27						.08	.12			.35		.02	27
28		.10				.53	.03	.02	.53	.07			28
29						.22		.12			.10	.18	29
30	.06	X		.02		.15	.04						30
31	.03	X		X		X		.08	X	.11	X	.10	31
Total	2.66	1.78	1.23	.78 .82	1.56 1.56	1.39	4.73	2.92	1.14	.84	2.66	3.17	YEAR'S TOTAL 24.86
Rain Days.	19	16	13	9 10	6	10	21	13	8	9	11	22	157

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

REG[illegible] 11

HUNTS.
GT. GIDDING RECTORY
1911 - 1913

Kept at Great Gidd[illegible] *Rewdon*

in the County of Hunting[illegible] 5" in.

by J. Whitticase for [illegible] ove Ground 1 ft. in.

Sea Level 168·8 ft.

A.M.

Name Barnwell

Distance 5 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·02	—	—	—	·04	—	·01	—	·02	1
2	·03	—	—	·06	·17	—	—	·03	—	·02	·05	·05	2
3	·01	—	—	·02	·11	·02	—	·21	—	·01	·02	·04	3
4	·25	—	·02	·12	—	—	—	·05	·06	·41	·09	·02	4
5	·03	—	—	·01	—	—	—		—	·02	·06	·28	5
6	—	·02	·01	—	—	—	—	—	—	·01	—	·06	6
7	—	·01	—	·04	—	—	—	—	—	·02	·17	·26	7
8	·02	—	·15	—	—	—	—	—	·03	—	·04	·04	8
9	·03	—	·03	—	—	—	—	—	—	·01	·08	·01	9
10	·24	·34	—	—	—	—	—	—	—	·02	·04	·11	10
11	·36	—	·11	—	—	—	—	·11	—	·01	·01	—	11
12	·02	—	·04	—	—	—	—	—	·01	·02	·05	—	12
13	·04	—	·37	—	—	—	—	—	·25	·04	—	·37	13
14	·01	·04	—	—	—	—	—	—	—	·03	—	·40	14
15	—	·04	·17	—	—	—	—	—	·03	·03	·06	·03	15
16	—	—	·07	—	—	—	—	—	—	—	·45	·05	16
17	—	—	—	—	—	—	—	—	—	—	·05	·04	17
18	·01	·03	—	—	—	—	—	—	—	—	·02	·06	18
19	—	·12	—	—	·03	—	—	—	·05	·01	·07	·04	19
20	—	·03	—	—	·02	·03	—	·25	·19	·03	—	·46	20
21	—	·18	—	—	—	—	—	1·43	—	·07	—	·30	21
22	—	·05	·13	—	—	—	—	—	—	·10	—	·43	22
23	—	·02	·09	—	—	·27	—	—	·35	—	—	·15	23
24	—	·14	—	—	—	·15	—	·01	—	·27	—	·09	24
25	—	·21	·02	·06	·14	·04	—	—	—	·04	·02	—	25
26	—	·01	·03	·29	·12	·24	—	—	—	·25	·04	·22	26
27	—	·21	·15	·10	—	—	·12	—	·12	·14	—	·02	27
28	—	·11	—	·12	—	—	—	·24	—	—	·04	·03	28
29	—	—	—	·03	—	·16	—	—	·19	·17	—	—	29
30	—	—	·01	—	·06	—	—	—	·04	·09	·02	—	30
31	—	—	—		·05		—	—				—	31
Total	1·05	1·56	1·40	·96	·70	·91	·12	2·37	1·32	1·83	1·38	3·58	TOTAL for year. 17·18
No. of Rain Days.	12	16	15	11	8	7	1	10	11	24	19	25	159 158

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 6 - JAN 1912

Kept at Great Gidding Rectory

in the County of Huntingdon

by J. Whitticase for E. N. Plevins.

RAIN GAUGE: Pattern Snowdon; Diameter of top 5" in.; Height of top above Ground 1 ft. in; " " " Sea Level 168·8 ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Barnwell; Distance 5 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·02	—	—	—	·04	—	·01	—	·02	1
2	·03	—	—	·06	·17	—	—	·03	—	·02	·05	·05	2
3	·01	—	—	·02	·11	·02	—	·21	—	·01	·02	·04	3
4	·25	—	·02	·12	—	—	—	·05	·06	·41	·09	·02	4
5	·03	—	—	·01	—	—	—		—	·02	·06	·28	5
6	—	·02	·01	—	—	—	—	—	—	·01	—	·06	6
7	—	·01	—	·04	—	—	—	—	—	·02	·17	·26	7
8	·02	—	·15	—	—	—	—	—	·03	—	·04	·04	8
9	·03	—	·03	—	—	—	—	—	—	·01	·08	·01	9
10	·24	·34	—	—	—	—	—	—	—	·02	·04	·11	10
11	·36	—	·11	—	—	—	—	·11	—	·01	·01	—	11
12	·02	—	·04	—	—	—	—	—	·01	·02	·05	—	12
13	·04	—	·37	—	—	—	—	—	·25	·04	—	·37	13
14	·01	·04	—	—	—	—	—	—	—	·03	—	·40	14
15	—	·04	·17	—	—	—	—	—	·03	·03	·06	·03	15
16	—	—	·07	—	—	—	—	—	—	—	·45	·05	16
17	—	—	—	—	—	—	—	—	—	—	·05	·04	17
18	·01	·03	—	—	—	—	—	—	—	—	·02	·06	18
19	—	·12	—	—	·03	—	—	—	·05	·01	·07	·04	19
20	—	·03	—	—	·02	·03	—	·25	·19	·03	—	·46	20
21	—	·18	—	—	—	—	—	1·43	—	·07	—	·30	21
22	—	·05	·13	—	—	—	—	—	—	·10	—	·43	22
23	—	·02	·09	—	—	·27	—	—	·35	—	—	·15	23
24	—	·14	—	—	—	·15	—	·01	—	·27	—	·09	24
25	—	·21	·02	·06	·14	·04	—	—	—	·04	·02	—	25
26	—	·01	·03	·20	·12	·24	—	—	—	·25	·04	·22	26
27	—	·21	·15	·10	—	—	·12	—	·12	·14	—	·02	27
28	—	·11	—	·12	—	—	—	·24	—	—	·04	·03	28
29	—	—	—	·03	—	·16	—	—	·19	·17	—	—	29
30	—	—	·01	—	·06	—	—	—	·04	·09	·02	—	30
31	—	—	—		·05		—	—				—	31
Total	1·05	1·56	1·40	·96	·70	·91	·12	2·37	1·32	1·83	1·38	3·58	TOTAL for year 17·18
No. of Rain Days.	12	16	15	11	8	7	1	10 9	11	24	19	25	158

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 25 JAN 1913

Kept at Great Gidding

in the County of Huntingdon

by J. Whitticase (for E. N. Clerk)

RAIN GAUGE: Pattern Snowdon; Diameter of top 5 in.; Height of top above Ground / ft. in.; " " Sea Level 168·8 ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Barnwell; Distance 5 Miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·03	·15	—	·04	—	—	·02	—	·08	—	1
2	·02	—	·03	—	·01	·01	·46	·05	·10	—	·14	·02	2
3	—	—	·52	·02	·02	·27	—	—	·06	—	—	·01	3
4	·13	—	·26	—	·02	·32	—	—	—	—	·06	—	4
5	·06	—	—	—	—	·07	—	—	—	—	·04	—	5
6	—	·20	·02	—	—	·25	·02	·28	—	—	·13	—	6
7	—	·08	·04	—	—	1·05	·01	·01	—	—	—	—	7
8	·14	—	·11	—	·01	·20	·25	·10	·08	·01	—	—	8
9	·02	·26	·03	—	—	·12	—	·04	—	—	·14	·12	9
10	—	·04	·03	—	—	—	—	·16	·14	—	·06	·24	10
11	·18	—	—	—	—	—	—	·05	·01	·03	·01	—	11
12	·12	—	·05	—	·04	·07	—	·14	—	—	·02	·09	12
13	·15	·09	·04	—	—	·01	—	·35	—	·03	—	—	13
14	—	—	·14	—	·09	·02	—	·06	—	—	—	·12	14
15	—	—	·15	—	·46	·10	—	·14	—	—	·06	·06	15
16	·33	·03	·90	—	·10	·07	—	·04	—	—	·03	·04	16
17	·17	—	—	—	—	·18	·01	·06	—	—	·02	·01	17
18	·25	—	—	—	—	—	—	·10	—	—	—	—	18
19	·16	·08	·04	—	—	—	—	·02	—	·06	—	—	19
20	·04	—	·13	—	·02	—	·01	·16	—	·12	—	—	20
21	—	—	·13	—	·51	—	·04	·06	—	·36	·04	·01	21
22	·41	·13	·03	—	·15	·04	1·50	—	—	·25	·03	·24	22
23	·18	·18	·09	—	—	—	1·28	·06	—	—	·02	—	23
24	·02	—	—	—	—	·07	·02	·17	—	—	·01	·27	24
25	·16	—	—	—	—	·13	—	·37	—	—	·04	·13	25
26	—	—	·02	—	—	·03	—	2·40	—	·02	—	·21	26
27	—	·01	—	—	—	—	·04	·04	—	·43	—	·26	27
28	—	·02	—	—	—	·14	·20	·01	·04	·11	·01	·80	28
29	—	—	·14	—	—	—	·06	·03	·61	·01	—	—	29
30	—		—	—	1·12	·03	·44	·01	·19	—	—	—	30
31	—		—		1·90		·15	·02		—		—	31
Total	2·55	1·12	2·93	·17	4·45	3·22	4·49	5·02	1·25	1·43	·89	2·63	TOTAL for year 30·15
No. of Rain Days	18	11	21	2	13	21	15	26	9	11	18	16	181

7,000. X. '09.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 26 JAN 1914

Kept at Great Gidding.

in the County of Hunts.

by J. Whitticase for E. N. Plevris.

Lat. 52°26'N Long. 0°21'W.

Time of Observation 9 A.M.

Nearest Railway Station Barnwell.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 168·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·10	—	—	—	·01	—	·47	—	·16	—	1
2	—	·13	—	—	·01	—	·18	—	·19	—	—	·09	2
3	·04	—	·18	—	·47	—	·02	—	·04	·53	—	·05	3
4	·22	—	—	—	—	·01	·09	—	—	·16	·03	—	4
5	—	—	—	—	—	·02	—	—	—	·87	·10	—	5
6	—	·01	·02	—	·09	·04	·17	—	—	·07	—	—	6
7	·01	—	—	·01	·04	·03	—	—	—	·83	—	·04	7
8	—	—	—	·01	·26	·17	—	—	—	·02	·09	·01	8
9	—	·25	·03	·15	—	·09	—	·01	—	—	·41	—	9
10	—	—	—	·39	—	—	·36	—	—	—	—	—	10
11	1·01	—	—	—	—	—	—	—	—	·15	·18	—	11
12	—	—	—	—	·21	—	—	—	—	—	·34	—	12
13	·04	—	—	·03	—	—	—	—	·06	—	—	—	13
14	·04	—	·35	·02	—	—	—	·02	·03	—	·06	—	14
15	·13	·02	·25	·29	—	—	·09	—	·04	·02	—	—	15
16	—	—	·52	·18	—	—	—	—	—	—	·04	·06	16
17	—	—	·14	·19	—	—	—	—	—	—	·02	·02	17
18	·03	—	·06	·04	—	—	—	—	—	—	—	·03	18
19	·19	—	·10	—	—	—	·06	—	—	—	—	·02	19
20	·09	—	·15	·02	—	—	·01	—	—	·25	—	—	20
21	—	—	·27	·06	·04	—	·04	—	—	·04	·18	—	21
22	·27	—	·10	—	—	—	—	·03	·21	—	—	—	22
23	—	—	—	—	—	—	—	·01	—	—	—	·01	23
24	—	—	—	·07	—	—	—	·10	—	—	—	—	24
25	·04	·02	·02	·12	—	—	—	·01	—	—	—	—	25
26	—	·02	·24	·05	—	—	—	—	—	·29	·03	·28	26
27	—	—	·01	·01	—	—	—	—	—	·03	—	·03	27
28	·31	—	·04	·12	—	—	—	—	—	·05	—	·05	28
29	—		·16	·42	·15	—	—	·15	—	·07	—	·03	29
30	—		—	—	·01	—	—	—	—	·12	·17	—	30
31	—		—		·06		—	·31		—		—	31
Total	2·42	·45	2·74	2·18	1·34	·36	1·03	·64	1·04	3·50	1·81	·72	YEAR'S TOTAL 18·23
Rain Days.	13	6	18	18	10	6	10	8	7	15	13	13	137

W.7,000, XI. 13

Kept at Great

in the County of Hu

by Rev. A. S

HUNTS.
GREAT PATTON
1911 – 1916 – 1918

1911

er of top 5 in.

of top above Ground 1 ft. in.

„ „ Sea Level 100 ft.

ation

y Station { Name
Distance Direction

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.06				.02			.01		1
2	.08			.04	.07					.02	.05	.07	2
3		.03			.11	.01		.02			.02	.10	3
4	.07	.02	.11	.15					.03	.05	.15	.20	4
5	.01	.03						.13		.06	.03	.12	5
6	.26										.02	.23	6
7				.01							.22	.32	7
8	.18		.12								.11	.03	8
9	.16			.02							.01		9
10		.06	.06								.07	.12	10
11	.20										.42		11
12	.11		.38		.01				.02		.16		12
13			.05		.20				.24		.01	.26	13
14					.45	.02				.04		.31	14
15		.04	.10							.03	.09		15
16			.02			.05				.01	.33	.06	16
17						.06					.03	.11	17
18		.11				.13					.25	.03	18
19		.01				.20	.01		.24	.06	.16	.02	19
20		.02	.04					.09	.32			.43	20
21		.04		.01				.73		.25		.16	21
22	.04		.17			.07		.08		.38		.41	22
23		.02	.13			1.05	.15		.35			.19	23
24		.05	.05			.22				.23		.10	24
25		.02	.03	.03		.20		.04					25
26				.19						.14	.05	.18	26
27		.20	.12	.05					.14			.03	27
28		.08		.22				.18			.07	.01	28
29				.05		.38	.07		.18	.25			29
30						.03				.06	.01		30
31					.03					.03		.01	31
Total	1.14	.73	1.38	.83	.87	2.42	.23	1.29	1.52	1.61	2.27	3.50	TOTAL for year 17.79
No. of Rain Days	10	14	13	11	6	12	3	8	8	15	21	23	144

9,000, IX. '10.

DS

REGISTER OF RAINFALL 1911

FORM A.2. BRITISH RAINFALL. 23 JAN 1912

Kept at Great Paxton

in the County of Huntingdonshire

by Rev A. G. Crane

RAIN GAUGE — Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. ____ in. „ „ „ Sea Level 100 ft.

Time of Observation ____

Nearest Railway Station — Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.06				.02			.01		1
2	.08			.04	.07					.02	.05	.07	2
3		.03			.11	.01		.02			.02	.10	3
4	.07	.02	.11	.15					.03	.05	.15	.20	4
5	.01	.03						.13		.06	.03	.12	5
6	.26										.02	.23	6
7				.01							.22	.32	7
8	.18		.12								.11	.03	8
9	.16			.02							.01		9
10		.06	.06								.07	.12	10
11	.20										.42		11
12	.11		.38		.01				.02		.16		12
13			.05		.20				.24		.01	.26	13
14					.45	.02				.04		.31	14
15		.04	.10							.03	.09		15
16			.02			.05				.01	.33	.06	16
17						.06					.03	.11	17
18		.11				.13					.25	.03	18
19		.01				.20	.01		.24	.06	.16	.02	19
20		.02	.04					.09	.32			.43	20
21		.04		.01				.73		.25		.16	21
22	.04		.17			.07		.08		.38		.41	22
23		.02	.13			1.05	.15		.35			.19	23
24		.05	.05			.22				.23		.10	24
25		.02	.03	.03		.20		.04					25
26				.19						.14	.05	.18	26
27		.20	.12	.05					.14			.03	27
28		.08		.22				.18			.07	.01	28
29				.05		.38	.07		.18	.25			29
30						.03				.06	.01		30
31					.03					.03		.01	31
Total	1.14	.73	1.38	.83	.87	2.42	.23	1.29	1.52	1.61	2.27	3.50	TOTAL for year 17.79
No. of Rain Days	10	14	13	11	6	12	3	8	8	15	21	23	144

0,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Form A2. British Rainfall. 24 JAN 1913

Kept at Great Paxton

in the County of Huntingdonshire

by Rev. A. G. Cane

Rain Gauge { Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. ,, ,, ,, Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.15			.08	.12		.08	1
2		.03				.28	.34					.03	2
3	.12		.01		.05	.28	.02	.17	.03			.11	3
4	.04		.61		.08	.60		.02			.38		4
5	.04	.10	.15			.08		.07			.08		5
6	.34	.05			.03	.02	.25	.64				.05	6
7	.01				.03	1.73	.05	.04					7
8	.24	.20	.11			.03		.25	.10				8
9		.01		.07		.26						.12	9
10								.06	.11		.11		10
11	.18	.10				.01		.05	.02			.17	11
12	.12	.16	.07			.01					.05		12
13		.03				.01	.05	.04			.19		13
14	.02				.09	.10							14
15		.01	.09		.35	.24		.06		.02		.10	15
16	.31		.04		.11	.02		.04		.05	.03		16
17	.31		.15			.23		.09				.11	17
18	.06		.08					.22			.03	.07	18
19	.18	.04	.07			.02	.10	.30			.01		19
20	.04		.07				.10	.50		.26			20
21			.35		.36			1.33		.38	.05		21
22	.60	.07			.12		.31	.15				.06	22
23	.26	.64	.26				.73	.56			.12	.13	23
24	.38						.08	.09				.08	24
25						.05		.48			.18	.32	25
26		.01				.02	.29	1.51		.42	.13	.09	26
27								.05		.23		.20	27
28		.04						.12	.05	.20	.14	.44	28
29						.09	.35	.08	.66	.25	.09		29
30					.43	.02		.03	.35	.14			30
31			.08		.08		.30	.25					31
Total	3.25	1.49	2.14	.07	1.73	4.25	2.97	7.20	1.40	2.07	1.59	2.16	TOTAL for year
No. of Rain Days.	17	14	14	1	11	21	14 13	26	8	10	14	16	3032 166

W. 8,000, X. '11

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 200

27 JAN 1914

Kept at Great Paxton

in the County of Huntingdonshire

by A. G. Cane

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.09	.08	.08					1.84		.06	.02	1
2	.01	.08					.10		.23	.09	.03		2
3			.12		.72					.65		.15	3
4	.17		.01		.04		.16			.20	.09	.11	4
5							.02			.80	.03		5
6		.02			.50	.30	.06			.08			6
7		.06			.12		.02			.50	.02		7
8					.25	.22				.01	.05		8
9		.19	.02		.04	.10			.02		.06		9
10				.02	.03		.15	.03			.30		10
11	1.00			.32	.01	.04		.04		.04	.10		11
12					.15			.01			.20		12
13	.03		.01								.28		13
14	.03	.02	.08	.03			.20			.12	.02		14
15	.10	.01	.09	.12			.03		.06				15
16	.05		.54	.19					.02				16
17	.10	.05	.03	.14		2.90						.02	17
18			.08	.05					.29				18
19	.07		.03				.07		.19			.05	19
20	.12		.15	.01						.22			20
21	.04		.07		.06					.02	.19		21
22	.29		.12					.10	.13				22
23						.03	.02					.03	23
24													24
25				.12		.03							25
26		.03	.27	.11						.58	.02	.10	26
27		.02	.02	.04	.17								27
28	.32		.08	.10						.05		.02	28
29	.05		.15	.52	.24			.07		.03		.04	29
30	.18			.03				.10		.13	.12	.04	30
31					.03			.54					31
Total	2.61	.57	1.95	1.88	2.36	3.62	.83	.89	2.78	3.52	1.57	.58	YEAR'S TOTAL 23.16
Rain Days.	16	10	18	15	13	7	10	7	8	15	15	10	144

W. 7,500, XI. 12

82

REGISTER OF RAINFALL IN 1914

193

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Great Paxton

in the County of Huntingdonshire

by Rev. A. G. Cane

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.38			.10		1
2							.24	.06		.02	.07	.10	2
3			.05		.15		.04	.07			.12		3
4	.11			.18			.50	.23			.42	.16	4
5			.03	.06	.07	.06		.04					5
6		.03		.06	.05		.28	.01			.13	.03	6
7		.05	.33		.08	.11	.13					.11	7
8	.04	.03	.19	.02	.11	.71	.12	.12					8
9	.48		.42	.01		.72	.06		.04			.27	9
10	.12	.07		.05	.03				.06				10
11		.05	.30	.03	.04	.30			.08		.21	.25	11
12			.07						.45		.03	.25	12
13		.15	.23							.38	.07	.20	13
14			.19							1.28	.02	.30	14
15	.03		.23				.28	.01	.10		.12	.10	15
16			.02				.19		.07		.09		16
17	.07	.26	.04						.06	.05		.06	17
18			.03									.47	18
19		.02	.17			.40	.02				.17	.01	19
20		.03	.40				.04					.11	20
21		.25	.09			.20		.07		.06	.03		21
22		.02			.06			.04		.36		.01	22
23		.01	.07		.09		.08			.08		.01	23
24			.07	.04			.11	.01		.41	.12		24
25	.02									.50		.08	25
26			.03				.01	.13		.03	.11	.32	26
27	.03											.13	27
28		.04	.01							.20	.25	1.28	28
29			.06							.24	.03		29
30			.04							.05	.17	.15	30
31					.10		.05					.09	31
Total	.90	1.01	3.07	.45	.78	2.50	2.15	1.17	.86	3.66	2.26	4.49	YEAR'S TOTAL 23.30
Rain Days.	8	13	22	8	10	7	15	12	7	13	18	22	155

W.7,000, XI. 13

Corr. for ainth 29.2.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Great Paxton

in the County of Huntingdonshire

by A. G. Cane

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.12	.03		.05				.10		.03	.12	1
2	.14	.15	.23	.10		.01		.41		.02	.01	.04	2
3	.29		.03	.21			.12	.22	.23		.02	.12	3
4	.12						.46	.07				.53	4
5	.04	.15			.02			.02		.05		.21	5
6	.20	.02		.10			1.00	.10				.02	6
7		.20					.10	.07				.17	7
8		.22	.18					.02					8
9		.01				.06					.23	.51	9
10	.29		.02									.02	10
11			.03		.08		.05				.67		11
12	.09			.25	.42			.15			1.20	.06	12
13	.01	.32			1.36								13
14							.02	.05				.44	14
15	.15				.04			.06			.34	.14	15
16		.16					.58	.08				.05	16
17		.15					.12						17
18		.03	.14		.02						.02		18
19							.45						19
20	.29			.10						.07		.29	20
21	.07				.02							.09	21
22	.57		.30				.82		.05			.09	22
23		.18	.27			.10	.08		.10	.16		.20	23
24			.04			.01	.05		.39	.03		.04	24
25				.02		.25	.18					.17	25
26		.09					.13					.17	26
27						.35				.42			27
28		.03						.04	.49	.07			28
29						.25		.16			.11	.17	29
30	.05	X				.27							30
31	.02	X		X		X	.01	.10	X	.16	X	.07	31
Total	2.56	1.83	1.27	.78	2.01	1.30	4.17	1.55	1.36	.98	2.63	3.72	YEAR'S TOTAL 28.16
Rain Days.	15	14	11	6	8	8	15	14	6	8	9	22	136

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at St Peters Vicarage, St Neots

in the County of Huntingdon

by Rev. A. G. Lane

Lat. ..... Long. .....

Time of Observation As before

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.15		.05	.05	.03				.29		1
2	.26		.03		.41					.21			2
3		.13	.01						.26	.17	.26		3
4	.20	.10	.10		.04	.14	.02			.03			4
5				.10	.02	.14	.02				.21	.02	5
6		.09	.15	.24		.18	.10	.01		.11	.21		6
7	.03		.13		.15	.05	.35				.17	.06	7
8			.08		.14	.50						.22	8
9			.02		.25	.06						.06	9
10			.18	.03		.09	.08					.02	10
11	.04	.25	.06	.08	.05	.09						.04	11
12		.02	.02		.43	.21	.05	.02		.13			12
13		.31	.14	.03	.26	.10	.20	.05					13
14		.48		.02	.06			.14		.07			14
15		.23	.38				.09	.08					15
16		.05	.09	.22	.05		.18					.05	16
17		.03		.03			.15	.03	.15	.28			17
18		.12	.05	.09				.30	.12		.79		18
19	.04	.03	.12	.26					.16		.50	.11	19
20	.09		.16								.10	.25	20
21	.04		.39				1.06	.03				1.14	21
22		.04	.01		.11					.02		.50	22
23		.26				.11		.01			.03	.08	23
24		.16				.18		.01		.02	.02	.30	24
25		.35	.10					.18		.05	.05	.03	25
26		.06	.02			.04		.28					26
27	.04	.34	1.10	.02		.21		.08	.01	.09			27
28		.35	.65									.14	28
29		.06				.04		.80		.11		.04	29
30		X						.28		.20			30
31		X		X		X		.01	X	.02	X		31
Total	0.75	3.40	4.14	1.12	2.02	2.19	2.33	2.31	0.70	1.51	2.63	3.06	YEAR'S TOTAL 26.16
Rain Days.	9	20	23	11	13	16	12	16	5	15	12	16	158

3.06 26.16

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19 17

Kept at Great Paxton

in the County of Hunts

by Thomas Carr

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

FORM A. BRITISH RAINFALL. 8 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.05				1.10	.38				1
2						.08		.10			.07		2
3								.35		.04	.12		3
4								.03		.55			4
5	.15		.05	.10					.10	.02	.11		5
6						.12			.02	.05			6
7	.32					.81				.32			7
8	.38			.14			.69	.22		.22	.09		8
9	.05			.01				.22			.05	.04	9
10			.25	.12				.12	.01	.07	.01		10
11	.17		.32	.24				.07		.21			11
12	.04				.03			.06		.22			12
13	.10		.10	.10				.17	.02				13
14	.04		.02	.04				.15					14
15								.08		.01		.03	15
16	.05	.28		.20	.01	.42	.19			.70			16
17	.04			.13	.63	.12	.10		.32	.26		.04	17
18		.03		.06		.09	.25	.10	.79				18
19	.05	.06	.10		.35				.22				19
20		.18	.11		.37						.09		20
21													21
22			.09		.07				.03	.12			22
23		.11			.09			.10	.06			.03	23
24		.05				.17				.12	.03		24
25			.02				.06				.08		25
26			.04			.02		.27	.08		.26	.01	26
27						.02		.41					27
28		.06	.15		.01	.65		.02		.03		.06	28
29					.05	.94	.42	.03		.25		.16	29
30		X					.51	.10					30
31		X	.15	X		X	.30	.05	X		X	.05	31
Total	1.33	.77	1.40	1.19	1.61	3.44	2.52	3.75	2.03	3.19	0.91	0.42	YEAR'S TOTAL 22.56
Rain Days.	11	7	12	11	9	11	8	20	11	16	10	8	134

W. 8,000, IX. 17.

2.78

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 8.1.19

Kept at Great Paxton

in the County of Hunts

by A. J. Carne

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.04				.06			.08	.05	1
2		.15		.07				.09		.02	.05	.09	2
3	.01	.03	.05		.37			.02	.05		.66	.02	3
4			.06					.12	.37		.34	.01	4
5					.19				.36	.04			5
6		.11		.13				.01	.11				6
7	.04	.08		.04	~~.05~~	.05			.04	.04	.08		7
8									.16				8
9				.05	~~.02~~	.02	.14		.38	.10		.03	9
10	.05			.02			.36		.02	.02		.16	10
11					.16		.15		.06	.56	.10	.07	11
12		.11	.02		.14		.12		.08				12
13					.15				.06		~~.02~~	.06	13
14	.20					.02	.20		.20	.10	~~.15~~	.05	14
15	(.14)			1.23			.41		.16				15
16				.49		.02		.03	.82				16
17	.19			.04	.09		.70				~~.02~~	.14	17
18	.46					.12	.04		.23		X	.46	18
19		.08	.04	.07		.07	.03			.06		.05	19
20		.05		.35		.06			.07	.15			20
21	.03			.13					.48	.05			21
22				.02	.04		.03		.11			.26	22
~~23~~	.09				.46		.15	.02					~~23~~
24		.17					.02		.04				24
~~25~~								.21			.12		25
26							.60			.05	.14	.12	26
27				.03			.13	.12	.03		.13		27
28		.07	.07					.06			.19	.07	28
29									1.35		.01		29
30		X	.29					.02	.02		.12	.02	30
31		X	.01	X		X			X	.09	X		31
Total	(2.21)	.85	.54	2.71	1.60	.36	3.08	.76	5.40	1.28	2.02	1.66	YEAR'S TOTAL (22.47)
Rain Days.	9	9	7	14	8	7	14	11	22	12	12	16	14-11

W, 6,500, VII. 18. W W C

1152

HEMINGFORD GREY

1915 — 20

78 2503

FORM A. BRITISH RAINFALL.

RE

Kept at Hemin

in the County of H

by G. F W

OW

AM

St. Ives

Gauge 5 in. 1152

e Ground 1 ft. 6 in.

Sea Level ? ft.

IMPORTANT NO the result entered to the previous day. If an O this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·02	·0	·0	·0	·0	(·03)	·0	·12	·0	·06	·09	1
2	·23	·08	·0	·0	·07	·0	·0	·0	·03	·0	·08	·05	2
3	·11	·14	·19	·09	·0	·01	·0	·79	·0	·0	·02	·0	3
4	·24	·0	·03	·15	·0	·0	·05	·52	·21	·0	·0	·63	4
5	·21	·0	·0	·0	·0	·0	·45	·09	·0	·05	·0	·15	5
6	·01	·07	·01	·0	·0	·0	·0	·0	·0	·0	·0	·05	6
7	·18	·02	·0	·1	·0	·0	1·11	·17	·0	·02	·0	·09	7
8	·0	·18	(·10)	·0	·0	·0	·12	·13	·0	·0	·01	·0	8
9	·01	·18	·0	·02	·0	·0	·0	·01	·0	·0	·16	·40	9
10	·01	·0	·0	·0	·0	·03	·0	·03	·0	·03	·05	·01	10
11	·20	·0	·05	·0	·0	·0	·01	·0	·0	·0	·52	·0	11
12	·0	·0	·0	·0	·05	·0	·04	·0	·0	·0	·0	·07	12
13	·09	·25	·0	·28	·30	·0	·0	·04	·0	·0	·0	·0	13
14	·0	·0	·0	·01	1·05	·0	·0	·12	·0	·0	·0	·35	14
15	·0	·0	·0	·0	·04	·0	·06	·01	·02	·0	·18	·16	15
16	·12	·0	·0	·0	·0	·0	·0	·03	·0	·0	·0	·05	16
17	·0	·14	·0	·0	·0	·0	·55	(·46)	·0	·0	·0	·0	17
18	·0	·09	·0	·0	·0	·0	·08	·0	·0	·01	·06	·0	18
19	·0	·02	·12	·0	·0	·0	·0	·0	·0	·01	·0	·0	19
20	·0	·02	·60	·0	·0	·0	·45	·0	·0	·02	·0	·31	20
21	·2	·0	·01	·05	·0	·0	·0	·01	·0	·0	·0	·04	21
22	·05	·01	·0	·0	·0	·0	·04	·0	·0	·02	·0	·15	22
23	·5	·08	·30	·0	·01	·0	·62	·0	·0	·0	·0	·19	23
24	·0	·0	·06	·0	·0	·04	·12	·0	·17	·15	·0	·10	24
25	·0	·0	·22	·05	·0	·0	·01	·0	·26	·0	·0	·04	25
26	·0	·0	·01	·0	·0	·28	·10	·0	·01	·02	·0	·14	26
27	·0	·1	·01	·0	·0	·05	·10	·0	·0	·35	·0	·0	27
28	·0	·0	·0	·0	·0	·09	·04	·0	·0	·0	·0	·0	28
29	·0		·0	·0	·0	·35	·01	·02	·49	·0	·14	·19	29
30	·0	X	·0	·0	·0	·30	·0	·11	·0	·09	·0	·0	30
31	·08	X	·0	X	·0	X	·0	·0	X	·16	X	·09	31
Total	~~2·31~~ 2·26	~~1·40~~ 1·38	1·72	·75	1·52	~~1·15~~ 1·18	~~3·99~~ 3·96	~~2·34~~ 2·46	~~1·31~~ 1·19	·93	1·28	3·35	YEAR'S TOTAL ~~22·05~~ 21·98
Rain Days.	16	~~15~~ 14	13	8	6	~~8~~ 9	~~10~~ 18	15	~~8~~ 7	12	10	21	151

W. 8,000. X. 15.

RE[illegible] RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

1152

Kept at Hemingford Grey

in the County of Huntingdon

by G. F Wilson

Lat. 52·4 Long. 0 W

Time of Observation 9 AM

Nearest Railway Station St. Ives

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·02	·0	·0	·0	·0	(·03)	·0	·12	·0	·06	·09	1
2	·23	·08	·0	·0	·07	·0	·0	·0	·03	·0	·08	·05	2
3	·11	·14	·19	·09	·0	·01	·0	·79	·0	·0	·02	·0	3
4	·24	·0	·03	·15	·0	·0	·05	·52	·21	·0	·0	·63	4
5	·21	·0	·0	·0	·0	·0	·45	·09	·0	·05	·0	·15	5
6	·01	·07	·01	·0	·0	·0	·0	·0	·0	·0	·0	·05	6
7	·18	·02	·0	·1	·0	·0	1·11	·17	·0	·02	·0	·09	7
8	·0	·18	(·10)	·0	·0	·0	·12	·13	·0	·0	·01	·0	8
9	·01	·18	·0	·02	·0	·0	·0	·01	·0	·0	·16	·40	9
10	·01	·0	·0	·0	·0	·03	·0	·03	·0	·03	·05	·01	10
11	·20	·0	·05	·0	·0	·0	·01	·0	·0	·0	·52	·0	11
12	·0	·0	·0	·0	·05	·0	·04	·0	·0	·0	·0	·07	12
13	·09	·25	·0	·28	·30	·0	·0	·04	·0	·0	·0	·0	13
14	·0	·0	·0	·01	1·05	·0	·0	·12	·0	·0	·0	·35	14
15	·0	·0	·0	·0	·04	·0	·06	·01	·02	·0	·18	·16	15
16	·12	·0	·0	·0	·0	·0	·0	·03	·0	·0	·0	·05	16
17	·0	·14	·0	·0	·0	·0	·55	(·46)	·0	·0	·0	·0	17
18	·0	·09	·0	·0	·0	·0	·08	·0	·0	·01	·06	·0	18
19	·0	·02	·12	·0	·0	·0	·0	·0	·0	·01	·0	·0	19
20	·0	·02	·60	·0	·0	·0	·45	·0	·0	·02	·0	·31	20
21	·2	·0	·01	·05	·0	·0	·0	·01	·0	·0	·0	·04	21
22	·05	·01	·0	·0	·0	·0	·04	·0	·0	·02	·0	·15	22
23	·5	·08	·30	·0	·01	·0	·62	·0	·0	·0	·0	·19	23
24	·0	·0	·06	·0	·0	·04	·12	·0	·17	·15	·0	·10	24
25	·0	·0	·22	·05	·0	·0	·01	·0	·26	·0	·0	·04	25
26	·0	·0	·01	·0	·0	·28	·10	·0	·01	·02	·0	·14	26
27	·0	·1	·01	·0	·0	·05	·10	·0	·0	·35	·0	·0	27
28	·0	·0	·0	·0	·0	·09	·04	·0	·0	·0	·0	·0	28
29	·0		·0	·0	·0	·35	·01	·02	·49	·0	·14	·19	29
30	·0	X	·0	·0	·0	·30	·0	·11	·0	·09	·0	·0	30
31	·08	X	·0	X	·0	X	·0	·0	X	·16	X	·09	31
Total	2·31 (2·29)	1·40 (1·38)	1·72	·75	1·52	1·15 (1·18)	3·99 (3·96)	2·34 (2·46)	1·31 (1·19)	·93	1·28	3·35	YEAR'S TOTAL 21·18 (22·05)
Rain Days.	16	15 (14)	13	8	6	8 (9)	19 (18)	15 (16)	8 (7)	12	10	21	151

W. 8,000. X. 15.

Section **A** for the entry of Daily Observations

Station No. 1152

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 196 5

Kept at Hemingford Grey

in the County of Hunts

COPY

Diameter of funnel of gauge ..... in.
Height of top of gauge above ground ..... ft. ..... in.
Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	23	08			07				03		06	09		1
2	11	14	19	09				79			08	05		2
3	24		03	15			05	52	21		02			3
4	21						45	09				63		4
5	01	07	01							05		15		5
6	18	02		10			111	17				05		6
7		18	11				12	13		02		09		7
8	01	18		02				01			01			8
9	01					03		03			16	40		9
10	20		05				01			03	05	01		10
11					05		04				52			11
12	09	25		28	30			04				07		12
13				01	105			12						13
14					04		06	01	02			35		14
15	12							03			18	16		15
16		14					55	26				05		16
17		09					08							17
18		02	12							01	06			18
19		02	60				45			01				19
20	20		01	05				01		02		31		20
21	05	01					04					04		21
22	50	08	30		01		62			02		15		22
23			06			04	12		17			19		23
24			22	05			01		26	15		10		24
25			01			28	10		01			04		25
26		10	01			05	10			02		14		26
27						09	04			35				27
28						35	01	02	49					28
29		X				30		11			14	19		29
30	08	X				03				09				30
31	02	X		X		X		12	X	16	X	09		31
TOTAL	2.26	1.38	1.72	0.75	1.52	1.18	396	2.46	1.19	0.93	1.28	335	Year's Total 21.98	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side. †Spare column, no entries required, except year's total.

(Signed) ..... (P.T.O.)

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 5 JAN 1917 1152

Kept at Hemingford Grey
in the County of Huntingdon
by G. F. Wilson

Lat. ..... Long. .....
Time of Observation 9 AM
Nearest Railway Station St: Ives
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·0	·15	·0	·05	·01	·05	·0	·02	·0	·02	·0	1
2	·23	·0	·02	·0	·50	·0	·04	·0	·0	·0	·30	·0	2
3	·0	·12	·01	·0	·02	·0	·01	·0	·0	·21	·0	·0	3
4	·22	·03	·0	·0	·0	·15	·11	·0	·29	·13	·06	·0	4
5	·0	·0	·0	·03	·0	·24	·01	·0	·08	·0	·14	·0	5
6	·0	·08	·14	·20	·02	·01	·09	·0	·0	·08	·24	·05	6
7	·07	·0	·14	·0	·11	·01	·22	·0	·0	·0	·23	·0	7
8	·0	·0	·02	·0	·08	·23	·0	·0	·0	·0	·13	·05	8
9	·0	·0	·02	·0	·19	·05	·0	·0	·0	·0	·01	·23	9
10	·0	·0	·08	·02	·0	·0	·02	·0	·0	·0	·0	·02	10
11	·05	·21	·11	·07	·09	·15	·0	·26	·0	·0	·0	·07	11
12	·02	·09	·0	·0	·39	·21	·01	·0	·0	·0	·01	·02	12
13	·0	·25	·10	·0	·23	·06	·04	·04	·0	·15	·0	·0	13
14	·0	·06	·02	·01	·06	·01	·0	·06	·04	·0	·0	·0	14
15	·0	·58	·29	·02	·02	·0	·10	·04	·0	·08	·0	·0	15
16	·0	·0	·09	·15	·0	·0	·03	·05	·0	·01	·0	·0	16
17	·03	·03	·0	·12	·0	·0	·09	·01	·0	·0	·0	·0	17
18	·0	·03	·03	·04	·0	·0	·0	·07	·18	·27	·0	·0	18
19	·03	·02	·11	·20	·0	·0	·0	·30	·06	·02	·83	·0	19
20	·09	·0	·21	·01	·0	·0	·0	·0	·39	·0	·39	·14	20
21	·02	·0	·54	·02	·0	·0	·30	·10	·0	·0	·08	·19	21
22	·0	·0	·01	·0	·11	·01	·0	·0	·0	·0	·0	·73	22
23	·0	·39	·0	·0	·0	·30	·0	·0	·0	·01	·0	·45	23
24	·0	·12	·0	·0	·0	·07	·0	·01	·0	·0	·05	·12	24
25	·0	·19	·09	·0	·01	·0	·01	·02	·0	·0	·04	·26	25
26	·0	·16	·01	·0	·0	·0	·0	·22	·0	·13	·05	·03	26
27	·03	·32	·88	·0	·0	·03	·0	·14	·0	·01	·01	·0	27
28	·0	·29	·83	·0	·0	·12	·0	·52	·03	·0	·0	·0	28
29	·0	·06	·0	·0	·0	·03	·0	·0	·02	·05	·0	·15	29
30	·0	X	·0	·0	·0	·09	·0	1·22	·0	·12	·0	·01	30
31	·0	X	·0	X		X	·0	·23	X	·17	X	·0	31
								·02		·02		(-)	
Total	·80	3·03	3·90	·89	1·88	1·78	1·13	3·29	1·11	1·46	2·59	2·52	YEAR'S TOTAL 24·36
								3·31	1·09	1·46	2·57		
Rain Days.	11	18	22	12	14	18	15	16	9	14	16	15	180
								+7	8	+5	+5		

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No. 1152

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1966

Kept at Hemingford Grey

in the County of Huntingdonshire

Copy

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	01		15		05	01	05				30			1
2	23		02		50		04			21				2
3	[illegible]	12	01		02		01		29	13	06			3
4	22	03				15	11		08		14			4
5	[illegible]			03		24	01			08	24	05		5
6		08	14	20	02	01	09				23			6
7	07		14		11	01	22				13	05		7
8	[illegible]		02		08	23					01	23		8
9			02		19	05						02		9
10			08	02			02	26				07		10
11	05	21	11	07	09	15					01	02		11
12	02	09			39	21	01	04		15				12
13		25	10		23	06	04	06	04					13
14		06	02	01	06	01		04		08				14
15		58	29	02	02		10	05		01				15
16			09	15			03	01						16
17	03	03		12			09	07	18	27				17
18		03	03	04				30	06	02	83			18
19	03	02	11	20					39		39	14		19
20	09		21	01				10			08	19		20
21	02		54	02			30					73		21
22			01		11	01				01		45		22
23		39				30		01			05	12		23
24		12				07		02			04	26		24
25		19	09		01		01	22		13	05	03		25
26		16	01					14		01	01			26
27	03	32	88			03		52	03					27
28		29	83			12			02	05		15		28
29		06				03		122		12		01		29
30		X				09		23		17				30
31		X		X		X		02	X	02	X			31
TOTAL	0·80	3·03	3·90	0·89	1·88	1·78	1·13	3·31	1·09	1·46	2·57	2·52	Year's Total	24·36
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

REGISTER OF RAINFALL IN 1917

1182

FORM A. BRITISH RAINFALL. 2. JAN 1918 1152

Kept at Hemingford Grey

in the County of Huntingdon

by G. F. Wilson

Lat. ____ Long. ____

Time of Observation 9 o'clock

Nearest Railway Station St. Ives

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·0	·0	·06	·0	·0	·0	1·32	·31	·0	·03	·0	1
2	·01	·0	·0	·14	·0	·10	·0	·17	·0	·0	·0	·0	2
3	·0	·0	·0	·01	·0	·0	·0	·40	·0	·11	·10	·0	3
4	·0	·09	·0	·0	·0	·0	·0	·16	·0	·48	·0	·0	4
5	·12	·0	·02	·08	·0	·0	·0	·0	·0	·0	·17	·0	5
6	·01	·0	·0	·0	·0	·0	·0	·0	·0	·12	·0	·0	6
7	·27	·0	·0	·0	·0	·46	·0	·0	·0	·22	·0	·01	7
8	·24	·0	·0	·16	·0	·0	·75	·24	·0	·22	·09	·0	8
9	·07	·0	·05	·03	·0	·0	·0	·18	·0	·02	·02	·04	9
10	·24	·0	·14	·12	·0	·0	·0	·11	·0	·08	·02	·0	10
11	·03	·0	·39	·13	·0	·0	·0	·0	·0	·21	·0	·0	11
12	·0	·0	·01	·03	·10	·0	·0	·04	·0	·26	·0	·0	12
13	·14	·0	·15	·03	·0	·0	·0	·12	·0	·04	·0	·01	13
14	·06	·0	·02	·0	·0	·0	·0	·04	·02	·0	·0	·0	14
15	·02	·0	·0	·0	·02	·0	·0	·35	·0	·01	·02	·04	15
16	·03	·13	·01	·16	·0	·19	·05	·0	·0	·75	·0	·05	16
17	·0	·0	·0	·14	·63	·20	·16	·13	·32	·38	·0	·0	17
18	·03	·01	·0	·06	·02	·09	·18	·0	·81	·0	·0	·0	18
19	·0	·08	·14	·0	·01	·02	·0	·0	·21	·0	·0	·0	19
20	·0	·18	·18	·0	·14	·0	·0	·0	·0	·0	·12	·0	20
21	·03	·02	·03	·0	·0	·13	·0	·0	·0	·0	·0	·0	21
22	·0	·0	·05	·0	·0	·0	·0	·01	·0	·15	·0	·0	22
23	·0	·03	·0	·0	·14	·0	·0	·11	·06	·0	·0	·04	23
24	·0	·03	·0	·0	·0	·19	·0	·02	·0	·10	·05	·0	24
25	·0	·0	·02	·0	·0	·0	·0	·0	·0	·0	·02	·0	25
26	·0	·0	·04	·0	·0	·0	·0	·29	·10	·0	·31	·04	26
27	·0	·0	·02	·0	·0	·0	·0	·45	·0	·0	·0	·0	27
28	·0	·05	·14	·0	·02	·92	·0	·03	·0	·05	·0	·06	28
29	·0	X	·0	·0	·03	·90	·22	·0	·0	·28	·0	·12	29
30	·0	X	·0	·0	·0	·0	·50	·08	·0	·0	·0	·01	30
31	·03	X	·27	X	·0	X	·32	·03	X	·0	X	·04	31
Total	1·33	·62	1·68	1·15	1·11	3·20	2·18	4·28	1·83	3·48	·95	·46 ·29	22·18
Rain Days.	15	9	17	13	9	10	7	20	7	17	11	11	146

W. 8,000, IX. 17.

2·93

W. E. F. E.

REGISTER OF RAINFALL IN 1918

3

FORM A. BRITISH RAINFALL. 2. 1. 18 8152

Kept at Hemingford Grey,

in the County of Huntingdon

by G. F. Wilson

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station St. Ives

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·0	·0	·07	·0	·0	0	·0	·0	·0	·03	·07	1
2	·01	·12	·0	·10	·0	·0	·0	07	0	·0	·02	·11	2
3	·0	·03	·07	·0	·48	·0	·0	·79	·05	·0	·70	·02	3
4	·01	·0	·08	·0	·0	·0	·0	·02	·43	·0	·41	·01	4
5	·0	·0	·04	·0	·20	·0	·0	·11	·50	·04	·0	·0	5
6	·0	·08	·0	·12	·0	·0	·0	·02	·15	0	·0	·0	6
7	·0	·08	·0	·01	·0	·03	0	·0	·10	·01	·11	·0	7
8	·05	·0	·0	·0	·0	·0	·0	·0	·06	·0	·04	·0	8
9	·01	·02	·0	·03	·0	·05	·17	·0	·38	·12	·0	·0	9
10	·02	·0	·0	·02	·0	·0	·23	·0	·01	·01	·0	·12	10
11	·0	·0	·0	·02	·14	·0	·12	·0	·08	·51	·0	·08	11
12	·0	·13	·02	·0	·16	·0	·07	·0	·07	·01	·0	·02	12
13	·0	·02	·0	·01	·13	·0	·0	·0	·05	·0	·0	·0	13
14	·26	0	·0	·05	·0	·0	·14	·0	·31	·13	·0	·07	14
15	·37	·0	·0	1·31	·0	·01	·21	·0	·07	0	·0	·02	15
16	·30	·0	·0	·60	·0	·0	·50	·03	·90	·0	·04	·09	16
17	·12	·0	·0	·08	·17	·0	·02	·0	·0	·0	·0	·02	17
18	·45	·0	·0	·0	·0	·08	·0	·0	·12	·0	·0	·52	18
19	·02	·07	·05	·02	·0	·0	·0	·0	·0	·05	·0	·09	19
20	·0	·04	·0	·18	·0	·06	·01	·0	·08	·12	·02	·0	20
21	·02	·0	·0	·03	·0	·0	·0	·0	·53	·06	·0	·01	21
22	·03	·0	·0	·02	·06	·0	·0	·0	·06	·01	·0	·21	22
23	·07	·0	·0	·0	·30	·0	·26	·01	·05	·02	·0	·0	23
24	·0	·21	·0	·01	·01	·02	·10	·0	·04	·0	·0	·0	24
25	·0	·0	·0	·0	·02	·0	·0	·20	·0	·0	·08	·0	25
26	·0	·0	·0	·0	·0	·0	·65	·0	·0	·01	·09	·14	26
27	·0	·0	·0	·0	·0	·0	·41	·10	·05	·0	·21	·0	27
28	·0	·10	·86	·03	·0	·0	·0	·0	·0	·0	·23	·07	28
29	·0	X	·0	·0	·0	·0	·0	·04	1·29	·0	·01	·0	29
30	·0	X	·22	0	·0	·0	·0	·0	·05	0	·15	·08	30
31	·0	X	·02	X	·0	X	·0	·0	X	·08	X	·04	31
Total	1·74	·90	·56	2·71	1·67	·25	2·89	1·39	5·33	1·18	2·14	1·79	YEAR'S TOTAL 22·55
Rain Days.	14	11	8	18	10	6	13	10	23	14	14	19	160

W. 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Hemingford Grey

in the County of Huntingdon

by G. F. Wilson

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station St. Ives

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.0	.0	.0	.02	.0	.16	.0	.0	.03	.04	.72	1
2	.12	.10	.0	.0	.0	.0	.10	.0	.30	.03	.18	.53	2
3	.52	.0	.13	.0	.06	.0	.06	.0	.04	.0	.14	.02	3
4	.11	.0	.30	.0	.0	.03	.04	.07	.0	.0	.01	.11	4
5	.05	.16	.20	.0	.0	.0	.08	.02	.64	.0	.0	.11	5
6	.0	.0	.02	.0	.0	.0	.0	.0	.0	.0	.04	.0	6
7	.0	.0	.19	.0	.0	.0	.0	.0	.0	.0	.0	.0	7
8	.07	.0	.0	.05	.0	.0	.0	.0	.0	.0	.09	.0	8
9	.02	.0	.02	.01	.02	.0	.0	.0	.0	.0	.01	.0	9
10	.0	.0	.28	.10	.01	.0	.0	.0	.0	.0	.02	.04	10
11	.13	.0	.15	.03	.0	.0	.68	.0	.0	.0	.01	.03	11
12	.0	.0	.23	.0	.0	.04	.04	.0	.0	.14	.0	.0	12
13	.08	.0	.0	.09	.0	.0	.0	.0	.0	.0	.03	.0	13
14	.23	.0	.0	.11	.0	.0	.0	.0	.07	.0	.0	.0	14
15	.09	.0	.11	.08	.0	.0	.0	.0	.0	.0	.05	.17	15
16	.04	.59	.0	.0	.0	.0	.0	.01	.0	.0	.16	.03	16
17	.01	.50	.0	.01	.0	.0	.0	.0	.0	.0	.17	.01	17
18	.0	.0	.0	.0	.0	.0	.0	.19	.0	.0	.01	.08	18
19	.0	.23	.52	.0	.0	.11	.02	.25	.06	.0	.02	.03	19
20	.35	.0	.05	.0	.0	.27	.50 .52	.31	.04	.0	.0	.01	20
21	.43	.39	.0	.0	.0	.03	.53	.0	.0	.0	.0	.12	21
22	.0	.26	.01	.0	.0	.0	.14	.0	.14	.0	.0	.27	22
23	.0	.0	.02	.0	.0	.0	.08	.06	.03	.05	.0	.03	23
24	.0	.0	.0	.17	.0	.11	.01	.0	.0	.10	.0	.0	24
25	.08	.0	.0	.08	.14	.06	.0	.16	.0	.0	.0	.07	25
26	.16	.08	.14	.05	.0	.0	.0	.80	.0	.0	.0	.30	26
27	.92	.13	.0	.65	.0	.0	.0	.16 .16	.07	.07	.0	.0	27
28	.0	.0	.0	.07	.0	.0	.01	.81	.0	.08	.12	.23	28
29	.0	X	.0	.01	.0	.0	.0	.17	.0	.20	.0	.20	29
30	.0	X	.02	.29	.0	.25	.0	.01	.0	.02	.14	.13	30
31	.0	X	.0	X	.0	X	.0	.0	X	.04	X	.03	31
TOTAL	3.78	2.44	2.39	1.80	.25	.90	2.45	2.22	1.39	.76	1.24	3.27	YEAR'S TOTAL 22.89
Days with .01 in. or more	18	9	16	15	5	8	14	12	9	10	17	22	135

(44,283). Wt.21,938—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192[illegible].

1057

8 JAN 1921

1152

Kept at Hemingford Grey

in the County of Huntingdon

by (Mr.) G. T. Wilson

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station St. Ives.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·0	·0	·0	·05	·13	·0	·18	·0	·02	·22	·0	·13	1
2	·0	·0	·0	·31	·0	·0	·0	·11	·09	·0	·0	·02	2
3	·0	·0	·0	·33	·0	·04	·08	·0	·06	·04	·0	·0	3
4	·0	·0	·04	·10	·0	·0	·05	·21	·05	·05	·0	·08	4
5	·0	·0	·05	·01	·15	·0	·48	·0	·10	·0	·0	·06	5
6	·0	·0	·11	·0	·02	·0	·24	·0	·0	·0	·0	·02	6
7	·0	·0	·04	·05	·0	·0	·09	·0	·0	·0	·0	·03	7
8	·10	·03	·0	·39	·0	·0	·0	·0	·0	·0	·0	·0	8
9	·36	·0	·0	·31	·0	·0	·0	·06	·0	·0	·0	·02	9
10	·06	·15	·06	·08	·0	·0	·03	·0	·0	·0	·05	·0	10
11	·21	·0	·04	·33	·09	·16	·02	·0	·0	·0	·0	·0	11
12	·07	·0	·01	·11	·02	·0	·02	·0	·0	·0	·0	·25	12
13	·02	·04	·02	·10	·0	·08	·03	·0	·03	·0	·01	·0	13
14	·0	·02	·25	·09	·0	·03	·0	·0	·10	·03	·05	·02	14
15	·0	·02	·17	·10	·0	·0	·0	·0	·11	·0	·0	·0	15
16	·0	·0	·0	·03	·0	·0	·0	·0	·28	·0	·0	·0	16
17	·0	·0	·0	·05	·09	·0	·07	·0	·0	·0	·0	·08	17
18	·08	·0	·0	·02	·11	·0	·07	·24	·10	·0	·0	·05	18
19	·11	·02	·0	·11	·0	·0	·0	·02	·0	·0	·0	·0	19
20	·06	·0	·0	·21	·0	·44	·0	·0	·0	·0	·0	·0	20
21	·0	·20	·0	·12	·0	·0	·02	·0	·22	·0	·0	·03	21
22	·0	·0	·0	·12	·0	·0	·0	·09	·62	·0	·0	·0	22
23	·0	·0	·0	·0	·0	·0	·0	·0	·0	·0	·0	·31	23
24	·0	·0	·18	·0	·0	·0	·26	·0	·0	·02	·21	·03	24
25	·0	·05	·0	·04	·24	·0	·24	·0	·0	·0	·0	·0	25
26	·07	·0	·0	·05	·0	·02	·12	·0	·0	·0	·0	·0	26
27	·10	·05	·0	·11	·06	·29	·0	·0	·0	·0	·14	·07	27
28	·32	·0	·13	·0	·31	·0	·04	·0	·0	·0	·05	·0	28
29	·02	·0	·08	·0	·04	·0	·04	·0	·0	·0	·04	·32	29
30	·0	X	·0	·0	·0	·0	·0	·0	·15	·0	·08	·15	30
31	·04	X	·0	X	·0	X	·03	·0	X	·11	X	·05	31
TOTAL	1·62	·58	1·18	3·22	1·26	1·06	2·11	·73	1·93	·47	·63	1·72	YEAR'S TOTAL 16·51
Days with ·01 in. or more	14	9	13	24	11	7	19	6	13	6	8	18	148
Days with ·04 in. or more	11 12	5	11	21	9	5	13	5	11	4	7	11	113 114

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HINCHINGBROOKE

HUNTINGDON

1911 - 1920

REGI

Kept at Hinchingbro

in the County of Hunting

by Earl of Sandw

FORM A2. BRITISH RAINFALL. 23 JAN 1913

1 204

10 in.

ve Ground 6 ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.— d the result entered to the previous day. If an Observ iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.02				.01					1
2	.09			.03	.07			.01					2
3		.02			.07			.04				.21	3
4	.04	.03	.11	.13					.04	.12	.21	.25	4
5				.05				.13		.03		.08	5
6	.28										.02	.22	6
7				.03							.20	.20	7
8	.19									.05	.11	.02	8
9	.14			.02							.05	.15	9
10		.05	.13								.14		10
11	.16										.42		11
12	.08		.32						.02		.18		12
13									.27			.27	13
14			.05		.35 35					.03		.28	14
15		.04	.11							.02	.09		15
16						.04				.04	.34		16
17						.05					.02	.09	17
18		.14				.03						.02	18
19									.22	.06	.52	.02	19
20	.01	.01						.03	.28	.01		.52	20
21		.07	(.50)					1.06	.03	.15		.16	21
22	.03							.16		.40	.01	.28	22
23		.08				.92	.19		.26			.13	23
24		.06				.23				.55		.11	24
25		.07		.04		.07		.02					25
26				.18						.26	.11	.27	26
27		.14	.13	.02			.01	.06	.13		.01	.02	27
28		.10						.22			.05	.01	28
29				.16			.07		.21	.22			29
30										.08			30
31					.35					.02		.03	31
Total	1.02	.81	(1.35) .85	.68	.84 1.34		.27	1.74	1.46	2.04	2.48	3.34	TOTAL for year 17.37
No. of Rain Days	9	12	(17) 8	11	4	6	3	10	9	15	16	21	128

9,000, IX. '19.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 23 JAN 1912

Kept at Hinchingbrooke

in the County of Huntingdonshire

by Earl of Sandwich, A. Levey

RAIN GAUGE — Pattern ____ Diameter of top 10 in. Height of top above Ground 6 ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station — Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.02				.01					1
2	.09			.03	.07			.01					2
3		.02			.07			.04				.21	3
4	.04	.03	.11	.13					.04	.12	.21	.25	4
5				.05				.13		.03		.08	5
6	.28										.02	.22	6
7				.03							.20	.20	7
8	.19									.05	.11	.02	8
9	.14			.02							.05	.15	9
10		.05	.13								.14		10
11	.16										.42		11
12	.08		.32						.02		.18		12
13									.27			.27	13
14			.05		.35 .35					.03		.28	14
15		.04	.11							.02	.09		15
16						.04				.04	.34		16
17						.05					.02	.09	17
18		.14				.03						.02	18
19									.22	.06	.52	.02	19
20	.01	.01						.03	.28	.01		.52	20
21		.07	(.50)					1.06	.03	.15		.16	21
22	.03							.16		.40	.01	.28	22
23		.08				.92	.19		.26			.13	23
24		.06				.23				.55		.11	24
25		.07		.04		.07		.02					25
26				.18						.26	.11	.27	26
27		.14	.13	.02			.01	.06	.13		.01	.02	27
28		.10						.22			.05	.01	28
29				.16			.07		.21	.22			29
30										.08			30
31					.35					.02		.03	31
Total	1.02	.81	(1.35) ~~.85~~	.68	.84 ✓ 1.34		.27	1.74	1.46	2.04	2.48	3.34	TOTAL for year 17.37
No. of Rain Days	9	12	(12) ~~6~~	11	4	6	3	10	9	15	16	21	128

9,000, IX. '10.

Corr for auth 11.11.13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

24 JAN 1913

Kept at Hinchingbrooke

in the County of Huntingdonshire

by A. Levey

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... ; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05	.07		.14			.12	.01		.09	1
2						.20	.42					.08	2
3	.14					.46		.22	.04				3
4	.02		.62		.01	.47		.07			.31	.07	4
5		.14	.18			.02			.04		.05		5
6	.39	.04			.08	}	.33	.82				.03	6
7					.02	1.52 }	.09	.20					7
8	.28	.12	.11	.03	.01	.04			.13				8
9	.01	.06	.01	.10		.42							9
10								.06	.12		.12		10
11	.13	.05				.02							11
12	.12	.15	.05		.02		.02					.35	12
13	.01	.07									.31	.02	13
14	.01				.04	.24				.07			14
15		.02	.11		.26	.21						.15	15
16	.30		.04		.11	.03				.07			16
17	.36		.21			.16		.08					17
18	.14		.10					.10			.03	18.	18
19	.17		.02				.14	.42			.01		19
20	.04	.05	.04				.15	.68		.27			20
21			.11		.31			.98		.40	.06		21
22	}	.07	.44		.17		.80	.18					22
23	.36 }	.42	.33				.42	.62			.13		23
24	.35					.09	.25	.16				1.61	24
25						.09		.56			.22		25
26		.01				.12	.31	1.84		.52	.30		26
27						.04		.01		.28			27
28								.20	.13		.08		28
29						.07	.24	.09	.82	.34	.34		29
30	.01				.34		.03		.29	.05			30
31	.01		.03		.02		.26	.20					31
Total	2.85	1.20	2.45 2.45	.20	1.59	4.34	3.46	7.49	1.69	2.01	1.96	2.58	TOTAL for year 31.82 (19) (16)
No. of Rain Days.	19	12	16	3	12	19	13	19	8	9	12		

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 203

27 JAN 1914

Kept at Huntingdon, Hinchingbrooke

in the County of Huntingdonshire

by A. Levey

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.10	.07	.04					1.27	.03	.02	.02	1
2	.01	.14	.01		.14		.11						2
3	.06		.16		.61					.20		.03	3
4	.15		.02							.19	.04	.09	4
5		.01				.03			.02	.59	.01		5
6		.05			.37	.11	.08		.01	.06			6
7		.03			.17	.05	.03			.42			7
8			.02		.25	.01				.01	.08		8
9		.25	.03			.02		.06	.03		.05		9
10	.01			.02	.02	.04	.09				.30		10
11	1.02			.33	.07	.03		.13		.04	.10		11
12					.08			.01			.11		12
13								.01			.30		13
14	.06	.03	.13	.04			.11			.15	.03		14
15	.09		.16	.15					.15				15
16	.06	.05	.77	.15					.05	.02			16
17			.10	.11		.48						.03	17
18	.14		.06	.05					.32				18
19	.05		.10				.06		.30			.05	19
20	.08		.11	.02						.27			20
21			.07		.07					.02	.19		21
22	.32		.14						.12				22
23			.03				.04		.05			.03	23
24				.05				.08					24
25				.13		.08						.01	25
26		.06	.27	.02						.62		.18	26
27					.04						.03		27
28	.32		.14	.07						.06		.04	28
29			.24	.58	.23			.08		.03		.12	29
30	.26			.01				.05		.17	.16		30
31					.01			.34		.01			31
Total	2.68	.72	2.63	1.77	2.06	.85	.52	.76	2.32	2.89	1.42	.60	YEAR'S TOTAL 1922
Rain Days.	15	9	19	15	12	9	7	8	10	17	13	10	144

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Hinchingbrooke Huntingdon

in the County of Huntingdonshire

by A. Levey

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.01	.01			.20			.10	.02	1
2							.04	.02			.04	.05	2
3			.02		.11		.35	.03			.10		3
4	.13			.19				.63			.43	.17	4
5			.08	.06	.02	.02	.16	.03					5
6		.02		.03	.04	.02	.08				.20	.06	6
7		.05	.24		.02	.10						.04	7
8		.02	.13	.04	.02	.84	.21	.12					8
9	.53		.30	.03		.64						.18	9
10	.15	.08		.01	.03			.01	.12				10
11		.06	.27	.04	.06	.32					.23	.33	11
12		.03	.05			.01			.45			.24	12
13		.12	.19						.03	.27	.14	.24	13
14	.02		.23							1.40	.08	.36	14
15			.16				.03	.01	.07		.05	.16	15
16	.02						.07		.10		.08		16
17		.24							.08	.06		.16	17
18		.01	.04				.01					.44	18
19		.01	.06			.48	.27				.17		19
20		.05	.40									.08	20
21	.02	.24	.07			.15		.01		.06	.07	.22	21
22	.03		.01		.09	.01	.04	.07		.25		.04	22
23		.02	.07		.06								23
24			.06	.04			.05			.35	.13		24
25								.02		.38			25
26	.01		.02					.11		.04	.11	.51	26
27	.01						.01				.01	.14	27
28		.06								.14	.17	1.67	28
29	.01		.06		.01					.23	.03		29
30			.03							.04	.15	.20	30
31					.09		.05			.01		.08	31
Total	.94	1.01	2.49	.45	.56	2.59	1.37	1.26	.85	3.23	2.29	5.39	YEAR'S TOTAL 22.43
Rain Days.	11	14	20	9	12	10	13	12	6	12	18	21	158

W.7,000, XI. 13

1251
+91

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Hinchingbrooke

in the County of Huntingdonshire

by A. Levey

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.11	.02		.07				.05		.04	.13	1
2	.06	.15	.19	.11		.01		.41	.06				2
3	.30		.05	.22			.10	.46	.05		.08	.20	3
4	.15						.30	.05		.01		.54	4
5	.01	.10			.06	.05		.02			.01	.19	5
6	.20		.03	.07			.58	.09		.03		.02	6
7	.01	.28	.16		.08		.17	.11				.16	7
8		.16	.03					.01					8
9		.07		.02						.07	.16	.52	9
10	.28		.02					.05			.21		10
11			.03		.06		.04				.61		11
12	.07		.02	.24	.24			.29			1.30	.09	12
13	.03	.37			1.09			.04	.02				13
14		.01			.01		.06	.01	.04			.36	14
15	.16				.03			.01			.32	.11	15
16		.22					.50	.09					16
17		.20					.10				.05	.05	17
18		.02	.30										18
19			.01				.20			.01			19
20	.21			.03				.02				.25	20
21		.03			.07		.08					.09	21
22	.49	.02	.23				.62		.03			.14	22
23		.17	.01	.03		.16	.15		.08	.19		.31	23
24			.11				.17		.43			.04	24
25						.33	.10			.02		.17	25
26		.04		.04			.12					.16	26
27						.09				.41		.01	27
28		.15				.40	.13	.01	.43	.12			28
29					.01	.27		.13			.10	.25	29
30	.10	X				.01						.04	30
31	.02	X		X		X		.09	X	.16	X	.05	31
Total	2.32	2.10	1.21	.76	1.72	1.32	3.42	1.89	1.19	1.02	2.88	3.88	YEAR'S TOTAL 23.71
Rain Days.	15	16	14	8	10	8	16	17	9	9 10	10	22	154

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 3 JAN 1917

Kept at The Gardens, Hinchingbrooke
in the County of Huntingdon
by W. Prowting since Sept 21st 1916

Lat. ..... Long. .....
Time of Observation 9 0 am
Nearest Railway Station Huntingdon
Diameter of Funnel of Rain Gauge 8 in. Sq.
Height of top of Gauge above Ground 6 ft. —— in.
" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05		.18			.04			.01		.02		1
2	.31	.02			.55	"	.18				.37		2
3		.14					.12			.26	.02		3
4	.33	.11	.06						.04	.13	.06		4
5			.18	.08		.14				.03	.21		5
6		.12	.21	.15		.27	.13			.09	.38	.04	6
7	.12		.02		.15	.02		.03		.01	.23	.02	7
8			.01		.11	.03	.44				.14	.05	8
9			.03		.26	.04				.01	.01	.25	9
10			.10	.03		.08						.08	10
11	.04	.28	.17	.10	.09	.15	.25	.45	.01			.03	11
12		.02	.01			.01			.04		.01	.04	12
13		.28	.13		.75	.26	.02			.06	.01		13
14		.72		.04	.07	.16		.21		.01			14
15		.30	.38					.14					15
16		.03	.09	.28	.07		.11	.07					16
17	.25	.02	-	.10			.13	.01		.05		.05	17
18	.01	.10	.08	.03			.02	.16	.27	.02			18
19	.06	.01	.11	.16				.34	.16		.74		19
20	.11		.15	.02		.01			.03		.47	.06	20
21	.03		.69	.02				.01		.10	.10	.29	21
22			.01		.17		.14			.09	.01	.72	22
23	.01	.70								.06		.59	23
24		.12				.02		.03			.03	.16	24
25		.32	.10			.11	.11	.03				.31	25
26		.18	.04			.17		.22		.03	.05	.01	26
27	.02	.38	1.37	.06			.01		.01	.01			27
28		.32	1.22			.08		.31	.03	.08		.01	28
29		.09				.07				.01	.01	.15	29
30		X				.13		1.32	.01	.14		.02	30
31		X		X		X		.37	X	.17	X		31
Total	1.34	4.26	5.32	1.07	2.22	1.79	1.66	3.70 .01 3.71	.61 .02 .63	1.36 .02 1.38	2.87 .02 2.89	2.88	YEAR'S TOTAL 29.08
Rain Days.	12	20	22	12	9	18	12	15+ 1 16	10 - 9	19 1 20	16 2 18	18	185

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

Kept at The Gardens. Hinchingbrooke

in the County of Huntingdon

by H. Prouting

Lat. ..... Long. .....

Time of Observation 9-0 am

Nearest Railway Station Huntingdon

Diameter of Funnel of Rain Gauge 8 in. 59

Height of top of Gauge above Ground 6 ft. — in.

" " " " Sea Level ..... ft.

FORM A. BRITISH RAINFALL. 3 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01		.04				1.46	.28	[illegible]	.02		1
2	.01	.02		.16		.03		.18	.01	.04	.06		2
3		.01		.01				.36		.25	.04		3
4		.10						.22		.52			4
5	.25		.02	.08				.01	.05	.01	.07		5
6		.01				.09			.01	.07			6
7	.28					.32				.29			7
8	.41	.01	.03	.18			.67	.36		.27	.10		8
9	.02		.08	.06			.06	.07		.01	.04	.02	9
10	.01		.24	.11	.01			.23		.09	.01		10
11	.33	.01	.30	.34				.03	.02	.20			11
12	.03		.05	.02	.04			.04		.23	.01	.01	12
13	.11		.07	.01	.01			.18	.03	.02			13
14	.02		.07	.07				.25		[illegible]	.01	.02	14
15	.05							.16		.02		.02	15
16	.09		.01	.21		.59	.07			.69	.01	.04	16
17	.01	.06		.14	.60	.14		.09	.30	.17			17
18	.04	.02		.07	.01	.06	.32		.83				18
19		.10	.10		.02			.03	.19				19
20		.25	.15		.13			.01	.04		.08	.01	20
21		.01	.01		.03						.01		21
22			.09							.16			22
23		.05			.19			.29	.13		.06	.03	23
24		.06				.22		.07		.11		.01	24
25		.01	.03										25
26		.01	.07					.51	.10		.36	.01	26
27			.01			.01	.01	.49			.01	.02	27
28		.04	.17		.02	1.02		.04		.02		.03	28
29	.01					1.31	.53			.31		.15	29
30		X					.56	.06		.01			30
31	.04	X	.11	X		X	.30	.08	X		X	.05	31
Total	1.71	.78	1.61	1.50	1.06	3.79	2.52	5.22	1.99	3.49	.89	.42	YEAR'S TOTAL 24.98
Rain Days.	16	17	18	14	10	10	8	23	12	20	15	13	176

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at The Gardens, Hinchingbrooke

in the County of Huntingdon

by W. Prowting

Lat. ____ Long. ____

Time of Observation 9-0 am

Nearest Railway Station Huntingdon

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 6 ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01		·07							·07	·08	1
2	·01	·08		·06				·08		·01	·07	·11	2
3		·03	·16		·45			·36	·12		·72	·02	3
4		·02	·05						·48		·36		4
5				·01	·09			·14	·50	·04			5
6		·14		·13				·01	·34				6
7		·06		·04	·01	·05			·05	·07	·12	·01	7
8									·08		·03		8
9	·03	·04		·02			·16		·46	·15		·06	9
10	·13		·01	·03		·02	·37			·03		·13	10
11				·01	·09		·17		·10	·65	·03	·11	11
12		·14	·03		·17		·05		·07			·02	12
13					·10	·01			·05			·01	13
14	·22			·01		·01	·25		·27	·16		·05	14
15	~~(·88) ·03~~			1·20			·31		·11		·01	·07	15
16	~~·28~~			·65				·03	·86				16
17	·12			·14	·18	·16	1·04					·11	17
18	·45					·08	·12		·25			·41	18
19	·02	·07	·05	·05		·03				·05		·08	19
20	·02	·03		·17		·04			·08	·20	·01		20
21	·01			·14					·44	·04	·01	·02	21
22	·05			·03	·03		·03		·06		·01	·24	22
23	·07					·02	·14	·02	·04	·01		·01	23
24		·19			·37		·07		·03		·09		24
25							·02	·18	·01				25
26									·02	·01	·18	·14	26
27				·03				·13	·05		·13	·01	27
28		·10	·08	·01		·03		·06			·24	·07	28
29							·87		1·29				29
30	·01	X	·24						·03	·01	·16	·01	30
31		X	·02	X		X			X	·07	X	·03	31
Total	~~(2·03) 1·46~~	·91	·64	2·80	1·49	·45	3·60	1·01	5·79	1·50	2·24	1·80	~~23·69~~ (24·26)
Rain Days.	~~(15)~~	12	8	18	9	10	13	9	24	14	16	22	~~180~~ (180)

W. 6,500, VII. 18. w w c

Ans 28.III.19

The Gardens
Hinchingbrooke
Huntingdon

March 27th. 1919.

Dear Sir

In reply to your letter, re the Rainfall recorded here on Jan 15th. 1918, In referring to the record Book, I find I entered 9in. Snow on that date. The only conclusion I can draw is, that the rain Guage being a fixed automatic one, the snow remained in the Rain Guage and as it melted I recorded on (15th. .03.) (16th. .28.) (17th. .12.) (18th. .45.). May I suggest altering my record to read '88 on the 15th the total of the four days reading. Did other stations record any rainfall on the following days after the 15th.?
Any suggestion you may make, I shall be pleased to follow.

I Remain Sir
Yours faithfully
W. Prowting

E & R

1117

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

3 JAN 20

Kept at Hinchingbrooke Gardens

in the County of Huntingdon

by W. Prouting

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Huntingdon G. N.Rly

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 6 ft. — in.

" " " " Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·07	·01	·01	·10	—	·10	—	—	·02	·03	·87	1
2	·12	·03	·01	—	·01	—	·10	—	·23	·04	·27	·49	2
3	·59	·01	·14	—	—	—	·13	·10	·06	—	·13	·02	3
4	·11	—	·33	—	—	·12	·11	—	—	—	·02	·18	4
5	·06	·18	·12	—	·01	—	·04	·01	1·09	—	—	·11	5
6	—	—	—	—	·11	—	—	—	—	·02	·04	—	6
7	—	—	·21	—	—	—	·04	—	—	—	·01	·01	7
8	·07	—	·04	·02	—	—	—	—	·01	—	·02	—	8
9	—	—	—	·05	·02	—	—	—	—	—	·03	—	9
10	—	—	·40	·04	·01	—	—	—	—	—	·09	·06	10
11	·05	—	·20	·08	·02	—	·65	—	—	—	·01	·02	11
12	·01	—	·11	·04	—	·07	·04	—	—	·13	·06	—	12
13	·11	—	—	·16	—	—	—	—	·01	—	—	—	13
14	·27	·01	—	·19	—	—	—	—	·08	—	·01	—	14
15	·03	·01	·09	·10	—	—	—	—	—	—	·08	·36	15
16	·06	·72	·01	—	—	—	—	—	—	—	·19	·03	16
17	—	·55	·01	·01	—	—	—	—	—	—	·19	·01	17
18	—	·05	·01	—	—	—	—	·20	—	—	·01	·07	18
19	·01	·24	·64	—	—	·10	·27	·15	·10	—	·02	·04	19
20	·40	·02	·07	—	—	·23	·51	·52	·03	—	·01	·03	20
21	·44	·39	·01	—	—	—	·50	—	—	·01	—	·10	21
22	—	·32	·05	—	—	—	·07	—	·14	—	—	·35	22
23	—	—	—	—	—	—	·12	—	·03	·12	·01	—	23
24	—	—	—	·23	·02	·12	·03	—	—	·09	—	—	24
25	·07	—	—	·08	·09	·09	—	·22	—	—	—	·03	25
26	—	·02	·11	·05	—	—	—	·13	·12	—	—	·30	26
27	—	·17	—	·81	—	—	—	·15	—	·05	·01	—	27
28	·80	—	—	·34	—	—	—	·77	·01	·04	·03	·25	28
29	—		summarting	—	—	·02	—	·16	—	·26	·25	·22	29
30	—		·03	—	—	·28	—	—	—	·06	·11	·08	30
31	—		—		—		·01	—		·10		—	31
TOTAL	3·57	2·79	2·60	2·21	·39	1·03	2·72	2·41	1·91	·94	1·63	3·63	YEAR'S TOTAL 25·83
Days with ·01 in. or more	17	15	20	15	9	8	15	10	12	12	23	21	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exp WNS

1058

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hinchingbrooke Gardens

in the County of Huntingdon

by W. Prowting. Head Gardener

Lat. ..... Long. .....

Time of Observation 9-0 am

Nearest Railway Station Huntingdon G.N.Rly

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 6 ft. — in.

" " " " Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·24	·12		·21			·44	·05	·14	1
2			·02	·21				·15	·10	·04		·03	2
3		·02		·22		·02	1·17			·04		·05	3
4			·06	·07			·12	·26	·03	·07		·01	4
5			·03		·14		·77	·01	·08			·03	5
6			·09		·02		·29				·01		6
7			·06	·02			·11					·01	7
8	·07	·02		·23	·01		·02						8
9	·37			·40				·06					9
10	·05	·12	·07	·06			·02	·03			·02	·06	10
11	·26		·05	·30	·12		·01				·01	·04	11
12	·08			·11		·14	·02				·01	·28	12
13		·03	·04	·10		·09			·14				13
14		·01	·32	·25		·03	·01		·19	·07	·13	·01	14
15		·02	·17	·05					·40		·12	·01	15
16				·08			·01		·25			·01	16
17				·06	·10		·08		·43			·03	17
18	·11				·04	·07	·04	·21	·05			·08	18
19	·09	·04		·14		·10		·01			·02		19
20	·07	·27		·16		·42				·01		·01	20
21				·03			·04	·09	·16			·01	21
22	·01			·17				·03	·09	·01	·01		22
23		·01					·28			·01	·01	·31	23
24		·01	·15							·01	·01		24
25		·14	·06	·04		·02	·28						25
26	·13		·01	·02	·13		·09			·01		·01	26
27	·09			·08		·35				·01	·29	·13	27
28	·41	·04	·15	·02	·28		·03			·01	·01		28
29	·04		·09		·02		·05			·01	·05	·42	29
30	·03		·01	·05	·02	·03	·05		·15		·10	·14	30
31	·01		·04							·07		·12	31
TOTAL	1·82	·73	1·42	3·11	1·00	1·27	3·70	·85	1·77	·81	·85	1·94	YEAR'S TOTAL 19·27
Days with ·01 in. or more	15	12	17	24	11	10	21	9	12	14	15	22	182
Days with ·04 in. or more	12	5	13	20	7	6	14	5	11	6	6	11	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

1911

HUNTS
HOUGHTON GRANGE
1911 – 1913

Kept at Houghto
in the County of Hun
by C. H. Coote

r of top ___ in.
f top above Ground ___ ft. ___
" " Sea Level ___ ft.
ion ___

Station { Name ___
Distance ___ Direction ___

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.01			.01	.01			.02		1
2	.10			.04	.06			.03		.01	.08	.06	2
3	.04	.04		.01	.12	.11		.01		.03		.09	3
4		.01	.12	.16					.03	.02	.17	.16	4
5	.01	.01		.01				.08		.04		.15	5
6	.30										.02	.17	6
7	.03			.03						.05	.24	.37	7
8	.18		.13							.03	.09	.03	8
9	.15			.04							.03		9
10	.02	.05	.14	.02							.06	.11	10
11	.22					.03		.05			.24		11
12	.13		.36							.02	.34	.02	12
13			.09		.02				.24	.04	.02	.18	13
14		.02	.07		.51	.04				.02		.37	14
15		.02	.17						.01	.03	.09	.01	15
16	.02		.07			.06				.02	.30	.05	16
17						.02					.03	.08	17
18		.10	.01			.05					.35	.02	18
19		.05		.01	.02	.23			.21	.05	.42	.03	19
20	.02	.02	.02			.02		.07	.27	.01	.01	.48	20
21		.06						.55		.19		.15	21
22	.06		.19	.02		.03		.15		.27	.03	.35	22
23		.04	.06			.76	.04	.06	.37			.05	23
24		.09	.02			.17		.07		.20		.24	24
25		.08	.02	.06		.19		.01				.02	25
26				.21		.02				.19	.06	.24	26
27		.18	.09	.05					.17	.01		.03	27
28		.12		.20				.18		.02	.06	.05	28
29						.39	.12		.24	.18	.02		29
30						.02			.01	.05		.01	30
31					.08					.03		.02	31
Total	1.32	.89	1.56	.87	.81	2.14	.17	1.27	1.55	1.51	2.68	3.52	TOTAL for year 18.31
No. of Rain Days	14	15	15	14	6	15	3	12	9	22	21	27	173

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 23 JAN 1912

Kept at Houghton Grange

in the County of Huntingdonshire

by C. H. Coote / C. Hobbs

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. " " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.01			.01	.01			.02		1
2	.10			.04	.06			.03		.01	.08	.06	2
3	.04	.04		.01	.12	.11		.01		.03		.09	3
4		.01	.12	.16					.03	.02	.17	.16	4
5	.01	.01		.01				.08		.04		.15	5
6	.30										.02	.17	6
7	.03			.03						.05	.24	.37	7
8	.18		.13							.03	.09	.03	8
9	.15			.04							.03		9
10	.02	.05	.14	.02							.06	.11	10
11	.22					.03		.05			.24		11
12	.13		.36							.02	.34	.02	12
13			.09		.02				.24	.04	.02	.18	13
14		.02	.07		.51	.04				.02		.37	14
15		.02	.17						.01	.03	.09	.01	15
16	.02		.07			.06				.02	.30	.05	16
17						.02					.03	.08	17
18		.10	.01			.05					.35	.02	18
19		.05		.01	.02	.23			.21	.05	.42	.03	19
20	.02	.02	.02			.02		.07	.27	.01	.01	.48	20
21		.06						.55		.19		.15	21
22	.06		.19	.02		.03		.15		.27	.03	.35	22
23		.04	.06			.76	.04	.06	.37			.05	23
24		.09	.02			.17		.07		.20		.24	24
25		.08	.02	.06		.19		.01				.02	25
26				.21		.02				.19	.06	.24	26
27		.18	.09	.05					.17	.01		.03	27
28		.12		.20				.18		.02	.06	.05	28
29						.39	.12		.24	.18	.02		29
30						.02			.01	.05		.01	30
31					.08					.03		.02	31
Total	1.32	.89	1.56	.87	.81	2.14	.17	1.27	1.55	1.51	2.68	3.54	TOTAL for year 18.31
No. of Rain Days	14	15	15	14	6	15	3	12	9	22	21	27	173

0,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

24 JAN 1913

Kept at Houghton Grange

in the County of Huntingdonshire

by C. Hobbs

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name ; Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.01			.17	.32	.01		1
2		.01		.01		.02	.49		1.03	.02		.09	2
3	.14	.04			.01	.52	.02	.29	.05			.02	3
4	.02		.54		.11	.19				.02	.36	.10	4
5	.04	.13	.20			.10		.06	.01			.01	5
6	.39	.05			.01	.03	.45	.32			.04		6
7	.05				.03	1.51	.25				.01	.14	7
8	.23	.20	.09	.08		.05		.03	.17			.02	8
9	.02	.02				.47	.01	.35		.02			9
10	.01		.02				.03	.03	.02	.02		.19	10
11	.16	.09								.01	.12	.02	11
12	.15	.12	.04		.02				.05		.01	.17	12
13	.01	.02				.12	.06				.07		13
14	.03				.06	.26		.05			.25	.02	14
15	.01	.03	.10		.34	.12		.03		.03	.01		15
16	.39		.02		.10	.21		.05				.14	16
17	.35		.15			.16		.08		.05	.03		17
18	.06		.11				.02	.09				.11	18
19	.19	.03	.09			.02	.24	.41			.03	.06	19
20	.02		.10		.02		.09	.74					20
21	.02		.34		.62			.96		.32			21
22	.45	.05			.05		.61	.19		.34	.07		22
23	.22	.60	.32				.34	.63		.03		.05	23
24	.35					.01	.65	.27		.01	.26	.16	24
25	.01					.06		.49		.02		.03	25
26		.02				.03	.25	1.69		.01	.25	.30	26
27						.01			.02	.39	.19	.20	27
28		.02						.15		.23		.25	28
29				.01		.01	.27	.05	.05	.23	.21	.42	29
30	.04				.40	.02	.02		.67	.27	.08	.01	30
31	.01		.18		.03		.25	.11		.09		.02	31
Total	3.37	1.43	2.30	.10	1.80	3.93	4.05	7.07	2.24	2.43	2.00	2.53	TOTAL for year 33.25
No. of Rain Days.	25	15	14	3	13	21	17	22	10	19	17	22	198

W. 8,000, X. '11.

Cond Forwarded to W.O. 26.11.14

REGISTER OF RAINFALL IN 1913

27 JAN 1914

FORM A. BRITISH RAINFALL.

Kept at Houghton Grange

in the County of Huntingdonshire

by C. Hobbs

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01				.07	.07			.60	.02	.02	.22	1
2	.03	.10	.09	.04					1.20		.08	.02	2
3	.02	.12			.34		.19		.14			.01	3
4			.16		.72				.02	.09		.21	4
5	.17		.02		.02	.02	.01		.02	.18	.06	.11	5
6		.02					.10			.47	.02		6
7	.01	.05			.21	.12	.20		.04	.16	.01		7
8		.08			.15	.02	.12			.34	.02		8
9		.21	.02	.02	.25	.02				.02	.04		9
10			.04	.02	.02	.13	.04	.04	.01		.11	.02	10
11	.02			.02	.04		.08	.21			.33		11
12	.76			.37		.02		.02		.01	.11		12
13		.02			.04			.02		.02	.17		13
14	.02	.01	.02				.45			.01	.44		14
15	.05	.02	.11						.02	.15	.04		15
16	.04	.02	.05	.23					.01	.01			16
17	.04		.77	.15		.39			.06	.02			17
18	.14	.04	.13	.14				.01		.02		.02	18
19			.06	.09			.06		.40			.02	19
20	.08		.14				.05		.36			.03	20
21	.05		.16	.03						.20			21
22			.10		.05		.05	.05		.04	.12		22
23	.29		.16				.02	.02	.14			.02	23
24			.02			.03	.02	.05	.04		.01	.21	24
25	.03			.02		.02				.02			25
26				.13			.02	.01		.01		.02	26
27		.04	.16	.04						.68	.02	.17	27
28		.02	.03	.02	.02	.02				.02	.01		28
29	.22		.14	.08				.08	.02	.10	.02	.02	29
30	.09		.13	.48	.22			.04	.02	.02		.03	30
31	.22							.00		.19		.05	31
	—	—	—	.07	.07	—	—	.60	.02	.02	.22	(—)	YEAR'S TOTAL
Total	~~2.29~~	~~.75~~	~~2.51~~	~~1.88~~	~~2.15~~	~~.86~~	~~1.41~~	~~1.05~~	~~3.10~~	~~2.80~~	~~1.63~~	~~1.18~~	~~21.10~~
Rain Days.	2.28 +9 18	.75 13	2.51 20	1.95 #5 17	2.15 13	.79 #3 10	1.41 14	1.15 12	2.52 16	2.80 23	1.83 18	.96 #6 15	21.10 189

W. 7,500, XI. 12

RE 1911

Kept at Huntingd

in the County of Hunt

by H. Lucas

HUNTS.
HUNTINGDON - BOSWORTH HOUSE
1911 - 1916, 1917

FORM A2. BRITISH RAINFALL. 203

23 JAN 1912

top 5 in.

p above Ground 1 ft. 6 in.

„ Sea Level 35 ft.

ation { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.01	.04			.02	.02			.02	.02	1
2	.11			.03	.08			.01			.09	.06	2
3	.01	.04		.01	.12	.03		.04		.01	.01	.13	3
4	.04	.02	.11	.20					.04	.08	.16	.20	4
5	.01	.02						.13		.05	.03	.11	5
6	.33		.01							.01	.03	.23	6
7	.02			.03						.01	.22	.30	7
8	.21		.12								.11	.04	8
9	.15		.01	.04							.05	.01	9
10	.02	.06	.12	.02							.09	.10	10
11	.26		.02								.42	.01	11
12	.12		.38						.02	.01	.19	.02	12
13			.13		.02	.01			.23	.01	.02	.23	13
14		.02	.04		.43	.02			.01	.04		.32	14
15		.03	.15		.01				.01	.02	.09	.02	15
16	.01		.03			.05				.01	.33	.05	16
17	.01					.06					.03	.13	17
18		.16	.01			.04				.08	.27	.03	18
19					.03	.22			.20	.05	.37	.02	19
20	.01	.02	.02			.04		.08	.45	.02	.01	.48	20
21		.08	.01	.01				.62	.02	.21		.16	21
22	.04		.13	.03		.03		.15		.31	.01	.32	22
23	.01	.08	.07			1.00		.01	.26	.01		.15	23
24		.07	.06			.22	.15			.32		.11	24
25		.09	.04	.06		.12				.01		.02	25
26				.20	.03	.02		.04		.19	.08	.22	26
27		.17	.11	.04			.02	.01	.12	.03	.01	.03	27
28		.11	.01	.21				.20		.02	.06	.03	28
29				.02		.36	.07		.20	.23	.02	.01	29
30				.03		.02				.08		.01	30
31					.40					.04			31
Total	1.39	.97	1.59	.97	1.12	2.24	.26	1.31	1.56	1.78	2.72	3.57	TOTAL for year 19.48
No. of Rain Days	17	14	21	15	8	15	4	11	11	24	24	30	194

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

203

FORM A2. BRITISH RAINFALL.

23 JAN 1912

Kept at Huntingdon, Boswarth House

in the County of Huntingdonshire

by H. Lucas

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. 6 in. „ „ „ Sea Level 35 ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.01	.04			.02	.02			.02	.02	1
2	.11			.03	.08			.01			.09	.06	2
3	.01	.04		.01	.12	.03		.04		.01	.01	.13	3
4	.04	.02	.11	.20					.04	.08	.16	.20	4
5	.01	.02						.13		.05	.03	.11	5
6	.33		.01							.01	.03	.23	6
7	.02			.03						.01	.22	.30	7
8	.21		.12								.11	.04	8
9	.15		.01	.04							.05	.01	9
10	.02	.06	.12	.02							.09	.10	10
11	.26		.02								.42	.01	11
12	.12		.38						.02	.01	.19	.02	12
13			.13		.02	.01			.23	.01	.02	.23	13
14		.02	.04		.43	.02			.01	.04		.32	14
15		.03	.15		.01				.01	.02	.09	.02	15
16	.01		.03			.05				.01	.33	.05	16
17	.01					.06					.03	.13	17
18		.16	.01			.04				.01 .08	.27	.03	18
19					.03	.22			.20	.05	.37	.02	19
20	.01	.02	.02			.04		.08	.45	.02	.01	.48	20
21		.08	.01	.01				.62	.02	.21		.16	21
22	.04		.13	.03		.03		.15		.31	.01	.32	22
23	.01	.08	.07			1.00		.01	.26	.01		.15	23
24		.07	.06			.22	.15			.32		.11	24
25		.09	.04	.06		.12				.01		.02	25
26				.20	.03	.02		.04		.19	.08	.22	26
27		.17	.11	.04			.02	.01	.12	.03	.01	.03	27
28		.11	.01	.21				.20		.02	.06	.03	28
29				.02		.36	.07		.20	.23	.02	.01	29
30				.03		.02				.08		.01	30
31					.40					.04			31
Total	1.39	.97	1.59	.97	1.12	2.24	.26	1.31	1.56	1.78	2.72	3.57	TOTAL for year 19.48
No. of Rain Days	17	14	21	15	8	15	4	11	11	24	24	30	194

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Form A2.
British Rainfall.

24 JAN 1913

Kept at Huntingdon

in the County of Huntingdonshire

by H. Lucas

Rain Gauge { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name ; Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01					.11			.12	.02		.09	1
2		.02	.02	.02	.02	.04	.42						2
3	.15	.03			.02	.44	.01	.27	.04			.12	3
4	.04		.59		.07	.43		.04			.30	.01	4
5	.05	.08	.16			.05		.05			.06		5
6	.34	.08	.01		.02	.05	.35	.69			.01	.04	6
7	.03				.03	1.30	.08	.05				.01	7
8	.19	.18	.10			.03		.22	.14				8
9	.02	.03	.02	.08		.44				.01		.13	9
10	.01	.01	.01			.01		.05	.07	.01	.09	.01	10
11	.19	.08				.02			.04		.02	.19	11
12	.14	.13	.05		.02						.08		12
13	.02	.04	.01			.03					.22	.01	13
14	.03		.01		.06	.23		.02		.02	.02		14
15		.02	.13		.24	.21		.05				.14	15
16	.23		.05		.13	.04		.07		.06	.01		16
17	.27		.18			.16		.10		.01		.11	17
18	.06		.08					.18		.01	.02	.07	18
19	.21	.05	.03			.02	.10	.22			.01		19
20	.04	.01	.09				.15	.49		.27	.01		20
21	.02		.42		.45		.01	.87		.39	.05		21
22	.44	.06	.02		.08		.66	.20		.02		.02	22
23	.21	.45	.28		.01		.44	.63			.13	.19	23
24	.34	.01	.01			.06	.29	.24				.07	24
25	.02					.08		.53			.24	.29	25
26		.01				.05	.33	1.44		.39	.19	.17	26
27						.04	.01	.01		.29		.23	27
28		.03					.01	.20	.07	.21	.14	.48	28
29						.10	.27	.04	.60	.28	.10	.01	29
30	.02				.55	.02	.02	.02	.28	.09			30
31			.04		.07		.26	.15		.02			31
Total	3.08	1.32	2.31	.10	1.77	3.96	3.41	6.83	1.36	2.10	1.70	2.39	TOTAL for year
No. of Rain Days.	24	18	21	2	14	23	16	25	8	16	18	20	3033 / 205

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 202

27 JAN 1914

Kept at Huntingdon, Boswarth House

in the County of Huntingdonshire

by H. Lucas

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.09	.07	.04					.89	.01	.03	.02	1
2	.01	.15			.28		.10		.14		.01		2
3			.14		.61				.01	.14		.08	3
4	.18		.02		.01		.11			.16	.07	.09	4
5						.01	.01		.02	.44	.03		5
6	.01	.06			.30	.11	.13		.02	.12			6
7		.04			.13	.05	.02			.37	.02		7
8			.03		.24	.04				.01	.05		8
9		.21	.03	.01	.01	.11		.03	.01		.05	.01	9
10					.01		.10	.01			.36		10
11	.40?			.35	.10	.03		.16		.03	.10		11
12		.01			.06			.01			.13		12
13	.02		.02					.02	.01		.37		13
14	.05	.02	.10	.02			.14			.13	.03		14
15	.04	.02	.13	.17					.17				15
16	.06		.78	.16					.05				16
17	.13	.04	.08	.13		.44						.01	17
18	.01		.06	.06			.03		.36			.03	18
19	.06		.13				.05		.19			.03	19
20	.10		.12	.03					.01	.24		.01	20
21			.07		.08		.01			.03	.30		21
22	.27		.13				.01	.08	.11				22
23	.01		.03			.04	.03	.02	.04			.03	23
24	.01			.03		.02		.12					24
25				.16		.02				.01	.01	.02	25
26		.02	.22	.04				.01		.63	.02	.18	26
27		.03	.01	.02	.03	.02				.02			27
28	.21		.07	.07						.05		.03	28
29	.06		.11	.61	.21					.02		.04	29
30	.21			.03				.10		.15	.20	.03	30
31								.43		.01			31
Total	1.87?	.69	2.35	1.93	2.07	.89	.74	.99	2.03	2.57	1.78	.61	YEAR'S TOTAL 18.32
Rain Days.	19	11	20	16	13	11	12	11	14	18	16	14	175

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Huntingdon

in the County of Huntingdonshire

by

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.01			.44	.40			.10	.02	1
2				.01			.01	.10			.05	.07	2
3			.07		.14		.28	.01			.10		3
4	.13		.01	.21				.56			.35	.18	4
5			.06	.07	.07	.03	.19	.05					5
6		.01		.06	.05	.01	.09				.10	.04	6
7		.05	.30	.05	.03	.23	.08				.01	.10	7
8	.08	.03	.16	.05	.03	.86	.17	.13					8
9	.52		.33	.01		.74						.19	9
10	.16	.12		.04	.03			.02	.12				10
11		.06	.31	.04	.07	.31			.02		.21	.25	11
12		.01	.06			.01	.01		.42		.02	.19	12
13	.01	.14	.23						.02	.22	.14	.20	13
14			.20				.04			1.05	.08	.40	14
15	.04	.04	.20				.03		.10		.08	.14	15
16			.04				.10		.13		.07		16
17	.01	.28							.08	.04		.07	17
18			.04				.02					.52	18
19		.02	.12			.58	.47				.17		19
20		.05	.37			.01			.01			.09	20
21	.01	.32	.11			.14				.05	.05	.25	21
22		.02			.06		.04	.08		.27		.03	22
23		.01	.07		.06					.07		.01	23
24	.02		.03	.06			.08	.01		.42	.13		24
25	.01							.06		.37	.01	.10	25
26			.04		.01		.01	.14		.04	.11	.41	26
27	.03									.01	.02	.14	27
28		.04			.01					.13	.19	1.66	28
29	.01		.07		.01					.22	.05		29
30			.03							.03	.18	.19	30
31					.10		.06					.06	31
Total	1.05	1.20	2.85	.61	.67	2.92	2.12	1.56	.90	2.92	2.22	5.31	YEAR'S TOTAL 24.33
Rain Days.	13	15	21	11	13	10	17	11	8	13	21	23	176

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

Kept at Huntingdon

in the County of Huntingdonshire

by H Lucas

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

FORM A. BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.12	.02		.07				.06		.06	.11	1
2	.16	.15	.21	.10		.02		.72	.01	.03	.02	.05	2
3	.25		.06	.21			.09	.85	.16		.05	.15	3
4	.18						.29	.05				.46	4
5	.03	.08			.03			.03			.01	.17	5
6	.21	.03	.03	.09			.69	.08		.02		.03	6
7	.02	.25	.13		.18		.17	.15				.17	7
8		.20	.01	.03				.02					8
9	.03	.02				.06				.02	.17	.47	9
10	.26		.03					.05			.06	.01	10
11			.05	.01	.06		.06	.05			.50		11
12	.08		.01	.26	.28			.23			1.11	.08	12
13	.02	.26			.89			.06					13
14		.03			.01		.05	.01	.02			.40	14
15	.16				.04			.02			.29	.10	15
16		.21					.57	.11				.03	16
17		.18			.01		.12						17
18		.03	.23								.04		18
19		.02	.02				.35						19
20	.23			.03				.02		.01		.32	20
21	.07	.01			.01		.06			.01		.06	21
22	.43	.02	.25	.02			.60		.02			.17	22
23	.01	.16	.02	.01		.06	.10		.12	.16		.28	23
24			.10				.11		.29	.01		.05	24
25			.01			.27	.14			.04		.18	25
26		.12				.01	.13					.16	26
27		.01				.15	.13			.36		.01	27
28		.12				.47		.02	.39	.09			28
29						.50		.10			.08	.20	29
30	.10	X				.03				.01			30
31	.02	X		X		X		.09	X	.12	X	.09	31
Total	2.47	2.02	1.18	.76	1.58	1.57	3.66	2.66	1.07	.88	2.39	3.75	YEAR'S TOTAL 23.99
Rain Days.	18	19	15	9	10	9	16	18	8	12	11	23	168

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL

Kept at Huntingdon

in the County of Huntingdonshire

by H. Lucas

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.16		.03	.01	.09				.32		1
2	.30	.01	.02		.36		.04		.02	.21	.01		2
3		.10	.01						.30	.15-	.06		3
4	.28	.08	.03		.03	.12				.01	.18		4
5	.01		.01	.05-	.01	.22				.10	.37	.04	5
6		.11	.13	.20		.03	.12	.01		.05-	.26		6
7	.11		.08		.11	.01	.24				.15-	.07	7
8			.01		.10	.08					.01	.24	8
9	.01		.03		.26	.07						.07	9
10		.04	.08	.02		.10	.13	.31	.03			.06	10
11	.04	.22	.08	.09	.07	.09			.01			.02	11
12	.02	.04	.01		.43	.28	.02	.02		.13			12
13		.28	.10		.36	.11	.03	.13					13
14		.40	.03	.02	.08					.06			14
15		.27	.30	.05-			.11	.09	.01			.03	15
16		.04	.09	.18	.05-		.12	.03		.01			16
17	.05-	.04		.09			.08	.12	.19	.24		.04	17
18		.08	.05-	.05-				.17	.06	.02	.66		18
19	.07		.18	.20					.22		.44	.12	19
20	.12	.01	.14	.02				.11			.10	.22	20
21	.05-		.46	.01			.08					.72	21
22		.04			.17	.01				.01	.01	.48	22
23	.02	.28				.44		.05-			.03	.18	23
24		.12				.15-		.04			.01	.25-	24
25		.10	.12		.02			.16		.03	.05-	.04	25
26		.04	.02			.04		.06		.01	.01		26
27	.02	.35-	.74			.07		.32	.02	.16			27
28		.20	.63			.16			.03	.01		.16	28
29		.05-				.03		.98		.13		.01	29
30		X				.04		.28		.16			30
31		X		X	X			.02	X	.02	X		31
Total	1.13	2.90	3.51	.98	2.08	2.06	1.06	2.90	.89	1.51	2.67	2.75-	YEAR'S TOTAL 24.44
Rain Days.	14	22	24	12	14	19	11	17	10	18	16	17	194

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Huntingdon, Bosworth House

in the County of Huntingdonshire

by H. Lucas.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		–											1
2	.01												2
3													3
4													4
5	.15												5
6													6
7	.36												7
8	.29												8
9	.05												9
10	.27												10
11	.08												11
12	.03												12
13	.09												13
14	.05												14
15	.01												15
16	.05												16
17	.02												17
18	.01												18
19													19
20	.01												20
21													21
22													22
23													23
24	.01												24
25													25
26													26
27													27
28													28
29	.01												29
30	.02	X											30
31	.02	X		X		X			X		X		31
													YEAR'S TOTAL
Total	1.54												
Rain Days.	19												

W. 8,000, VIII. 16

RI — 1911

FORM A2. BRITISH RAINFALL. 208

23 JAN 1912

HUNTS
MELBOURN VICARAGE
1911 ONLY

Kept at Melbourn

in the County of Hu

by M. de C. Fr

f top ____ in.

p above Ground ____ ft. ____ in.

„ Sea Level ____ ft.

ation { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2												·07	2
3										·15			3
4											·12	·31	4
5										·05		·27	5
6												·28	6
7										·04	·27	·21	7
8												·10	8
9											·02	·02	9
10											·11	·30	10
11											·42		11
12									·09	·49	·26	·02	12
13									·18	·05	·11	·21	13
14												·41	14
15										·01	·10		15
16										·04	·20	·05	16
17											·04	·10	17
18											·51		18
19									·05	·06	·34	·07	19
20									·22			·39	20
21								·20		·37		·09	21
22								·32		·08		·37	22
23									·23			·11	23
24										·40		·16	24
25								·25					25
26										·11		·14	26
27								·01	·13				27
28								·09				·06	28
29									·23	·14			29
30										·10			30
31										·02		·02	31
Total								·87	1·13	2·11	2·50	3·76	TOTAL for year
No. of Rain Days								5	7	15	12	22	

9,000, IX. '10.

208

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Melbourn Vicarage

in the County of Huntingdonshire

by M. de C. Ireland

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... ; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2												·07	2
3										·15			3
4											·12	·31	4
5										·05		·27	5
6												·28	6
7										·04	·27	·21	7
8												·10	8
9											·02	·02	9
10											·11	·30	10
11											·42		11
12									·09	·49	·26	·02	12
13									·18	·05	·11	·21	13
14												·41	14
15										·01	·10		15
16										·04	·20	·05	16
17											·04	·10	17
18											·51		18
19									·05	·06	·34	·07	19
20									·22			·39	20
21								·20		·37		·09	21
22								·32		·08		·37	22
23									·23			·11	23
24										·40		·16	24
25								·25					25
26										·11		·14	26
27								·01	·13				27
28								·09				·06	28
29									·23	·14			29
30										·10			30
31										·02		·02	31
Total								·87	1·13 1·33	2·11	2·50	3·76	TOTAL for year
No. of Rain Days								5	7	15	12	22	

9,000, IX. '10.

RE... 1915

FORM A. BRITISH RAINFALL.

6 - JAN 1916

HUNTS.
PUDDOCK BADGE P/S
1915 ONLY

Kept at Puddock ... Long. ...

in the County of Hu... on 9 a.m.

by Warboys Unit... Station Chatteris (Cam...

... el of Rain Gauge 5" in.

... Gauge above Ground 2 ft. ... in.

... „ „ Sea Level ... ft.

IMPORTANT N... a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	2			20		9		10		13	8	1
2	.6	13	13"					3.6			11	2	2
3	.21	12	11	10				4.8	15"			18	3
4	19						6.3	5"				6.6	4
5		3										17	5
6	12	4	6				8.4					3	6
7		23	11				10	13"				12	7
8		12		7			3						8
9		3									12	33"	9
10	19		8					27					10
11					6			10			46		11
12	.6			14	33						1.33		12
13					86								13
14		27										25"	14
15	17	15"			6								15
16							5"6						16
17		17					7						17
18											6		18
19		13					17						19
20	.22				2							36	20
21	.4	8					6						21
22	49		15"				4.3					21	22
23				2			26		14	20		29	23
24							5"		36				24
25			10			44						4	25
26						8	22					21	26
27		7				20	16			43"			27
28							8		20	28"			28
29								12				19	29
30		X	1			70					13		30
31	.8	X		X		X			X		X	6	31
Total	1.99	1.59	0.76	0.33	1.33	1.42	3.75"	2.03	0.95"	1.13	2.34	3.24	YEAR'S TOTAL 21.06
Rain Days	12	14	7	4	6	4	15"	7	5"	3	7	16	100

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 6-JAN 1916

Kept at Ruddock Bridge pumping station

in the County of Huntingdon

by Warboys United Fen Drainage

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Chatteris (Cambs)

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 2 ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	2			2.0		9		10		13	8	1
2	.6	13	13"					5"6			11	4	2
3	.21	12	11	10				7.8	15"			18	3
4	.19						6.3	5"				6.6	4
5		3										17	5
6	.12	4	6				8.4					3	6
7		23	11				10	15"				12	7
8		12		7			3						8
9		3									12	35"	9
10	.19		8					27					10
11					6			10			4.6		11
12	.6			14	33						1.33		12
13					86								13
14		27										25"	14
15	.17	15"			6								15
16							5"6						16
17		17					7						17
18											6		18
19		13					17						19
20	.22				2							36	20
21	.4	8					6						21
22	.49		15"				4.3					21	22
23				2			2.6		14	20		29	23
24							5"		36				24
25			10			44						4	25
26						8	22					21	26
27		7				20	16			45"			27
28							8		20	28			28
29								12				19	29
30		X	1			70					13		30
31	.8	X		X		X			X		X	6	31
Total	1.99	1.59	0.76	0.33	1.33	1.42	3.75"	2.03	0.95"	1.13	2.34	3.24	YEAR'S TOTAL 21.06
Rain Days	12	14	7	4	6	4	15"	7	5"	3	7	16	100

W. 8,000. X. 15.

92

REGIS

ST IVES.
SLEEPE HSE
HUNTINGDON
1911 - 1920

FORM A2. BRITISH RAINFALL.

23 JAN 1912

Kept at St-Ives, [illegible]

in the County of Hunting

by Dr W. R. Grove

6 in.

e Ground 1 ft. in.

Sea Level 25 ft.

Name

Distance Direction

IMPORTANT NOTE.—R[illegible] the result entered to the previous day. If an Observe[illegible] versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the [illegible]ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.03				.01			.01		1
2	.12				.04						.07	.11	2
3		.04		.03	.13	.35		.05		.03	.02	.07	3
4	.04	.02	.11	.18					.05	.02	.16	.19	4
5	.01			.03				.06		.08	.04	.12	5
6	.29		.01							.01		.24	6
7	.02	.01		.04						.11	.23	.36	7
8	.21		.12							.01	.11	.02	8
9	.16			.03							.03	.01	9
10	.01	.05	.10								.03	.13	10
11	.25							.07			.44		11
12	.16		.38						.02	.03	.19		12
13			.07		.05	.02			.23	.03	.01	.17	13
14			.08		.42	.02				.04		.36	14
15		.03	.18							.01	.09	.01	15
16	.03		.09			.07					.28	.04	16
17						.01					.01	.10	17
18		.15				.10					.40	.01	18
19						.19			.23	.05	.34	.01	19
20	.01	.02	.03		.02			.27	.18	.02		.47	20
21		.06				.01		.38	.02	.26		.13	21
22	.06		.19	.02		.02		.15		.24		.35	22
23	.01	.06	.08			.79	.14		.31			.17	23
24		.05	.04			.19				.17		.14	24
25	.01	.08	.06	.06		.13		.07		.03		.01	25
26				.20	.01					.16	.06	.25	26
27		.17	.11	.04				.02	.18			.02	27
28		.12		.19				.18			.08	.05	28
29			.01	.05		.37	.08		.24	.22	.01		29
30				.01		.02			.01	.06		.01	30
31					.07					.03			31
Total	1.45	.86	1.66	.91	.74	2.29	.22	1.26	1.47	1.61	2.61	3.55	TOTAL for year 18.63
No. of Rain Days	16	13	16	13	7	14	2	10	10	20	20	26	167

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

205

Kept at St. Ives, Sleepe House

in the County of Huntingdonshire

by Dr. W. R. Grove

RAIN GAUGE: Pattern ____ Diameter of top 5 in. ____ Height of top above Ground 1 ft. ____ in. ____ " " " Sea Level 25 ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.03				.01			.01		1
2	.12				.04						.07	.11	2
3		.04		.03	.13	.35		.06		.03	.02	.07	3
4	.04	.02	.11	.18					.05	.02	.16	.19	4
5	.01			.03				.06		.08	.04	.12	5
6	.29		.01							.01		.24	6
7	.02	.01		.04						.11	.23	.36	7
8	.21		.12							.01	.11	.02	8
9	.16			.03							.03	.01	9
10	.01	.05	.10								.03	.13	10
11	.25							.07			.44		11
12	.16		.38						.02	.03	.19		12
13			.07		.05	.02			.23	.03	.01	.17	13
14			.08		.42	.02				.04		.36	14
15		.03	.18							.01	.09	.01	15
16	.03		.09			.07					.28	.04	16
17						.01					.01	.10	17
18		.15				.10					.40	.01	18
19						.19			.23	.05	.34	.01	19
20	.01	.02	.03		.02			.27	.18	.02		.47	20
21		.06				.01		.38	.02	.26		.13	21
22	.06		.19	.02		.02		.15		.24		.35	22
23	.01	.06	.08			.79	.14		.31			.17	23
24		.05	.04			.19				.17		.14	24
25	.01	.08	.06	.06		.13		.07		.03		.01	25
26				.20	.01					.16	.06	.25	26
27		.17	.11	.04				.02	.18			.02	27
28		.12		.19				.18			.08	.05	28
29			.01	.05		.37	.08		.24	.22	.01		29
30				.01		.02			.01	.06		.01	30
31					.07					.03			31
Total	1.45	.86	1.66	.91	.74	2.29	.22	1.26	1.47	1.61	2.61	3.55	18.63
No. of Rain Days	16	13	16	13	7	14	2	10	10	20	20	26	167

9,000, IX. '10.

201

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at St. Ives

in the County of Huntingdonshire

by Dr W. R. Grove

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... ; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.04			.13	.02		.10	1
2		.01		.01	.02	.03	.43		.01			.02	2
3	.14	.08			.03	.39	.01	.28	.05	.03		.08	3
4	.03		.48		.05	.15		.06			.34		4
5	.04	.15	.18			.02		.08			.05		5
6	.34	.05			.03		.79	.30			.01		6
7	.06				.03	1.26	.08	.03					7
8	.24	.21	.11			.02		.26	.25			.03	8
9	.01	.02	.01	.08		.48						.16	9
10		.01						.01	.02		.10		10
11	.15	.08							.06			.17	11
12	.14	.12	.04		.01					.02	.08		12
13	.01	.01				.09	.02				.23		13
14	.02				.06	.23		.03		.05			14
15		.02	.10		.35	.21						.12	15
16	.42		.08		.08	.12		.08		.04	.04		16
17	.58		.16			.17		.09				.11	17
18	.04		.10				.01	.09		.01		.06	18
19	.16	.05	.09				.26	.35			.02	.01	19
20	.06		.09		.05		.06	.73		.31			20
21	.01		.35		.66			1.10		.33	.06		21
22	.47	.06	.01		.17		.46	.23				.05	22
23	.27	.63	.28				.33	.47			.18	.15	23
24	.35					.04	.31	.20				.08	24
25	.01					.06		.66			.24	.31	25
26		.01	.01			.05	.25	1.56		.39	.16	.18	26
27						.04				.21		.23	27
28		.02						.12	.09	.22	.20	.48	28
29						.02	.26	.05	.70	.26	.05		29
30	.05				.38	.02			.36	.09			30
31			.18		.02		.17	.16					31
Total	3.60	1.53	2.27	.09	1.94	3.44	3.44	6.94	1.67	1.98	1.76	2.34	TOTAL for year
No. of Rain Days.	22	16	16	2	14	19	14	22	9	13	14	17	148

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 204

27 JAN 1914

Kept at St. Ives, Slepe House

in the County of Huntingdonshire

by Dr. W. P. Grove

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07	.08	.05		.02			1.15	.01	.11	.02	1
2	.03	.14			.35		.24		.15			.01	2
3			.16		.63		.02		.01	.11		.11	3
4	.15	.01			.01					.18	.05	.09	4
5	.02					.02	.01		.05	.57	.01	.01	5
6		.03			.26	.20	.10		.01	.09			6
7		.05			.11		.10			.39	.02		7
8					.20	.13				.02	.09		8
9		.21	.04	.03	.02	.11		.02			.05	.01	9
10	.01		.01	.01	.04		.08	.02			.30		10
11	1.11			.38	.03	.03		.20		.02	.13		11
12					.04			.01			.12		12
13			.01					.02	.02		.45		13
14	.08	.01	.10				.76			.14			14
15	.05	.02	.11	.19			.06						15
16	.03		.70	.16					.06				16
17	.11	.07	.09	.18		.34						.02	17
18			.07	.08			.03	.01	.45			.02	18
19	.06		.10				.04		.30	.01			19
20	.07		.15	.03						.19			20
21			.08		.05		.04			.05	.22		21
22	.29		.14				.01	.01	.11				22
23			.01			.04	.02	.04	.04			.04	23
24	.02			.01		.02		.05					24
25				.13			.01			.01		.02	25
26		.04	.16	.04				.02		.67	.02	.16	26
27		.02	.02	.01	.03					.03			27
28	.20		.30	.07		.02				.11			28
29	.09		.15	.40	.22			.07		.02	.01	.06	29
30	.21			.09				.08		.13	.20	.03	30
31					.02			.66		.01			31
Total	2.53	.67	2.48	1.86	2.01	.93	1.52	1.21	2.35	2.76	1.78	.60	YEAR'S TOTAL 20.70
Rain Days.	16	11	19	16	14	10	14	13	11	19	14	13	170

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at St. Ives, Slepe House

in the County of Huntingdonshire

by Dr. H. R. Grove

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.61	.73			.09	.01	1
2							.02	.02			.07	.10	2
3			.10		.15		.25	.08			.42		3
4	.14		.01	.18				.09			.47	.16	4
5			.06	.05	.05		.23	.07					5
6		.04		.07	.06	.03	.26				.13	.03	6
7	.05	.05	.31	.05	.03	.18	.04					.10	7
8		.03	.18	.03	.10	.63	.25	.12					8
9	.62		.36	.02	.01	.62						.34	9
10	.25	.12		.05	.02			.02	.09				10
11		.04	.25	.02	.04	.21					.21	.25	11
12		.02	.06				.03		.45	.01		.17	12
13		.12	.13						.03	.17	.14	.17	13
14		.01	.13							.95	.08	.47	14
15	.04	.02	.19					.02	.09		.04	.16	15
16	.03		.05				.15		.09		.11		16
17		.25							.18	.01		.05	17
18			.05									.42	18
19		.02	.17			.26	.27		.01		.16		19
20		.05	.35			.02						.11	20
21	.03	.19	.14			.10				.04	.06	.19	21
22			.01		.13		.06	.09		.19		.02	22
23			.05		.07		.02			.08		.01	23
24							.05	.01		.35	.12		24
25				.11				.07		.41	.02	.04	25
26			.06				.02	.09		.02	.11	.40	26
27	.05		.01								.02	.14	27
28		.04								.11	.24	1.45	28
29	.02		.06							.20	.03		29
30			.03							.05	.17	.18	30
31					.11		.08					.09	31
Total	1.23	1.00	2.76	.58	.77	2.05	2.34	1.41	.94	2.59	2.69	5.06	YEAR'S TOTAL 23.42
Rain Days.	9	14	22	9	11	8	15	12	7	13	19	23	162

W.7,000, XI. 13

1252
1902

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at St. Ives

in the County of Huntingdonshire

by W. R. Grove

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.10	.02		.08				.05		.12	.11	1
2	.14	.16	.19	.08		.02		1.16	.01	.04	.07	.05	2
3	.25		.07	.22			.07	.46	.23		.02	.14	3
4	.23						.57	.01				.52	4
5	.02	.10						.03		.01		.17	5
6	.18	.03	.04	.10			1.43	.16		.03		.02	6
7	.03	.21	.09				.07	.18				.13	7
8		.21	.02	.06				.02					8
9	.01	.02				.01				.03	.19	.45	9
10	.21		.04				.03	.08			.07	.03	10
11	.01		.02		.06		.07				.54		11
12	.10		.01	.24	.33			.03			1.32	.09	12
13	.02	.31			1.05			.16					13
14		.02					.07		.02			.35	14
15	.16				.03		.09			.01	.30	.09	15
16		.18					.58	.77				.06	16
17		.13			.01		.09				.02		17
18		.02	.38								.06		18
19		.02	.01				.45						19
20	.23			.06								.36	20
21	.07						.05			.06		.05	21
22	.59		.31	.03			.57		.02			.15	22
23	.02	.13	.03			.04	.14		.14	.17	.01	.19	23
24		.01	.13			.01	.01		.27	.01		.05	24
25						.28	.09			.03		.10	25
26		.10		.01		.04	.07					.16	26
27			.02			.09	.13			.39		.01	27
28		.17				.45		.02	.50	.08			28
29					.01	.25		.12			.14	.20	29
30	.09	X				.12					.01	.01	30
31	.04	X		X		X		.12	X	.17	X	.12	31
Total	2.65	1.92	1.38	.80	1.57	1.31	4.58	3.32	1.24	1.03	2.87	3.61	YEAR'S TOTAL 26.28
Rain Days.	19	17	15	8	7	10	18	14	8	12	13	24	165

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at St. Ives, Slepe House

in the County of Huntingdonshire

by W. R. Grove

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.13		.05	.04					.24		1
2	.30		.02		.36		.06			.20			2
3		.13	.01				.12		.25	.13	.06		3
4	.27	.04			.02	.14	.06		.20		.13		4
5	.01	.01		.03	.02		.04			.08	.24	.05	5
6		.08	.15	.20			.13				.23		6
7	.09		.17		.11	.19	.15				.13	.05	7
8			.03		.09	.16						.24	8
9			.03		.20	.08						.03	9
10		.03	.15	.02			.10	.15	.02			.09	10
11	.06	.28	.09	.09	.08	.14						.02	11
12	.04	.03	.01		.44	.24		.05		.14			12
13		.26	.08		.14	.05	.06	.07					13
14		.80	.04		.08	.01		.07		.08			14
15		.33	.29	.02			.14	.06				.05	15
16		.03	.09	.18	.04		.05						16
17	.04	.03		.15			.10	.09	.23	.30			17
18		.06	.02	.04				.20	.07		.74		18
19	.04		.08	.20					.44		.53	.09	19
20	.10		.19	.01				.10			.06	.24	20
21	.05		.57				.33					.74	21
22		.08			.12					.02	.01	.46	22
23		.60				.27	.01	.05			.04	.16	23
24		.23				.15				.02	.02	.26	24
25		.32	.12					.20		.02	.05		25
26		.09	.01			.02		.22					26
27	.05	.37	1.19					.48	.02	.05			27
28		.30	.99			.12			.03			.17	28
29		.16	.03			.03		1.08		.14		.01	29
30		X				.09		.19		.16			30
31		X		X		X		.04	X		X	.01	31
Total	1.05	4.26	4.49	.94	1.75	1.73	1.35	3.05	1.26	1.34	2.48	2.67	YEAR'S TOTAL 26.37
Rain Days.	11	21	23	10	13	15	13	15	8	12	13	16	170

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at St. Ives, Slepe House

in the County of Huntingdonshire

by W. R. Grove

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.09				1.21	.31		.02		1
2		.03		.13		.09		.12	.01	.03	.03		2
3				.02				.36		.11	.05		3
4		.10	.02					.15		.49			4
5	.13			.07					.01	.01	.20		5
6										.07			6
7	.30		.01			.71				.30		.01	7
8	.20			.17			.80	.24		.21	.09	.01	8
9	.06		.09	.04			.03	.26			.02	.02	9
10	.30		.15	.13				.09		.03			10
11	.03	.03	.41	.08					.02	.20			11
12	.03				.11			.06		.26			12
13	.14		.11	.07		.04		.12	.02	.02			13
14	.03		.03	.04				.05				.02	14
15	.01							.37				.02	15
16	.03	.04		.17		.25	.07			.74			16
17		.02	.01	.13	.66	.22	.27	.03	.31	.46			17
18	.01			.06		.10	.11	.12	.85				18
19		.11	.20		.01	.04			.20				19
20	.02	.16	.18		.15						.15		20
21			.02			.12							21
22			.04						.06	.17			22
23		.06			.11			.09	.07			.11	23
24	.01	.03				.19		.02		.11	.07		24
25			.01								.02	.01	25
26			.06					.29	.12		.33	.02	26
27			.01			.19	.01	.46					27
28		.05	.14			1.02		.03		.02	.01	.04	28
29					.03	.87	.21	.01		.31		.12	29
30	.02	X					.56	.08					30
31		X	.22	X		X	.37	.05	X		X	.04	31
Total	1.32	.63	1.71	1.20	1.07	3.84	2.43	4.21	1.98	3.54	.99	.42	YEAR'S TOTAL 23.34
Rain Days.	15	10	17	13	6	12	9	21	11	17	11	11	153

W. 8,000, VIII, 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at St. Ives, Slepe House

in the County of Huntingdonshire

by W. R. Grove

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.11							.04	.10	1
2	.01	.11		.15				.09		.02	.02	.12	2
3		.02	.08		.49			.87	.19		.70	.02	3
4			.07						.41		.40	.01	4
5		.02	.05		.19			.13	.35	.03			5
6		.12		.13					.19				6
7	.14	.12						.02	.02	.01	.13		7
8									.05				8
9	.02	.02		.04		.10	.11		.39	.13		.02	9
10	.02			.02			.18					.12	10
11				.01	.15		.14		.09	.49	.05	.09	11
12		.14	.01		.21		.08		.05			.02	12
13		.01			.12				.05			.02	13
14	.29			.04		.02	.14		.40	.16		.05	14
15	.83			1.41			.30		.04			.02	15
16	.01			.56		.01		.03	.87				16
17	.15			.06	.13		.42					.10	17
18	.45					.08	.03		.16			.51	18
19	.02	.07	.06	.02			.02			.06		.08	19
20		.04		.19		.09			.08	.11	.02		20
21	.02								.54	.08			21
22	.03			.02	.11		.02		.03			.24	22
23	.07				.30		.25		.03		.01	.03	23
24		.23		.01			.09		.04		.01		24
25					.02	.02		.22			.06		25
26							1.28				.21	.15	26
27				.02		.03	.36	.11	.06		.13		27
28		.08	.07								.19	.10	28
29									1.31		.01		29
30		X	.25						.03		.15	.04	30
31		X	X	X		X			X	.08	X	.03	31
Total	2.06	.98	.59	2.79	1.72	.35	3.42	1.47	5.38	1.17	2.13	1.87	YEAR'S TOTAL 23.93
Rain Days.	13	12	7	15	9	7	14	7	22	10	15	20	151

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

Kept at St. Ives, Slepe House

in the County of Huntingdonshire

by W. R. Grove

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.03	.01		.07		.17			.06	.04	.74	1
2	.14				.01		.08		.37		.19	.53	2
3	.53		.13		.01		.06		.02		.13	.02	3
4	.11		.32			.04	.05	.07				.16	4
5	.06	.16	.22				.06		.63			.12	5
6			.02								.04		6
7	.01		.19								.08		7
8	.05		.03	.05							.02		8
9	.01		.03								.02		9
10			.29	.04	.04							.01	10
11	.13		.14	.10			.61				.04	.06	11
12			.21	.04		.03				.17	.03		12
13	.09			.15									13
14	.24			.08					.05				14
15	.10		.12	.09							.15	.16	15
16	.03	.59		.02				.02			.05	.03	16
17		.48	.02	.02							.20		17
18		.07						.20			.01	.09	18
19		.17	.58			.15	}	.28	.06		.02	.02	19
20	.32	.03	.05			.23	.60 }	.27	.01			.01	20
21	.49	.37	.01			.02	.69					.24	21
22		.26	.04				.05		.16		.02	.31	22
23								.08		.01		.08	23
24				.16		.12	.10	.07		.14			24
25	.12			.16	.19	.05		.15				.07	25
26	.16	.09	.13	.08				.05	.08			.31	26
27	.54	.14		1.11				.30		.10		.03	27
28				.06				.62		.07	.04	.25	28
29				.01				.18		.24	.13	.20	29
30	.05	X	.02	.31		.24		.01		.02	.15	.15	30
31		X	X	X		X	.01		X	.03	X	.04	31
Total	3.53	2.39	2.56	2.48	.32	.88	2.48	2.30	1.38	.84	1.36	3.63	YEAR'S TOTAL 24.15
Rain Days.	19	11	19	16	5	8	12	13	8	9	18	22	160

W. 6,500. VII. 18. W W C

191

1059

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St. Ives, Slepe House

in the County of Huntingdonshire

by W. R. Grove

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.12	.09		.14			.20	.01	.14	1
2				.24				.11	.10	.01		.01	2
3		.02		.35		.03	.14		.06	.04		.03	3
4			.04	.11			.16	.21	.07	.06		.04	4
5			.05		.14		.36					.06	5
6			.10		.02		.24		.08				6
7			.04	.04			.07					.03	7
8	.11			.43									8
9	.39			.24				.08					9
10	.07	.10	.06	.11			.02				.02		10
11	.24		.03	.33	.10		.02					.01	11
12	.10			.08		.23	.01					.27	12
13		.04	.01	.06		.10							13
14		.02	.28	.12		.04	.03		.10	.02	.32		14
15			.23	.05					.12		.03	.02	15
16				.03					.08				16
17	.01			.05	.09		.02		.30			.05	17
18	.07			.01	.15		.02	.26	.11			.04	18
19	.11	.02		.01									19
20	.07	.19		.28		.50							20
21				.15			.02	.08	.36			.01	21
22				.12					.38				22
23							.25					.31	23
24			.18									.03	24
25		.03	.02	.02	.12		.30						25
26	.06			.02	.09	.02	.04						26
27	.11	.04		.10		.36					.11	.09	27
28	.34		.21		.36		.02				.03		28
29			.02		.15		.04				.04	.33	29
30		X		.04			.02		.16		.08	.17	30
31	.04	X	.09	X		X			X	.05	X	.06	31
TOTAL	1.72	.46	1.36	3.11	1.31	1.28	1.91	.74	1.92	.38	.64	1.70	YEAR'S TOTAL 16.53
Days with .01 in. or more	13	8	14	24	10	7	19	5	12	6	8	18	144

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

.04 12 4 10 19 9 5 10 5 12 4 4 11 10.5

92

RE[illegible] 1911

FORM A2. BRITISH RAINFALL.

20 JAN 1912

Kept at Somersha[illegible]

in the County of Hunt[illegible]

by Mrs de Courcy-[illegible]

HUNTS.
SOMERSHAM VICARAGE.
1911 ONLY

top ..... in.
above Ground ..... ft. ..... in.
„ Sea Level ..... ft.

tion { Name .....
Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	.07			.10									2
3		.04			.04								3
4		.02	.14	.15	.03								4
5													5
6	.35												6
7	.05												7
8	.22		.10										8
9	.08												9
10	.10	.05	.05	.05									10
11	.09												11
12	.11		.34										12
13			.05			.05							13
14			.04			.10							14
15		.03	.15		.53								15
16			.12		.05	.07							16
17		.02				.16	.02						17
18													18
19													19
20		.05											20
21	.01	.03				.06							21
22	.02		.21										22
23			.06			.75							23
24		.05				.07	.16						24
25			.06										25
26				.02									26
27		.19		.19			.04						27
28		.07		.05									28
29				.16		.37							29
30				.06		.09							30
31													31
Total	1.10	.55	1.32	.78	.65	1.72	.22						TOTAL for year
No. of Rain Days	10	10	11	8	4	9	3						

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Somersham, Vicarage

in the County of Huntingdonshire

by Mrs. de Courcy-Ireland

RAIN GAUGE — Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station — Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	.07			.10									2
3		.04			.04								3
4		.02	.14	.15	.03								4
5													5
6	.35												6
7	.05												7
8	.22		.10										8
9	.08												9
10	.10	.05	.05	.05									10
11	.09												11
12	.11		.34										12
13			.05			.05							13
14			.04			.10							14
15		.03	.15		.53								15
16			.12		.05	.07							16
17		.02				.16	.02						17
18													18
19													19
20		.05											20
21	.01	.03				.06							21
22	.02		.21										22
23			.06			.75							23
24		.05				.07	.16						24
25			.06										25
26				.02									26
27		.19		.19			.04						27
28		.07		.05									28
29				.16		.37							29
30				.06		.09							30
31													31
Total	1.10	.55	1.32	.78	.65	1.72	.22						TOTAL for year
No. of Rain Days	10	10	11	8	4	9	3						

9,000, IX. '10.

1180

FORM A.
BRITISH RAINFALL.

REGIS

HUNTS
SOMERSHAM – HOLMWOOD FARM
1919 ONLY

Kept at Holmwood Fa

in the County of Hunting

by J. W. Watson

g.

n

Rain Gauge in.

above Ground ft. in.

,, Sea Level ft.

IMPORTANT NOTE and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.36				.09		.24				.07	.93	1
2	.12						.07				.06	.34	2
3	.49		.19						.39		.25		3
4	.12		.26				.25					.20	4
5	.10		.15				.15		.11			.09	5
6											.03		6
7	.03		.24								.07		7
8	.07		.04								.03		8
9				.04									9
10			.17	.13									10
11	.14		.10				.69			.07			11
12			.22	.04			.07						12
13	.14			.13						.02			13
14	.23			.16									14
15	.08	.88	.16	.13									15
16	.05	.55		.03								.26	16
17		.45	.04	.02							.48		17
18		.05	.04					.11				.12	18
19		.20	.50				.22	.15	.08		.09		19
20	.38	.02	.05			.32	.56	.28			.03		20
21	.38	.40	.02						.03				21
22		.05	.10				.17		.15		.03	.51	22
23													23
24				.18		.37				.16			24
25	.20			.10	.17			.20		.07			25
26		.07	.13					.17	.08			.47	26
27		.16		.60	.05							.04	27
28				.21				1.01			.19	.27	28
29										.23		.18	29
30		X		.26		.27						.16	30
31		X		X		X			X		X	.06	31
Total	2.89	2.83	2.41	2.03	.31	.96	2.42	1.92	.84	.55	1.33	3.63	YEAR'S TOTAL 22.12
Rain Days.	15	10	16	13	3	3	9	6	6	5	11	13	

W. 6,500. VII. 18. w w o

84

1180

FORM A.
BRITISH RAINFALL.

REGIS[illegible]

Kept at Holmwood Farm, Somersham

in the County of Huntingdonshire

by J. W. Walson

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.36				.09		.24				.07	.93	1
2	.12						.07				.06	.34	2
3	.49		.19						.39		.25		3
4	.12		.26				.25					.20	4
5	.10		.15				.15		.11			.09	5
6											.03		6
7	.03		.24								.07		7
8	.07		.04								.03		8
9				.04									9
10			.17	.13									10
11	.14		.10				.69			.07			11
12			.22	.04			.07						12
13	.14			.13						.02			13
14	.23			.16									14
15	.08	.88	.16	.13									15
16	.05	.55		.03								.26	16
17		.45	.04	.02							.48		17
18		.05	.04					.11				.12	18
19		.20	.50				.22	.15	.08		.09		19
20	.38	.02	.05			.32	.56	.28			.03		20
21	.38	.40	.02						.03				21
22		.05	.10				.17		.15		.03	.51	22
23													23
24				.18		.37				.16			24
25	.20			.10	.17			.20		.07			25
26		.07	.13					.17	.08			.47	26
27		.16		.60	.05							.04	27
28				.21				1.01			.19	.27	28
29										.23		.18	29
30		X		.26		.27						.16	30
31		X		X		X			X		X	.06	31
Total	2.89	2.83	2.41	2.03	.31	.96	2.42	1.92	.84	.55	1.33	3.63	YEAR'S TOTAL 22.12
Rain Days.	15	10	16	13	3	3	9	6	6	5	11	13	

W. 6,500, VII. 16. W W 0

D2

REGI

HUNTS
STIRTLOE HOUSE
1911 ONLY

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Stirtloe H

in the County of Huntin

by J Linton

in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.08				.02					1
2	.06				.08						.06		2
3		.02		.15	.13			.03	.02			.06	3
4	.05	.01	.10						.02	.10	.20	.11	4
5				.03				.10		.07		.20	5
6	.31									.01	.08	.11	6
7	.01										.22	.23	7
8	.17		.11								.10	.27	8
9	.12			.02							.02	.03	9
10		.07	.11								.07	.01	10
11	.23										.47	.14	11
12	.08		.38						.05		.18		12
13			.05		.14				.21	.02			13
14		.01	.03		.38	.01						.27	14
15		.02	.07							.02	.10	.31	15
16			.02			.06					.35	.03	16
17	.01					.06					.04	.05	17
18		.16				.07				.02	.28		18
19		.02				.17			.23	.03	.26	.05	19
20		.03	.03	.01				.34	.36			.19	20
21		.05	.16					.80		.16		.45	21
22	.03					.03		.10		.40		.15	22
23	.01		.15			.85	.20		.35			.33	23
24		.07	.10			.21				.41		.18	24
25		.04	.02	.06	.20	.12		.13		.20		.09	25
26				.23							.09		26
27		.20	.12	.03					.15		.07	.21	27
28		.11		.22			.05	.20				.03	28
29			.01	.04		.36			.21	.27	.01		29
30				.01		.04				.05			30
31					.02					.06			31
Total	1.08	.81	1.46	.88	.95	1.98	.25	1.72	1.60	1.82	2.60	3.50	TOTAL for year 18.65
No. of Rain Days	11	13	15	11	6	11	2	8	9	14	17	22	139

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

23 JAN 1912

Kept at Stirtloe House

in the County of Huntingdonshire

by J. Linton

RAIN GAUGE: Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. " " " Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station: Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.08				.02					1
2	.06				.08						.06		2
3		.02		.15	.13			.03	.02			.06	3
4	.05	.01	.10						.02	.10	.20	.11	4
5				.03				.10		.07		.20	5
6	.31									.01	.08	.11	6
7	.01										.22	.23	7
8	.17		.11								.10	.27	8
9	.12			.02							.02	.03	9
10		.07	.11								.07	.01	10
11	.23										.47	.14	11
12	.08		.38						.05		.18		12
13			.05		.14				.21	.02			13
14		.01	.03		.38	.01						.27	14
15		.02	.07							.02	.10	.31	15
16			.02			.06					.35	.03	16
17	.01					.06					.04	.05	17
18		.16				.07				.02	.28		18
19		.02				.17			.23	.03	.26	.05	19
20		.03	.03	.01				.34	.36			.19	20
21		.05	.16					.80		.16		.45	21
22	.03					.03		.10		.40		.15	22
23	.01		.15			.85	.20		.35			.33	23
24		.07	.10			.21				.41		.18	24
25		.04	.02	.06	.20	.12		.13		.20		.09	25
26				.23							.09		26
27		.20	.12	.03					.15		.07	.21	27
28		.11		.22			.05	.20				.03	28
29			.01	.04		.36			.21	.27	.01		29
30				.01		.04				.05			30
31					.02					.06			31
Total	1.08	.81	1.46	.88	.95	1.98	.25	1.72	1.60	1.82	2.60	3.50	TOTAL for year 18.65
No. of Rain Days	11	13	15	11	6	11	2	8	9	14	17	22	139

9,000, IX. '10.

WHITTLESEA MERE

HUNTINGDONSHIRE

1911 - 1920

RE... 1911

FORM A2. BRITISH RAINFALL.

23 JAN 1912

115

Kept at Whittlesea

in the County of Hunt...

by A. Lunn

...top 8 in.

...p above Ground 1 ft. 6 in.

„ Sea Level — ft.

...tion { Name ... Distance ... Direction ...

IMPORTANT NOTI... , and the result entered to the previous day. If an Ob... universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the follo...g year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												.06	1
2	.11											.04	2
3					.16			.35			.06	.07	3
4	.03	.03							.08	.32	.12	.10	4
5			.15	.04				.08		.03		.04	5
6	.25											.18	6
7										.04		.33	7
8	.21								.47		.06	.06	8
9	.10		.12	.02								.01	9
10		.06									.06	.09	10
11			.25								.37		11
12	.08								.03		.17		12
13			.07			.02			.25			.24	13
14		.03	.12		.47	.12						.45	14
15			.01								.03		15
16						.08					.41	.06	16
17											.02	.10	17
18		.13				.08					.21		18
19				.01	.05	.08	.02	.02	.10		.18		19
20								.33	.15			.27	20
21		.12						.84	.08	.10		.40	21
22	.04		.13							.13		.35	22
23			.08			.87		.02	.38			.11	23
24			.03			.24				.25		.12	24
25		.10	.03	.21		.10				.05		.01	25
26				.02		.02		.02		.12	.19	.25	26
27		.21	.10	.18					.12	.06		.03	27
28		.12						.24					28
29				.04		.16	.05			.21			29
30					.03				.03	.07			30
31													31
Total	.82	.80	1.09	.52	.71	1.77	.07	1.90	1.69	1.58	1.88	3.37	TOTAL for year 16.20
No. of Rain Days	7	8	11	7	4	10	.02	8	10	11	12	22	112

9,000, IX. '10.

DL

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
23 JAN 1912
115

Kept at Whittlesea Mere

in the County of Huntingdonshire

by A. Lunn

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level — ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												.06	1
2	.11											.04	2
3					.16			.35			.06	.07	3
4	.03	.03							.08	.52	.12	.10	4
5			.15	.04				.08		.03		.04	5
6	.25											.18	6
7										.04		.33	7
8	.21								.47		.06	.06	8
9	.10		.12	.02								.01	9
10		.06									.06	.09	10
11			.25								.37		11
12	.08								.03		.17		12
13			.07			.02			.25			.24	13
14		.03	.12		.47	.12						.45	14
15			.01								.03		15
16						.08					.41	.06	16
17											.02	.10	17
18		.13				.08					.21		18
19				.01	.05	.08	.02	.02	.10		.18		19
20								.33	.15			.27	20
21		.12						.84	.08	.10		.40	21
22	.04		.13							.13		.35	22
23			.08			.87		.02	.38			.11	23
24			.03			.24				.25		.12	24
25		.10	.03	.21		.10				.05		.01	25
26				.02		.02		.02		.12	.19	.25	26
27		.21	.10	.18					.12	.06		.03	27
28		.12						.24					28
29				.04		.16	.05			.21			29
30					.03				.03	.07			30
31													31
Total	.82	.80	1.09	.52	.71	1.77	.07	1.90	1.69	1.58	1.88	3.37	TOTAL for year 16.20
No. of Rain Days	7	8	11	7	4	10	.02	8	10	11	12	22	112

9,000, IX. '10

REGISTER OF RAINFALL IN 1912

Form A2.
British Rainfall.

24 JAN 1913

Kept at Whittlesea Mere

in the County of Huntingdonshire

by A. Lunn

Rain Gauge { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name ; Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.12		.04	.08			.13	1
2	.01		.04		.01	.17	.43						2
3	.13					.34	.05	.29	.04			.08	3
4	.03		.46		.07	.20		.39			.24		4
5	.02	.16	.23			.05		.08			.03		5
6	.43	.11				.15	.65	.04					6
7						2.11		.07					7
8	.23	.19	.08			.10	.18	.35	.11				8
9		.09	.02	.02		.54		.01				.11	9
10								.35	.08				10
11	.22	.02										.23	11
12	.09				.03			.04			.10		12
13		.03				.03	.07				.26		13
14	.02							.02					14
15			.09		.65	.17						.05	15
16	.34				.06	.04		.10		.06			16
17	.25		.11			.14		.35			.04	.11	17
18	.03		.06					.07		.03	.01	.01	18
19	.22	.05				.09	.10	.33			.07		19
20	.06		.11		.01		.04	.51		.20			20
21		.01	.06		.38			.70		.19	.06		21
22	.29				.13		1.53	.23		.15			22
23	.16	.31	.22				.69	.55			.05	.24	23
24	.10	.02				.08	.04	.12				.04	24
25							.03	.52			.15	.23	25
26	.02	.04					.35	1.61		.50	.27	.27	26
27						.03		—		.27		.19	27
28		.01				.08		.50	.04	.20	.18	.90	28
29						.15	.22	.20	.54	.19	.07		29
30					.52	.04		.05	.20	.19			30
31			.11		.05		.34	.20					31
Total	2.65	1.04	1.59	.02	1.91	4.63	4.72	7.72	1.09	1.95	1.45	2.59	TOTAL for year
No. of Rain Days.	18	12	12	1	10	19	14	25	7	9	11	13	151

W. 8,000, X. '11.

82.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 27 JAN 1914

Kept at Whittlesea Mere

in the County of Huntingdonshire

by A. Lunn

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.06	.10	.03					.58		.08		1
2		.05					.09		.20				2
3			.11		.65				.01	.09			3
4	.16				.11	.01	.02		.08	.13	.09	.25	4
5					.01	.02	.03				.03		5
6			.02		.32	.46	.01			.05			6
7		.02			.18	.05	.04			.43			7
8	.11	.04			.31	.11				.09	.15		8
9		.19			.03		.02		.02		.14		9
10				.02	.02		.12	.21			.33		10
11	.55			.27				.78					11
12											.13		12
13									.02		.31		13
14	.03	.04	.12				.50	.01		.11	.03		14
15	.10		.14	.15					.04		.02		15
16			.72	.18									16
17	.09		.06	.06		1.80	.03				.01	.02	17
18			.10				.02		.40			.01	18
19			.04				.01						19
20	.10		.08	.02		.03	.01		.03	.35			20
21			.28		.05		.04			.01	.22		21
22	.16		.16					.12	.15				22
23								.03					23
24							.03						24
25				.14			.01						25
26		.01	.14	.03						.64	.02	.11	26
27		.02		.05	.02								27
28	.22		.09	.06						.11			28
29	.06		.12	.54	.08			.13		.13		.04	29
30	.16			.03				.02		.12	.07	.01	30
31					.02	.01		.45					31
Total	1.74	.43	2.25	1.58	1.60	2.49	.98	1.75	1.53	2.26	1.63	.44	YEAR'S TOTAL 18.91
Rain Days.	11	6	15	13	12	8	15	8	10	12	14	6	132

W. 7,500, XI. 12

82

REGISTER OF RAINFALL IN 1914

201

FORM A. BRITISH RAINFALL. 1157

28 JAN 1915

Kept at Whittlesea Mere

in the County of Huntingdonshire

by A. Lunn

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.19			.09	.13	1
2								.13			.07	.08	2
3					.13		.11						3
4	.04			.16				.01			.36	.14	4
5			.04	.11	.03	.02	.12	.20					5
6							.22				.26	.12	6
7		.02	.40		.08	.36		.02				.02	7
8	.10	.01	.11			.59	.12	.15				.03	8
9	.68		.20	.19		.76						.29	9
10	.34	.10		.08									10
11		.02	.22		.05	.08			.10		.31	.16	11
12			.05				.08		.33			.18	12
13		.10	.13							.40	.15	.18	13
14		.02	.23				.02	.11		.55	.10	.43	14
15			.15						.02		.08	.18	15
16											.30	.07	16
17		.20	.01						.10		.03	.18	17
18			.02				.06		.02			.32	18
19			.18			.40	.35						19
20		.10	.33			.02					.07		20
21		.22	.16			.08	.08				.04	.23	21
22					.10			.15		.13			22
23					.04		.04			.02			23
24			.02	.07			.01	.04		.16	.09		24
25			.04				.02			.31		.11	25
26			.06				.01	.13		.05	.10	.29	26
27			.01							.13	.04	.14	27
28		.04			.04					.12	.06	1.07	28
29	.02		.12		.03					.25	.09		29
30										.06	.14	.21	30
31					.08		.10			.02		.11	31
Total	1.08	.83	2.48	.61	.58	2.31	1.34	1.13	.57	2.20	2.38	4.67	YEAR'S TOTAL 20.18
Rain Days.	5	10	19	5	9	8	14	10	5	12	18	22	137

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

Kept at Whittlesea Mere

in the County of Huntingdonshire

by A. Lunn

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	.15			.16				.12		.10		1
2	.13	.10	.14			.02		.53	.05		.04	.05	2
3	.24		.05	.20			.18	.45	.10	.02		.09	3
4	.22						.51	.13				.57	4
5		.05			.36			.02				.12	5
6	.02			.11			.52	.14				.09	6
7		.25	.14			.05		.15				.12	7
8		.13	.02	.03			.05						8
9		.02				.08				.02	.13	.40	9
10	.34		.04					.36			.02		10
11	.01				.09		.07				.60	.02	11
12	.04			.16	.31			.36			1.20		12
13		.24			.92								13
14							.20		.04			.18	14
15	.22				.07		.07	.05			.05	.06	15
16		.14					.51	.09				.04	16
17		.09					.15				.02		17
18		.02	.17								.04		18
19			.02				.08						19
20	.21											.25	20
21	.06						.09					.05	21
22	.38	.02	.12	.02			.35						22
23		.16	.01				.16		.15	.20		.31	23
24			.12				.52		.35			.07	24
25						.36	.12					.22	25
26							.17			.01			26
27						.31	.02		.11	.40		.04	27
28						.08	.09			.24			28
29						.09	.08	.17			.11	.17	29
30	.08	X				.50						.03	30
31	.04	X		X		X		.05	X	.12	X	.08	31
Total	2.18	1.37	.83	.52	1.91	1.49	3.94	2.50	.92	1.01	2.31	2.96	YEAR'S TOTAL 21.94
Rain Days.	14	12	10	5	16	8	19	12	7	7	10	20	130

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Whittlesea Mere

in the County of Huntingdonshire

by A. Lunn

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02		.03		.12		.02	—	.55		1
2	.31		.06		.40					.22	.04		2
3		.18							.20	.17	.03		3
4	.31	.11			.01				.05	.02	.17		4
5					.04	.14				.12	.28		5
6		.03	.07	.18		.08	.43				.23		6
7	.02		.11		.05					.08	.10		7
8					.17						.02	.23	8
9				.01	.23					.07		.08	9
10			.06	.04								.05	10
11		.32	.08		.13	.09	.05						11
12	.05	.02			.38	.30	.04			.05			12
13		.17	.02		.22	.07		.03					13
14		.40	.03		.10								14
15		.34	.33				.15						15
16		.03	.07	.15			.05						16
17	.04			.05			.20	.53	.23	.31			17
18		.15	.05					.04	.05	.03	.52	.19	18
19	.08		.04	.08		.05		.05	.07		.31		19
20	.06		.06					.16				.31	20
21			.24				.46	.04				.60	21
22		.02	.02		.15	.03	.06			.02		.31	22
23	.03	.19	.07			.22	.03	.05			.11	.34	23
24		.17	.02					.05				.21	24
25		.03						.17		.03	.03		25
26		.12				.04		.04		.02			26
27		.30	.53			.70		.14		.20			27
28		.23	.50						.10			.15	28
29		.06				.08		1.70		.25			29
30		X			.07			.36		.16			30
31		X		X		X			X	.04	X		31
Total	.90	2.87	2.38	.51	1.98	1.80	1.59	3.36	.72	1.79	2.39	2.47	YEAR'S TOTAL 22.76
Rain Days.	8	18	19	6	13	11 9	10	13	7	16	12	10	143

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 1157

Kept at Whittlesea Mere

in the County of Huntingdonshire

by C. P. Burling

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03		.02				1.05	.39		.02		1
2				.13				.12					2
3								.35		.03			3
4		.10	.02					.03		.52			4
5	.13			.10				.04	.05		.15		5
6										.11			6
7			.05										7
8	.36			.15			.30	.30		.34	.08		8
9	.08		.08					.13		.11			9
10	.22		.17	.18				.26		.18			10
11			.18	.43				.02					11
12				.02	.10			.22		.34			12
13	.12		.06				.06	.13					13
14	.09			.06			.07	.23				.05	14
15							.03	.10		.02			15
16	.05	.06		.18		.24	.04			.32			16
17			.02	.15	.47	.95	.10	.07	.20	.15		.07	17
18				.06	.03			.03	1.14				18
19		.11	.11		.24				.08				19
20		.23	.09		.34						.17		20
21			.03						.02				21
22									.08	.18			22
23					.10			.06	.07				23
24		.03				.30				.13	.02		24
25			.01				.02		.09		.06		25
26						.05	.04	.41			.28		26
27			.02			.03		.46					27
28						.55		.21					28
29					.26	.22	.25			.25		.12	29
30	.02	X						.14				.10	30
31		X	.01	X		X	.15	.13	X		X		31
Total	1.07	.56	.85	1.48	1.54	2.34	1.06	4.49	2.12	2.68	.78	.34	YEAR'S TOTAL 19.31
Rain Days.	8	6	13	11	7	7	10	21	9	13	7	4	~~116~~

W. 8,000, VIII. 16

1.92

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1157

30.1.19

Kept at Whittlesea Mere

in the County of Huntingdonshire

by C. E. Mathews

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.17							.06	.04	1
2		.13		.02				.18			.09	.02	2
3		.02			.62			.03	.08		.63		3
4			.05						.30		.22	.01	4
5		.03		.01	.14			.16	.54				5
6		.05						.01					6
7	.15	.11							.07		.08		7
8									.04	.22	.03		8
9		.12				.04	.14		.28			.02	9
10	.02			.02			.23		.02	.07		.12	10
11					.08				.30	.45		.15	11
12		.05			.16		.30		.09				12
13					.42		.27		.14			.01	13
14	.24								.08	.19			14
15	.48			.80			.65		.15			.08	15
16	.02			.36					.60				16
17	.12			.03	.17		1.49	.01		.01		.07	17
18	.21					.03	.04		.22	.07		.30	18
19		.05	.02			.04				.02		.03	19
20				.14			.02		.16	.08			20
21	.02						.10		.26				21
22	.07						.11					.25	22
23	.10				.26		.04						23
24		.10					.08						24
25							.10	.12			.08		25
26							.30		.06			.09	26
27						.05	.16	.08			.15		27
28		.02	.07					.05			.02	.14	28
29									.90				29
30		X	.22			X			.05	.05	.09	.02	30
31		X		X					X		X	.02	31
Total	1.43	.68	.36	1.55	1.85	.16	4.03	.64	4.34	1.16	1.45	1.37	YEAR'S TOTAL 19.02
Rain Days.	10	10	4	8	7	4	15	8	19	9	10	16	120

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL 1157

23 MAR 20

Kept at Whittlesea Mere

in the County of Huntingdonshire

by G. E. Mathews

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25		.01		.02		.07			.03	.02	.65	1
2	.10				.03		.08		.10		.26	.48	2
3	.43		.10				.24		.05		.14		3
4	.03		.04			.05		.07			.02	.30	4
5	.06	.11	.28						.71			.05	5
6					.02						.04		6
7	.02		.15								.10		7
8	.12										.08		8
9				.02									9
10			.16	.03								.04	10
11	.04		.30				.72				.08		11
12			.09			.10	.09			.03	.02		12
13	.10			.12									13
14	.21		.07	.07									14
15	.04			.11							.09	.48	15
16	.02	.65		.02				.02			.10		16
17		.31									.07		17
18											.04	.19	18
19		.11	.57				.44	.08	.15				19
20	.40		.08			.18	.40	.40	.10		.02	.07	20
21	.34	.42	.02				.35					.10	21
22		.07					.06		.38		.04	.34	22
23						.03	.03	.02	.03	.12		.01	23
24				.11		.15				.13			24
25	.02				.13							.06	25
26	.05		.08	.03				.18	.15			.31	26
27	.50	.06	.02	.47				.08		.06			27
28				.03			.02	.72			.14	.28	28
29				.02				.15		.26		.20	29
30				.26		.23		.02		.04	.09	.13	30
31	.01						.01			.08			31
Total	2.74	1.73	1.97	1.29	.20	.74	2.51	1.74	1.67	.75	1.35	3.69	YEAR'S TOTAL 20.38
Rain Days.	18	7	14	12	4	6	12	10	8	8	17	16	132

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Whittlesea Mere

in the County of Huntingdonshire

by C. E. Matthews.

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge..... in.

Height of top of Gauge above Ground..... ft..... in.

" " " " Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.11		.28			.62		.11	1
2				.08				.11	.03	.03			2
3		.02		.10			.60		.08	.06		.03	3
4			.06	.11			.06	.31	.04			.02	4
5			.04	.02	.16		.59	.06	.09				5
6			.08				.48						6
7			.06	.09			.10						7
8	.12	.05		.35	.04		.02						8
9	.40			.20				.08					9
10	.03			.04							.04	.02	10
11	.20		.27	.28	.12							.05	11
12	.03			.18		.07			.08			.15	12
13			.02	.10		.13			.15				13
14		.02	.35	.09		.03	.13		.37	.02	.15		14
15			(.34)	.05					.39	.10	.08	.02	15
16									.28				16
17			.03	.03	.22		.02		.22				17
18	.03			.02	.03	.14		.18				.02	18
19		.09		.13		.02		.03					19
20	.04	.28		.20		.47							20
21				.14				.06	.08				21
22				.14					.36				22
23							.12					.32	23
24			.12									.04	24
25		.14	.06	.03	.18		.40						25
26	.06			.05	.08		.16						26
27	.12	.06		.10		.50					.18		27
28	.35		.08		.22						.02	.05	28
29			.20		.18		.07					.38	29
30	.03	X	.06	.03					.14		.05	.13	30
31	.02	X	.02	X		X			X	.05	X	.04	31
TOTAL	1.43	.66	1.56	2.56	1.34	1.36	3.03	.83	2.41	.88	.52	1.38	YEAR'S TOTAL 17.96
Days with .01 in. or more	12	7	14	23	10	7	13	7	13	6	6	14	132
	12	5	12	18	9	5	11	6	13	4	5	9	104

(44 000) Wt. 958—2187500. 10/19. Gp.136. A.&E.W.